MOORING ROPE

Double Ply Rope

Specification: Specifications Polyamide Filament Polyamide Polypropylene Filament...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Mooring Rope
Standard	EN
Material	Polyester,polypropylene,polythylene,nylon etc.
Weight / Size	Specifications Polyamide Filament Polyamide Polypropylene Filament PP Po...
Certificate	BV,CCS,ABS,DNV,LR,NK,RINA,mill certificate etc.

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Mooring Rope	**Model / SKU**	Double-Ply-Rope
Standard	EN	**Material**	Polyester,polypropylene,polythylene,nylon etc.

Weight / Size	Specifications Polyamide Filament Polyamide Polypropylene Filament PP Polyester Diameter Weight Breaking Strength Weight Breaking Strength Weight Breaking Strength Weight Breaking Strength Weight Breaking Strength mm Ktex daN Ktex daN Ktex daN Ktex daN Ktex daN 28 465 18500 452 13800 365 12100 605 14000 500 12700 32 605 23500 585 17600 470 15300 795 18000 660 16000 36 770 29200 745 21900 600 19100 1000 22400 820 20000 40 950 35200 920 26400 740 22700 1245 27000 1000 23800 44 1150 41400 1120 31000 900 27200 1500 32000 1200 28500 48 1360 50000 1320 37500 1080 32500 1820 38000 1450 34200 52 1590 58500 1550 44000 1270 38000 2130 45500 1680 40000 56 1850 65600 1800 49000 1480 43000 2470 51000 1960 45400 60 2120 75600 2060 56500 1700 49400 2830 57000 2270 51000 64 2420 85800 2350 63500 1920 55500 3230 66500 2550 58000 72 3060 110000 2970 79000 2430 69500 4080 81500 3270 73000 80 3780 128000 3670 93800 3010 83000 4950 98000 4000 87200 88 4580 151000 4440 113000 3650 97800 5980 120000 4820 108000 96 5450 178000 5290 134000 4250 116000 7130 144000 5910 138000 104 6390 207000 6200 155000 5000 135000 8360 165000 6920 156000 112 7410 239000 7180 180000 5820 157000 9690 191000 7950 182000 120 8510 274000 8260 206000 6630 180000 11100 218000 9100 206000 136 10900 350000 10600 265000 8570 230000 14300 280000 11800 260000	**Certificate**	BV,CCS,ABS,DNV,LR,NK,RINA,mill certificate etc.
Warranty	12 Months unless specified otherwise	**Origin**	China

Specification:

Specifications	Polyamide Filament		Polyamide		Polypropylene Filament		PP		Polyester	
Diameter	Weight	Breaking Strength	Weight	Breaking Strength	Weight	Breaking Strength	Weight	Breaking Strength	Weight	Breaking Strength
mm	Ktex	daN	Ktex	daN	Ktex	daN	Ktex	daN	Ktex	daN
28	465	18500	452	13800	365	12100	605	14000	500	12700
32	605	23500	585	17600	470	15300	795	18000	660	16000
36	770	29200	745	21900	600	19100	1000	22400	820	20000
40	950	35200	920	26400	740	22700	1245	27000	1000	23800
44	1150	41400	1120	31000	900	27200	1500	32000	1200	28500
48	1360	50000	1320	37500	1080	32500	1820	38000	1450	34200
52	1590	58500	1550	44000	1270	38000	2130	45500	1680	40000
56	1850	65600	1800	49000	1480	43000	2470	51000	1960	45400
60	2120	75600	2060	56500	1700	49400	2830	57000	2270	51000
64	2420	85800	2350	63500	1920	55500	3230	66500	2550	58000
72	3060	110000	2970	79000	2430	69500	4080	81500	3270	73000
80	3780	128000	3670	93800	3010	83000	4950	98000	4000	87200
88	4580	151000	4440	113000	3650	97800	5980	120000	4820	108000
96	5450	178000	5290	134000	4250	116000	7130	144000	5910	138000
104	6390	207000	6200	155000	5000	135000	8360	165000	6920	156000
112	7410	239000	7180	180000	5820	157000	9690	191000	7950	182000
120	8510	274000	8260	206000	6630	180000	11110	218000	9100	206000
136	10900	350000	10600	265000	8570	230000	14300	280000	11800	260000