

# Jinbo Marine

Marine Stores &amp; Equipment Datasheet

IMPA DATASHEET

## 27 - PAINTING EQUIPMENT

# Standard Airless Spray Tip

Jinbo Marine supplies IMPA marine stores and ship equipment for global marine and offshore customers.

IMPA CODE

# 270201

### Key Product Information

<b>IMPA</b>	270201	<b>Product Name</b>	Standard Airless Spray Tip
<b>Specification</b>	Model No.:GGO-413,Nominal No. of Tip Diam.:13,Flow Rate Ltr/Min.:0.61,Pattern Width:200-250(No.4)	<b>Unit</b>	
<b>Category</b>	27 - Painting Equipment	<b>Origin</b>	China

### Description

Made of tungsten carbide.Available in a wide range of sizes.The most commonly used models are listed below.

### Related IMPA Products

IMPA	Name	Specification	Unit
270202	Standard Airless Spray Tip	Model No.:GGO-415,Nominal No. of Tip Diam.:15,Flow Rate Ltr/Min.:0.80,Pattern Width:1.02(No.200-250)	
270203	Standard Airless Spray Tip	Model No.:GGO-417,Nominal No. of Tip Diam.:17,Flow Rate Ltr/Min.:1.02,Pattern Width:200-250(No.4)	
270204	Standard Airless Spray Tip	Model No.:GGO-419,Nominal No. of Tip Diam.:19,Flow Rate Ltr/Min.:1.29,Pattern Width:200-250(No.4)	
270205	Standard Airless Spray Tip	Model No.:GGO-421,Nominal No. of Tip Diam.:21,Flow Rate Ltr/Min.:1.59,Pattern Width:200-250(No.4)	
270206	Standard Airless Spray Tip	Model No.:GGO-423,Nominal No. of Tip Diam.:23,Flow Rate Ltr/Min.:1.89,Pattern Width:200-250(No.4)	

IMP A	Name	Specification	Un it
270 207	Standard Airless Spray Tip	Model No.:GGO-425,Nominal No. of Tip Diam.:25,Flow Rate Ltr/Min.:2.27,Pattern Width:250-310(No.5)	
270 216	Standard Airless Spray Tip	Model No.:GGO-513,Nominal No. of Tip Diam.:13,Flow Rate Ltr/Min.:0.61,Pattern Width: (No.)Model No.:GGO-,Nominal No. of Tip Diam.:Flow Rate Ltr/Min.:,Pattern Width:250-310(No.5)	
270 217	Standard Airless Spray Tip	Model No.:GGO-515,Nominal No. of Tip Diam.:15,Flow Rate Ltr/Min.:0.80,Pattern Width:250-310(No.5)	
270 218	Standard Airless Spray Tip	Model No.:GGO-517,Nominal No. of Tip Diam.:17,Flow Rate Ltr/Min.:1.02,Pattern Width:250-310(No.5)	
270 219	Standard Airless Spray Tip	Model No.:GGO-519,Nominal No. of Tip Diam.:19,Flow Rate Ltr/Min.:1.29,Pattern Width:250-310(No.5)	
270 220	Standard Airless Spray Tip	Model No.:GGO-521,Nominal No. of Tip Diam.:21,Flow Rate Ltr/Min.:1.59,Pattern Width:250-310(No.5)	
270 221	Standard Airless Spray Tip	Model No.:GGO-523,Nominal No. of Tip Diam.:23,Flow Rate Ltr/Min.:1.89,Pattern Width:250-310(No.5)	
270 222	Standard Airless Spray Tip	Model No.:GGO-525,Nominal No. of Tip Diam.:25,Flow Rate Ltr/Min.:2.27,Pattern Width:250-310(No.5)	
270 231	Standard Airless Spray Tip	Model No.:GGO-613,Nominal No. of Tip Diam.:13,Flow Rate Ltr/Min.:0.61,Pattern Width:310-360(No.6)	
270 232	Standard Airless Spray Tip	Model No.:GGO-615,Nominal No. of Tip Diam.:15,Flow Rate Ltr/Min.:0.80,Pattern Width:310-360(No.6)	
270 233	Standard Airless Spray Tip	Model No.:GGO-617,Nominal No. of Tip Diam.:17,Flow Rate Ltr/Min.:1.02,Pattern Width:310-360(No.6)	
270 234	Standard Airless Spray Tip	Model No.:GGO-619,Nominal No. of Tip Diam.:19,Flow Rate Ltr/Min.:1.29,Pattern Width:310-360(No.6)	
270 235	Standard Airless Spray Tip	Model No.:GGO-621,Nominal No. of Tip Diam.:21,Flow Rate Ltr/Min.:1.59,Pattern Width:310-360(No.6)	
270 236	Standard Airless Spray Tip	Model No.:GGO-623,Nominal No. of Tip Diam.:23,Flow Rate Ltr/Min.:1.89,Pattern Width:310-360(No.6)	

IMP A	Name	Specification	Un it
270 237	Standard Airless Spray Tip	Model No.:GGO-625,Nominal No. of Tip Diam.:25,Flow Rate Ltr/Min.:2.27,Pattern Width:310-360(No.6)	