35 - HOSE & COUPLINGS

# Quick-Connect Coupler for All Purpose(Single End S

Jinbo Marine supplies IMPA marine stores and ship equipment for global marine and offshore customers.

**IMPA CODE**
**351211**

## Key Product Information

| | | | |
|---|---|---|---|
| **IMPA** | 351211 | **Product Name** | Quick-Connect Coupler for All Purpose(Single End S |
| **Specification** | Brass,SH Series Socket,Hose End Size:1/4,Part No.:20SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | **Unit** | |
| **Category** | 35 - Hose & Couplings | **Origin** | China |

## Description

A general purpose coupling which can close at either end of the connection. It is a convenient, compact coupling set which connects and disconnects easily, providing dependable service for fluid transfer of hydraulic, pneumatic, and vacuum systems Th

## Related IMPA Products

| IMPA | Name | Specification | Unit |
|---|---|---|---|
| 351201 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:1/4,Part No.:20SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351202 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:3/8,Part No.:30SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351203 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:1/2,Part No.:40SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351204 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:1/2,Part No.:400SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351205 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:3/4,Part No.:600SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |

| IMPA | Name | Specification | Unit |
|---|---|---|---|
| 351206 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:1,Part No.:800SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351212 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SH Series Socket,Hose End Size:3/8,Part No.:30SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351213 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SH Series Socket,Hose End Size:1/2,Part No.:40SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351214 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SH Series Socket,Hose End Size:1/2,Part No.:400SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351215 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SH Series Socket,Hose End Size:3/4,Part No.:600SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351216 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SH Series Socket,Hose End Size:1,Part No.:800SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351221 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:1/4,Part No.:20SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351222 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:3/8,Part No.:30SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351223 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:1/2,Part No.:40SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351224 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:1/2,Part No.:400SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351225 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:3/4,Part No.:600SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351226 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:1,Part No.:800SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351231 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PH Series Plug,Hose End Size:1/4,Part No.:20PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351232 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PH Series Plug,Hose End Size:3/8,Part No.:30PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351233 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PH Series Plug,Hose End Size1/2,Part No.:40PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351234 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PH Series Plug,Hose End Size:1/2,Part No.:400PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351235 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PH Series Plug,Hose End Size:3/4,Part No.:600PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351236 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PH Series Plug,Hose End Size:1,Part No.:800PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351241 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:1/4,Part No.:20PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |

| IMPA | Name | Specification | Unit |
|---|---|---|---|
| 351242 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:3/8,Part No.:30PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351243 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:1/2,Part No.:40PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351244 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:1/2,Part No.:400PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351245 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:3/4,Part No.:600PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351246 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:1,Part No.:800PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351251 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size:1/4,Part No.:20PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351252 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size:3/8,Part No.:30PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351253 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size1/2,Part No.:40PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351254 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size:1/2,Part No.:400PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351255 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size:3/4,Part No.:600PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351256 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size:1,Part No.:800PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351301 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 1/8,Part No.:10SM | |
| 351302 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 1/4,Part No.:20SM | |
| 351303 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 3/8,Part No.:30SM | |
| 351304 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:40SM | |
| 351305 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:400SM | |
| 351306 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 3/4,Part No.:600SM | |
| 351307 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 1,Part No.:800SM | |
| 351311 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 1/8,Part No.:10SM | |

| IMPA | Name | Specification | Unit |
|---|---|---|---|
| 351312 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 1/4,Part No.:20SM | |
| 351313 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 3/8,Part No.:30SM | |
| 351314 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:40SM | |
| 351315 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:400SM | |
| 351316 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 3/4,Part No.:600SM | |
| 351317 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 1,Part No.:800SM | |
| 351321 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 1/8,Part No.:10SM | |
| 351322 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 1/4,Part No.:20SM | |
| 351323 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 3/8,Part No.:30SM | |
| 351324 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:40SM | |
| 351325 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:400SM | |
| 351326 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 3/4,Part No.:600SM | |
| 351327 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 1,Part No.:800SM | |
| 351331 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 1/8,Part No.:10SM | |
| 351332 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 1/4,Part No.:20SM | |
| 351333 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 3/8,Part No.:30SM | |
| 351334 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:40SM | |
| 351335 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:400SM | |
| 351336 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 3/4,Part No.:600SM | |

| IMPA | Name | Specification | Unit |
|---|---|---|---|
| 351337 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 1,Part No.:800SM | |
| 351341 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 1/8,Part No.:10SM | |
| 351342 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 1/4,Part No.:20SM | |
| 351343 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 3/8,Part No.:30SM | |
| 351344 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:40SM | |
| 351345 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:400SM | |
| 351346 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 3/4,Part No.:600SM | |
| 351347 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 1,Part No.:800SM | |
| 351351 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 1/8,Part No.:10SM | |
| 351352 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 1/4,Part No.:20SM | |
| 351353 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 3/8,Part No.:30SM | |
| 351354 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:40SM | |
| 351355 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:400SM | |
| 351356 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 3/4,Part No.:600SM | |
| 351357 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 1,Part No.:800SM | |
| 351401 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 1/4,Part No.:20SF | |
| 351402 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 3/8,Part No.:30SF | |
| 351403 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:40SF | |
| 351404 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:400SF | |

| IMPA | Name | Specification | Unit |
|---|---|---|---|
| 351405 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 3/4,Part No.:600SF | |
| 351406 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 1,Part No.:800SF | |
| 351411 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 1/4,Part No.:20SF | |
| 351412 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 3/8,Part No.:30SF | |
| 351413 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:40SF | |
| 351414 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:400SF | |
| 351415 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 3/4,Part No.:600SF | |
| 351416 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 1,Part No.:800SF | |
| 351421 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 1/4,Part No.:20SF | |
| 351422 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 3/8,Part No.:30SF | |
| 351423 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:40SF | |
| 351424 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:400SF | |
| 351425 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 3/4,Part No.:600SF | |
| 351426 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 1,Part No.:800SF | |
| 351431 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 1/4,Part No.:20SF | |
| 351432 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 3/8,Part No.:30SF | |
| 351433 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:40SF | |
| 351434 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:400SF | |
| 351435 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 3/4,Part No.:600SF | |

| IMPA | Name | Specification | Unit |
|---|---|---|---|
| 351436 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 1,Part No.:800SF | |
| 351441 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PF Series Plug,Female Pipe Thread:PT 1/4,Part No.:20SF | |
| 351442 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PF Series Plug,Female Pipe Thread:PT 3/8,Part No.:30SF | |
| 351443 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:40SF | |
| 351444 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:400SF | |
| 351445 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PF Series Plug,Female Pipe Thread:PT 3/4,Part No.:600SF | |
| 351446 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PF Series Plug,Female Pipe Thread:PT 1,Part No.:800SF | |
| 351451 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 1/4,Part No.:20SF | |
| 351452 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 3/8,Part No.:30SF | |
| 351453 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:40SF | |
| 351454 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:400SF | |
| 351455 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 3/4,Part No.:600SF | |
| 351456 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 1,Part No.:800SF | |