35 - HOSE & COUPLINGS

Quick-Connect Coupler for All Purpose(Single End S

Jinbo Marine supplies IMPA marine stores and ship equipment for global marine and offshore customers.

IMPA CODE
351216

Key Product Information

IMPA	351216	**Product Name**	Quick-Connect Coupler for All Purpose(Single End S
Specification	Brass,SH Series Socket,Hose End Size:1,Part No.:800SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	**Unit**	
Category	35 - Hose & Couplings	**Origin**	China

Description

A general purpose coupling which can close at either end of the connection. It is a convenient, compact coupling set which connects and disconnects easily, providing dependable service for fluid transfer of hydraulic, pneumatic, and vacuum systems Th

Related IMPA Products

IMPA	Name	Specification	Unit
351201	Quick-Connect Coupler for All Purpose(Single End S	Steel,SH Series Socket,Hose End Size:1/4,Part No.:20SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351202	Quick-Connect Coupler for All Purpose(Single End S	Steel,SH Series Socket,Hose End Size:3/8,Part No.:30SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351203	Quick-Connect Coupler for All Purpose(Single End S	Steel,SH Series Socket,Hose End Size:1/2,Part No.:40SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351204	Quick-Connect Coupler for All Purpose(Single End S	Steel,SH Series Socket,Hose End Size:1/2,Part No.:400SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351205	Quick-Connect Coupler for All Purpose(Single End S	Steel,SH Series Socket,Hose End Size:3/4,Part No.:600SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	

IMPA	Name	Specification	Unit
351206	Quick-Connect Coupler for All Purpose(Single End S	Steel,SH Series Socket,Hose End Size:1,Part No.:800SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351211	Quick-Connect Coupler for All Purpose(Single End S	Brass,SH Series Socket,Hose End Size:1/4,Part No.:20SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351212	Quick-Connect Coupler for All Purpose(Single End S	Brass,SH Series Socket,Hose End Size:3/8,Part No.:30SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351213	Quick-Connect Coupler for All Purpose(Single End S	Brass,SH Series Socket,Hose End Size:1/2,Part No.:40SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351214	Quick-Connect Coupler for All Purpose(Single End S	Brass,SH Series Socket,Hose End Size:1/2,Part No.:400SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351215	Quick-Connect Coupler for All Purpose(Single End S	Brass,SH Series Socket,Hose End Size:3/4,Part No.:600SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351221	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SH Series Socket,Hose End Size:1/4,Part No.:20SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351222	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SH Series Socket,Hose End Size:3/8,Part No.:30SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351223	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SH Series Socket,Hose End Size:1/2,Part No.:40SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351224	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SH Series Socket,Hose End Size:1/2,Part No.:400SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351225	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SH Series Socket,Hose End Size:3/4,Part No.:600SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351226	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SH Series Socket,Hose End Size:1,Part No.:800SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351231	Quick-Connect Coupler for All Purpose(Single End S	Steel,PH Series Plug,Hose End Size:1/4,Part No.:20PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351232	Quick-Connect Coupler for All Purpose(Single End S	Steel,PH Series Plug,Hose End Size:3/8,Part No.:30PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351233	Quick-Connect Coupler for All Purpose(Single End S	Steel,PH Series Plug,Hose End Size1/2,Part No.:40PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351234	Quick-Connect Coupler for All Purpose(Single End S	Steel,PH Series Plug,Hose End Size:1/2,Part No.:400PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351235	Quick-Connect Coupler for All Purpose(Single End S	Steel,PH Series Plug,Hose End Size:3/4,Part No.:600PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351236	Quick-Connect Coupler for All Purpose(Single End S	Steel,PH Series Plug,Hose End Size:1,Part No.:800PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351241	Quick-Connect Coupler for All Purpose(Single End S	Brass,PH Series Plug,Hose End Size:1/4,Part No.:20PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	

IMPA	Name	Specification	Unit
351242	Quick-Connect Coupler for All Purpose(Single End S	Brass,PH Series Plug,Hose End Size:3/8,Part No.:30PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351243	Quick-Connect Coupler for All Purpose(Single End S	Brass,PH Series Plug,Hose End Size:1/2,Part No.:40PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351244	Quick-Connect Coupler for All Purpose(Single End S	Brass,PH Series Plug,Hose End Size:1/2,Part No.:400PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351245	Quick-Connect Coupler for All Purpose(Single End S	Brass,PH Series Plug,Hose End Size:3/4,Part No.:600PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351246	Quick-Connect Coupler for All Purpose(Single End S	Brass,PH Series Plug,Hose End Size:1,Part No.:800PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351251	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PH Series Plug,Hose End Size:1/4,Part No.:20PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351252	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PH Series Plug,Hose End Size:3/8,Part No.:30PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351253	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PH Series Plug,Hose End Size1/2,Part No.:40PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351254	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PH Series Plug,Hose End Size:1/2,Part No.:400PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351255	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PH Series Plug,Hose End Size:3/4,Part No.:600PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351256	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PH Series Plug,Hose End Size:1,Part No.:800PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351301	Quick-Connect Coupler for All Purpose(Single End S	Steel,SM Series Socket,Male Pipe Thread:PT 1/8,Part No.:10SM	
351302	Quick-Connect Coupler for All Purpose(Single End S	Steel,SM Series Socket,Male Pipe Thread:PT 1/4,Part No.:20SM	
351303	Quick-Connect Coupler for All Purpose(Single End S	Steel,SM Series Socket,Male Pipe Thread:PT 3/8,Part No.:30SM	
351304	Quick-Connect Coupler for All Purpose(Single End S	Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:40SM	
351305	Quick-Connect Coupler for All Purpose(Single End S	Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:400SM	
351306	Quick-Connect Coupler for All Purpose(Single End S	Steel,SM Series Socket,Male Pipe Thread:PT 3/4,Part No.:600SM	
351307	Quick-Connect Coupler for All Purpose(Single End S	Steel,SM Series Socket,Male Pipe Thread:PT 1,Part No.:800SM	
351311	Quick-Connect Coupler for All Purpose(Single End S	Brass,SM Series Socket,Male Pipe Thread:PT 1/8,Part No.:10SM	

IMPA	Name	Specification	Unit
351312	Quick-Connect Coupler for All Purpose(Single End S	Brass,SM Series Socket,Male Pipe Thread:PT 1/4,Part No.:20SM	
351313	Quick-Connect Coupler for All Purpose(Single End S	Brass,SM Series Socket,Male Pipe Thread:PT 3/8,Part No.:30SM	
351314	Quick-Connect Coupler for All Purpose(Single End S	Brass,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:40SM	
351315	Quick-Connect Coupler for All Purpose(Single End S	Brass,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:400SM	
351316	Quick-Connect Coupler for All Purpose(Single End S	Brass,SM Series Socket,Male Pipe Thread:PT 3/4,Part No.:600SM	
351317	Quick-Connect Coupler for All Purpose(Single End S	Brass,SM Series Socket,Male Pipe Thread:PT 1,Part No.:800SM	
351321	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SM Series Socket,Male Pipe Thread:PT 1/8,Part No.:10SM	
351322	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SM Series Socket,Male Pipe Thread:PT 1/4,Part No.:20SM	
351323	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SM Series Socket,Male Pipe Thread:PT 3/8,Part No.:30SM	
351324	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:40SM	
351325	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:400SM	
351326	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SM Series Socket,Male Pipe Thread:PT 3/4,Part No.:600SM	
351327	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SM Series Socket,Male Pipe Thread:PT 1,Part No.:800SM	
351331	Quick-Connect Coupler for All Purpose(Single End S	Steel,PM Series Plug,Male Pipe Thread:PT 1/8,Part No.:10SM	
351332	Quick-Connect Coupler for All Purpose(Single End S	Steel,PM Series Plug,Male Pipe Thread:PT 1/4,Part No.:20SM	
351333	Quick-Connect Coupler for All Purpose(Single End S	Steel,PM Series Plug,Male Pipe Thread:PT 3/8,Part No.:30SM	
351334	Quick-Connect Coupler for All Purpose(Single End S	Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:40SM	
351335	Quick-Connect Coupler for All Purpose(Single End S	Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:400SM	
351336	Quick-Connect Coupler for All Purpose(Single End S	Steel,PM Series Plug,Male Pipe Thread:PT 3/4,Part No.:600SM	

IMPA	Name	Specification	Unit
351337	Quick-Connect Coupler for All Purpose(Single End S	Steel,PM Series Plug,Male Pipe Thread:PT 1,Part No.:800SM	
351341	Quick-Connect Coupler for All Purpose(Single End S	Brass,PM Series Plug,Male Pipe Thread:PT 1/8,Part No.:10SM	
351342	Quick-Connect Coupler for All Purpose(Single End S	Brass,PM Series Plug,Male Pipe Thread:PT 1/4,Part No.:20SM	
351343	Quick-Connect Coupler for All Purpose(Single End S	Brass,PM Series Plug,Male Pipe Thread:PT 3/8,Part No.:30SM	
351344	Quick-Connect Coupler for All Purpose(Single End S	Brass,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:40SM	
351345	Quick-Connect Coupler for All Purpose(Single End S	Brass,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:400SM	
351346	Quick-Connect Coupler for All Purpose(Single End S	Brass,PM Series Plug,Male Pipe Thread:PT 3/4,Part No.:600SM	
351347	Quick-Connect Coupler for All Purpose(Single End S	Brass,PM Series Plug,Male Pipe Thread:PT 1,Part No.:800SM	
351351	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PM Series Plug,Male Pipe Thread:PT 1/8,Part No.:10SM	
351352	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PM Series Plug,Male Pipe Thread:PT 1/4,Part No.:20SM	
351353	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PM Series Plug,Male Pipe Thread:PT 3/8,Part No.:30SM	
351354	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:40SM	
351355	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:400SM	
351356	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PM Series Plug,Male Pipe Thread:PT 3/4,Part No.:600SM	
351357	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PM Series Plug,Male Pipe Thread:PT 1,Part No.:800SM	
351401	Quick-Connect Coupler for All Purpose(Single End S	Steel,SF Series Socket,Female Pipe Thread:PT 1/4,Part No.:20SF	
351402	Quick-Connect Coupler for All Purpose(Single End S	Steel,SF Series Socket,Female Pipe Thread:PT 3/8,Part No.:30SF	
351403	Quick-Connect Coupler for All Purpose(Single End S	Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:40SF	
351404	Quick-Connect Coupler for All Purpose(Single End S	Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:400SF	

IMPA	Name	Specification	Unit
351405	Quick-Connect Coupler for All Purpose(Single End S	Steel,SF Series Socket,Female Pipe Thread:PT 3/4,Part No.:600SF	
351406	Quick-Connect Coupler for All Purpose(Single End S	Steel,SF Series Socket,Female Pipe Thread:PT 1,Part No.:800SF	
351411	Quick-Connect Coupler for All Purpose(Single End S	Brass,SF Series Socket,Female Pipe Thread:PT 1/4,Part No.:20SF	
351412	Quick-Connect Coupler for All Purpose(Single End S	Brass,SF Series Socket,Female Pipe Thread:PT 3/8,Part No.:30SF	
351413	Quick-Connect Coupler for All Purpose(Single End S	Brass,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:40SF	
351414	Quick-Connect Coupler for All Purpose(Single End S	Brass,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:400SF	
351415	Quick-Connect Coupler for All Purpose(Single End S	Brass,SF Series Socket,Female Pipe Thread:PT 3/4,Part No.:600SF	
351416	Quick-Connect Coupler for All Purpose(Single End S	Brass,SF Series Socket,Female Pipe Thread:PT 1,Part No.:800SF	
351421	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SF Series Socket,Female Pipe Thread:PT 1/4,Part No.:20SF	
351422	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SF Series Socket,Female Pipe Thread:PT 3/8,Part No.:30SF	
351423	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:40SF	
351424	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:400SF	
351425	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SF Series Socket,Female Pipe Thread:PT 3/4,Part No.:600SF	
351426	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SF Series Socket,Female Pipe Thread:PT 1,Part No.:800SF	
351431	Quick-Connect Coupler for All Purpose(Single End S	Steel,PF Series Plug,Female Pipe Thread:PT 1/4,Part No.:20SF	
351432	Quick-Connect Coupler for All Purpose(Single End S	Steel,PF Series Plug,Female Pipe Thread:PT 3/8,Part No.:30SF	
351433	Quick-Connect Coupler for All Purpose(Single End S	Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:40SF	
351434	Quick-Connect Coupler for All Purpose(Single End S	Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:400SF	
351435	Quick-Connect Coupler for All Purpose(Single End S	Steel,PF Series Plug,Female Pipe Thread:PT 3/4,Part No.:600SF	

IMPA	Name	Specification	Unit
351436	Quick-Connect Coupler for All Purpose(Single End S	Steel,PF Series Plug,Female Pipe Thread:PT 1,Part No.:800SF	
351441	Quick-Connect Coupler for All Purpose(Single End S	Brass,PF Series Plug,Female Pipe Thread:PT 1/4,Part No.:20SF	
351442	Quick-Connect Coupler for All Purpose(Single End S	Brass,PF Series Plug,Female Pipe Thread:PT 3/8,Part No.:30SF	
351443	Quick-Connect Coupler for All Purpose(Single End S	Brass,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:40SF	
351444	Quick-Connect Coupler for All Purpose(Single End S	Brass,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:400SF	
351445	Quick-Connect Coupler for All Purpose(Single End S	Brass,PF Series Plug,Female Pipe Thread:PT 3/4,Part No.:600SF	
351446	Quick-Connect Coupler for All Purpose(Single End S	Brass,PF Series Plug,Female Pipe Thread:PT 1,Part No.:800SF	
351451	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PF Series Plug,Female Pipe Thread:PT 1/4,Part No.:20SF	
351452	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PF Series Plug,Female Pipe Thread:PT 3/8,Part No.:30SF	
351453	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:40SF	
351454	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:400SF	
351455	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PF Series Plug,Female Pipe Thread:PT 3/4,Part No.:600SF	
351456	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PF Series Plug,Female Pipe Thread:PT 1,Part No.:800SF	