

Jinbo Marine

Marine Stores & Equipment Datasheet

IMPA DATASHEET

35 - HOSE & COUPLINGS

Quick-Connect Coupler for All Purpose(Single End S

IMPA CODE

351231

Jinbo Marine supplies IMPA marine stores and ship equipment for global marine and offshore customers.

Key Product Information

| | | | |
|----------------------|--|---------------------|--|
| IMPA | 351231 | Product Name | Quick-Connect Coupler for All Purpose(Single End S |
| Specification | Steel,PH Series Plug,Hose End Size:1/4,Part No.:20PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | Unit | |
| Category | 35 - Hose & Couplings | Origin | China |

Description

A general purpose coupling which can close at either end of the connection. It is a convenient, compact coupling set which connects and disconnects easily, providing dependable service for fluid transfer of hydraulic, pneumatic, and vacuum systems Th

Related IMPA Products

| IMP A | Name | Specification | Unit |
|---------|--|---|------|
| 351 201 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:1/4,Part No.:20SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351 202 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:3/8,Part No.:30SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351 203 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:1/2,Part No.:40SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351 204 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:1/2,Part No.:400SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351 205 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:3/4,Part No.:600SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |

| IMP A | Name | Specification | Unit |
|------------|--|---|------|
| 351 206 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:1,Part No.:800SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351 211 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SH Series Socket,Hose End Size:1/4,Part No.:20SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 212 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SH Series Socket,Hose End Size:3/8,Part No.:30SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 213 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SH Series Socket,Hose End Size:1/2,Part No.:40SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 214 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SH Series Socket,Hose End Size:1/2,Part No.:400SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 215 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SH Series Socket,Hose End Size:3/4,Part No.:600SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 216 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SH Series Socket,Hose End Size:1,Part No.:800SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 221 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:1/4,Part No.:20SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 222 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:3/8,Part No.:30SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 223 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:1/2,Part No.:40SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 224 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:1/2,Part No.:400SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 225 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:3/4,Part No.:600SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 226 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:1,Part No.:800SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 232 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PH Series Plug,Hose End Size:3/8,Part No.:30PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351 233 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PH Series Plug,Hose End Size1/2,Part No.:40PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351 234 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PH Series Plug,Hose End Size:1/2,Part No.:400PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351 235 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PH Series Plug,Hose End Size:3/4,Part No.:600PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351 236 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PH Series Plug,Hose End Size:1,Part No.:800PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil | |
| 351 241 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:1/4,Part No.:20PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |

| IMP A | Name | Specification | Unit |
|------------|--|---|------|
| 351 242 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:3/8,Part No.:30PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 243 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:1/2,Part No.:40PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 244 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:1/2,Part No.:400PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 245 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:3/4,Part No.:600PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 246 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:1,Part No.:800PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 251 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size:1/4,Part No.:20PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 252 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size:3/8,Part No.:30PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 253 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size:1/2,Part No.:40PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 254 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size:1/2,Part No.:400PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 255 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size:3/4,Part No.:600PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 256 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size:1,Part No.:800PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water | |
| 351 301 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 1/8,Part No.:10SM | |
| 351 302 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 1/4,Part No.:20SM | |
| 351 303 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 3/8,Part No.:30SM | |
| 351 304 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:40SM | |
| 351 305 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:400SM | |
| 351 306 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 3/4,Part No.:600SM | |
| 351 307 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 1,Part No.:800SM | |
| 351 311 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 1/8,Part No.:10SM | |

| IMP A | Name | Specification | Unit |
|------------|--|---|------|
| 351 312 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 1/4,Part No.:20SM | |
| 351 313 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 3/8,Part No.:30SM | |
| 351 314 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:40SM | |
| 351 315 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:400SM | |
| 351 316 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 3/4,Part No.:600SM | |
| 351 317 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 1,Part No.:800SM | |
| 351 321 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 1/8,Part No.:10SM | |
| 351 322 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 1/4,Part No.:20SM | |
| 351 323 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 3/8,Part No.:30SM | |
| 351 324 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:40SM | |
| 351 325 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:400SM | |
| 351 326 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 3/4,Part No.:600SM | |
| 351 327 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 1,Part No.:800SM | |
| 351 331 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 1/8,Part No.:10SM | |
| 351 332 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 1/4,Part No.:20SM | |
| 351 333 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 3/8,Part No.:30SM | |
| 351 334 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:40SM | |
| 351 335 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:400SM | |
| 351 336 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 3/4,Part No.:600SM | |

| IMP A | Name | Specification | Unit |
|------------|--|---|------|
| 351 337 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 1,Part No.:800SM | |
| 351 341 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 1/8,Part No.:10SM | |
| 351 342 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 1/4,Part No.:20SM | |
| 351 343 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 3/8,Part No.:30SM | |
| 351 344 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:40SM | |
| 351 345 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:400SM | |
| 351 346 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 3/4,Part No.:600SM | |
| 351 347 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 1,Part No.:800SM | |
| 351 351 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 1/8,Part No.:10SM | |
| 351 352 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 1/4,Part No.:20SM | |
| 351 353 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 3/8,Part No.:30SM | |
| 351 354 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:40SM | |
| 351 355 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:400SM | |
| 351 356 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 3/4,Part No.:600SM | |
| 351 357 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 1,Part No.:800SM | |
| 351 401 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 1/4,Part No.:20SF | |
| 351 402 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 3/8,Part No.:30SF | |
| 351 403 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:40SF | |
| 351 404 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:400SF | |

| IMP A | Name | Specification | Unit |
|------------|--|---|------|
| 351 405 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 3/4,Part No.:600SF | |
| 351 406 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 1,Part No.:800SF | |
| 351 411 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 1/4,Part No.:20SF | |
| 351 412 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 3/8,Part No.:30SF | |
| 351 413 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:40SF | |
| 351 414 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:400SF | |
| 351 415 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 3/4,Part No.:600SF | |
| 351 416 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 1,Part No.:800SF | |
| 351 421 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 1/4,Part No.:20SF | |
| 351 422 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 3/8,Part No.:30SF | |
| 351 423 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:40SF | |
| 351 424 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:400SF | |
| 351 425 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 3/4,Part No.:600SF | |
| 351 426 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 1,Part No.:800SF | |
| 351 431 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 1/4,Part No.:20SF | |
| 351 432 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 3/8,Part No.:30SF | |
| 351 433 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:40SF | |
| 351 434 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:400SF | |
| 351 435 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 3/4,Part No.:600SF | |

| IMP A | Name | Specification | Unit |
|------------|--|---|------|
| 351 436 | Quick-Connect Coupler for All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 1,Part No.:800SF | |
| 351 441 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PF Series Plug,Female Pipe Thread:PT 1/4,Part No.:20SF | |
| 351 442 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PF Series Plug,Female Pipe Thread:PT 3/8,Part No.:30SF | |
| 351 443 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:40SF | |
| 351 444 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:400SF | |
| 351 445 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PF Series Plug,Female Pipe Thread:PT 3/4,Part No.:600SF | |
| 351 446 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PF Series Plug,Female Pipe Thread:PT 1,Part No.:800SF | |
| 351 451 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 1/4,Part No.:20SF | |
| 351 452 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 3/8,Part No.:30SF | |
| 351 453 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:40SF | |
| 351 454 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:400SF | |
| 351 455 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 3/4,Part No.:600SF | |
| 351 456 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 1,Part No.:800SF | |