

**Jinbo Marine**

Marine Stores &amp; Equipment Datasheet

IMPA DATASHEET

**35 - HOSE & COUPLINGS****Quick-Connect Coupler for All Purpose(Single End S**

IMPA CODE

**351256**

Jinbo Marine supplies IMPA marine stores and ship equipment for global marine and offshore customers.

**Key Product Information**

<b>IMPA</b>	351256	<b>Product Name</b>	Quick-Connect Coupler for All Purpose(Single End S
<b>Specification</b>	S.Steel,PH Series Plug,Hose End Size:1,Part No.:800PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	<b>Unit</b>	
<b>Category</b>	35 - Hose & Couplings	<b>Origin</b>	China

**Description**

A general purpose coupling which can close at either end of the connection. It is a convenient, compact coupling set which connects and disconnects easily, providing dependable service for fluid transfer of hydraulic, pneumatic, and vacuum systems Th

**Related IMPA Products**

<b>IMPA</b>	<b>Name</b>	<b>Specification</b>	<b>Unit</b>
351201	Quick-Connect Coupler for All Purpose(Single End S	Steel,SH Series Socket,Hose End Size:1/4,Part No.:20SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351202	Quick-Connect Coupler for All Purpose(Single End S	Steel,SH Series Socket,Hose End Size:3/8,Part No.:30SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351203	Quick-Connect Coupler for All Purpose(Single End S	Steel,SH Series Socket,Hose End Size:1/2,Part No.:40SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351204	Quick-Connect Coupler for All Purpose(Single End S	Steel,SH Series Socket,Hose End Size:1/2,Part No.:400SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351205	Quick-Connect Coupler for All Purpose(Single End S	Steel,SH Series Socket,Hose End Size:3/4,Part No.:600SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	

IMP A	Name	Specification	Unit
351 206	Quick-Connect Coupler for All Purpose(Single End S	Steel,SH Series Socket,Hose End Size:1,Part No.:800SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351 211	Quick-Connect Coupler for All Purpose(Single End S	Brass,SH Series Socket,Hose End Size:1/4,Part No.:20SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351 212	Quick-Connect Coupler for All Purpose(Single End S	Brass,SH Series Socket,Hose End Size:3/8,Part No.:30SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351 213	Quick-Connect Coupler for All Purpose(Single End S	Brass,SH Series Socket,Hose End Size:1/2,Part No.:40SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351 214	Quick-Connect Coupler for All Purpose(Single End S	Brass,SH Series Socket,Hose End Size:1/2,Part No.:400SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351 215	Quick-Connect Coupler for All Purpose(Single End S	Brass,SH Series Socket,Hose End Size:3/4,Part No.:600SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351 216	Quick-Connect Coupler for All Purpose(Single End S	Brass,SH Series Socket,Hose End Size:1,Part No.:800SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351 221	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SH Series Socket,Hose End Size:1/4,Part No.:20SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351 222	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SH Series Socket,Hose End Size:3/8,Part No.:30SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351 223	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SH Series Socket,Hose End Size:1/2,Part No.:40SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351 224	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SH Series Socket,Hose End Size:1/2,Part No.:400SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351 225	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SH Series Socket,Hose End Size:3/4,Part No.:600SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351 226	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SH Series Socket,Hose End Size:1,Part No.:800SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351 231	Quick-Connect Coupler for All Purpose(Single End S	Steel,PH Series Plug,Hose End Size:1/4,Part No.:20PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351 232	Quick-Connect Coupler for All Purpose(Single End S	Steel,PH Series Plug,Hose End Size:3/8,Part No.:30PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351 233	Quick-Connect Coupler for All Purpose(Single End S	Steel,PH Series Plug,Hose End Size1/2,Part No.:40PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351 234	Quick-Connect Coupler for All Purpose(Single End S	Steel,PH Series Plug,Hose End Size:1/2,Part No.:400PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351 235	Quick-Connect Coupler for All Purpose(Single End S	Steel,PH Series Plug,Hose End Size:3/4,Part No.:600PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	
351 236	Quick-Connect Coupler for All Purpose(Single End S	Steel,PH Series Plug,Hose End Size:1,Part No.:800PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil	

IMP A	Name	Specification	Unit
351 241	Quick-Connect Coupler for All Purpose(Single End S	Brass,PH Series Plug,Hose End Size:1/4,Part No.:20PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351 242	Quick-Connect Coupler for All Purpose(Single End S	Brass,PH Series Plug,Hose End Size:3/8,Part No.:30PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351 243	Quick-Connect Coupler for All Purpose(Single End S	Brass,PH Series Plug,Hose End Size:1/2,Part No.:40PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351 244	Quick-Connect Coupler for All Purpose(Single End S	Brass,PH Series Plug,Hose End Size:1/2,Part No.:400PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351 245	Quick-Connect Coupler for All Purpose(Single End S	Brass,PH Series Plug,Hose End Size:3/4,Part No.:600PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351 246	Quick-Connect Coupler for All Purpose(Single End S	Brass,PH Series Plug,Hose End Size:1,Part No.:800PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water	
351 251	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PH Series Plug,Hose End Size:1/4,Part No.:20PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351 252	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PH Series Plug,Hose End Size:3/8,Part No.:30PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351 253	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PH Series Plug,Hose End Size:1/2,Part No.:40PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351 254	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PH Series Plug,Hose End Size:1/2,Part No.:400PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351 255	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PH Series Plug,Hose End Size:3/4,Part No.:600PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water	
351 301	Quick-Connect Coupler for All Purpose(Single End S	Steel,SM Series Socket,Male Pipe Thread:PT 1/8,Part No.:10SM	
351 302	Quick-Connect Coupler for All Purpose(Single End S	Steel,SM Series Socket,Male Pipe Thread:PT 1/4,Part No.:20SM	
351 303	Quick-Connect Coupler for All Purpose(Single End S	Steel,SM Series Socket,Male Pipe Thread:PT 3/8,Part No.:30SM	
351 304	Quick-Connect Coupler for All Purpose(Single End S	Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:40SM	
351 305	Quick-Connect Coupler for All Purpose(Single End S	Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:400SM	
351 306	Quick-Connect Coupler for All Purpose(Single End S	Steel,SM Series Socket,Male Pipe Thread:PT 3/4,Part No.:600SM	
351 307	Quick-Connect Coupler for All Purpose(Single End S	Steel,SM Series Socket,Male Pipe Thread:PT 1,Part No.:800SM	
351 311	Quick-Connect Coupler for All Purpose(Single End S	Brass,SM Series Socket,Male Pipe Thread:PT 1/8,Part No.:10SM	

IMP A	Name	Specification	Unit
351 312	Quick-Connect Coupler for All Purpose(Single End S	Brass,SM Series Socket,Male Pipe Thread:PT 1/4,Part No.:20SM	
351 313	Quick-Connect Coupler for All Purpose(Single End S	Brass,SM Series Socket,Male Pipe Thread:PT 3/8,Part No.:30SM	
351 314	Quick-Connect Coupler for All Purpose(Single End S	Brass,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:40SM	
351 315	Quick-Connect Coupler for All Purpose(Single End S	Brass,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:400SM	
351 316	Quick-Connect Coupler for All Purpose(Single End S	Brass,SM Series Socket,Male Pipe Thread:PT 3/4,Part No.:600SM	
351 317	Quick-Connect Coupler for All Purpose(Single End S	Brass,SM Series Socket,Male Pipe Thread:PT 1,Part No.:800SM	
351 321	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SM Series Socket,Male Pipe Thread:PT 1/8,Part No.:10SM	
351 322	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SM Series Socket,Male Pipe Thread:PT 1/4,Part No.:20SM	
351 323	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SM Series Socket,Male Pipe Thread:PT 3/8,Part No.:30SM	
351 324	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:40SM	
351 325	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:400SM	
351 326	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SM Series Socket,Male Pipe Thread:PT 3/4,Part No.:600SM	
351 327	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SM Series Socket,Male Pipe Thread:PT 1,Part No.:800SM	
351 331	Quick-Connect Coupler for All Purpose(Single End S	Steel,PM Series Plug,Male Pipe Thread:PT 1/8,Part No.:10SM	
351 332	Quick-Connect Coupler for All Purpose(Single End S	Steel,PM Series Plug,Male Pipe Thread:PT 1/4,Part No.:20SM	
351 333	Quick-Connect Coupler for All Purpose(Single End S	Steel,PM Series Plug,Male Pipe Thread:PT 3/8,Part No.:30SM	
351 334	Quick-Connect Coupler for All Purpose(Single End S	Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:40SM	
351 335	Quick-Connect Coupler for All Purpose(Single End S	Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:400SM	
351 336	Quick-Connect Coupler for All Purpose(Single End S	Steel,PM Series Plug,Male Pipe Thread:PT 3/4,Part No.:600SM	

IMP A	Name	Specification	Unit
351 337	Quick-Connect Coupler for All Purpose(Single End S	Steel,PM Series Plug,Male Pipe Thread:PT 1,Part No.:800SM	
351 341	Quick-Connect Coupler for All Purpose(Single End S	Brass,PM Series Plug,Male Pipe Thread:PT 1/8,Part No.:10SM	
351 342	Quick-Connect Coupler for All Purpose(Single End S	Brass,PM Series Plug,Male Pipe Thread:PT 1/4,Part No.:20SM	
351 343	Quick-Connect Coupler for All Purpose(Single End S	Brass,PM Series Plug,Male Pipe Thread:PT 3/8,Part No.:30SM	
351 344	Quick-Connect Coupler for All Purpose(Single End S	Brass,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:40SM	
351 345	Quick-Connect Coupler for All Purpose(Single End S	Brass,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:400SM	
351 346	Quick-Connect Coupler for All Purpose(Single End S	Brass,PM Series Plug,Male Pipe Thread:PT 3/4,Part No.:600SM	
351 347	Quick-Connect Coupler for All Purpose(Single End S	Brass,PM Series Plug,Male Pipe Thread:PT 1,Part No.:800SM	
351 351	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PM Series Plug,Male Pipe Thread:PT 1/8,Part No.:10SM	
351 352	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PM Series Plug,Male Pipe Thread:PT 1/4,Part No.:20SM	
351 353	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PM Series Plug,Male Pipe Thread:PT 3/8,Part No.:30SM	
351 354	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:40SM	
351 355	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:400SM	
351 356	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PM Series Plug,Male Pipe Thread:PT 3/4,Part No.:600SM	
351 357	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PM Series Plug,Male Pipe Thread:PT 1,Part No.:800SM	
351 401	Quick-Connect Coupler for All Purpose(Single End S	Steel,SF Series Socket,Female Pipe Thread:PT 1/4,Part No.:20SF	
351 402	Quick-Connect Coupler for All Purpose(Single End S	Steel,SF Series Socket,Female Pipe Thread:PT 3/8,Part No.:30SF	
351 403	Quick-Connect Coupler for All Purpose(Single End S	Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:40SF	
351 404	Quick-Connect Coupler for All Purpose(Single End S	Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:400SF	

IMP A	Name	Specification	Unit
351 405	Quick-Connect Coupler for All Purpose(Single End S	Steel,SF Series Socket,Female Pipe Thread:PT 3/4,Part No.:600SF	
351 406	Quick-Connect Coupler for All Purpose(Single End S	Steel,SF Series Socket,Female Pipe Thread:PT 1,Part No.:800SF	
351 411	Quick-Connect Coupler for All Purpose(Single End S	Brass,SF Series Socket,Female Pipe Thread:PT 1/4,Part No.:20SF	
351 412	Quick-Connect Coupler for All Purpose(Single End S	Brass,SF Series Socket,Female Pipe Thread:PT 3/8,Part No.:30SF	
351 413	Quick-Connect Coupler for All Purpose(Single End S	Brass,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:40SF	
351 414	Quick-Connect Coupler for All Purpose(Single End S	Brass,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:400SF	
351 415	Quick-Connect Coupler for All Purpose(Single End S	Brass,SF Series Socket,Female Pipe Thread:PT 3/4,Part No.:600SF	
351 416	Quick-Connect Coupler for All Purpose(Single End S	Brass,SF Series Socket,Female Pipe Thread:PT 1,Part No.:800SF	
351 421	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SF Series Socket,Female Pipe Thread:PT 1/4,Part No.:20SF	
351 422	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SF Series Socket,Female Pipe Thread:PT 3/8,Part No.:30SF	
351 423	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:40SF	
351 424	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:400SF	
351 425	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SF Series Socket,Female Pipe Thread:PT 3/4,Part No.:600SF	
351 426	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,SF Series Socket,Female Pipe Thread:PT 1,Part No.:800SF	
351 431	Quick-Connect Coupler for All Purpose(Single End S	Steel,PF Series Plug,Female Pipe Thread:PT 1/4,Part No.:20SF	
351 432	Quick-Connect Coupler for All Purpose(Single End S	Steel,PF Series Plug,Female Pipe Thread:PT 3/8,Part No.:30SF	
351 433	Quick-Connect Coupler for All Purpose(Single End S	Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:40SF	
351 434	Quick-Connect Coupler for All Purpose(Single End S	Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:400SF	
351 435	Quick-Connect Coupler for All Purpose(Single End S	Steel,PF Series Plug,Female Pipe Thread:PT 3/4,Part No.:600SF	

IMP A	Name	Specification	Un it
351 436	Quick-Connect Coupler for All Purpose(Single End S	Steel,PF Series Plug,Female Pipe Thread:PT 1,Part No.:800SF	
351 441	Quick-Connect Coupler for All Purpose(Single End S	Brass,PF Series Plug,Female Pipe Thread:PT 1/4,Part No.:20SF	
351 442	Quick-Connect Coupler for All Purpose(Single End S	Brass,PF Series Plug,Female Pipe Thread:PT 3/8,Part No.:30SF	
351 443	Quick-Connect Coupler for All Purpose(Single End S	Brass,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:40SF	
351 444	Quick-Connect Coupler for All Purpose(Single End S	Brass,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:400SF	
351 445	Quick-Connect Coupler for All Purpose(Single End S	Brass,PF Series Plug,Female Pipe Thread:PT 3/4,Part No.:600SF	
351 446	Quick-Connect Coupler for All Purpose(Single End S	Brass,PF Series Plug,Female Pipe Thread:PT 1,Part No.:800SF	
351 451	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PF Series Plug,Female Pipe Thread:PT 1/4,Part No.:20SF	
351 452	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PF Series Plug,Female Pipe Thread:PT 3/8,Part No.:30SF	
351 453	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:40SF	
351 454	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:400SF	
351 455	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PF Series Plug,Female Pipe Thread:PT 3/4,Part No.:600SF	
351 456	Quick-Connect Coupler for All Purpose(Single End S	S.Steel,PF Series Plug,Female Pipe Thread:PT 1,Part No.:800SF	