

35 - HOSE & COUPLINGS

Quick-Connect Coupler for All Purpose(Single End S

Jinbo Marine supplies IMPA marine stores and ship equipment for global marine and offshore customers.

IMPA CODE

351443

Key Product Information

|               |                                                                 |              |                                                    |
|---------------|-----------------------------------------------------------------|--------------|----------------------------------------------------|
| IMPA          | 351443                                                          | Product Name | Quick-Connect Coupler for All Purpose(Single End S |
| Specification | Brass,PF Series Plug,Female<br>Pipe Thread:PT 1/2,Part No.:40SF | Unit         |                                                    |
| Category      | 35 - Hose & Couplings                                           | Origin       | China                                              |

Related IMPA Products

| IMP A   | Name                                               | Specification                                                                                                                            | Un it |
|---------|----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 351 201 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:1/4,Part No.:20SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil   |       |
| 351 202 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:3/8,Part No.:30SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil   |       |
| 351 203 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:1/2,Part No.:40SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil   |       |
| 351 204 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:1/2,Part No.:400SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil  |       |
| 351 205 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:3/4,Part No.:600SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil  |       |
| 351 206 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SH Series Socket,Hose End Size:1,Part No.:800SH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil    |       |
| 351 211 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SH Series Socket,Hose End Size:1/4,Part No.:20SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water |       |
| 351 212 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SH Series Socket,Hose End Size:3/8,Part No.:30SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water |       |
| 351 213 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SH Series Socket,Hose End Size:1/2,Part No.:40SH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water |       |

| IMP<br>A   | Name                                                  | Specification                                                                                                                                  | Un<br>it |
|------------|-------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 351<br>214 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,SH Series Socket,Hose End Size:1/2,Part No.:400SH,Normal<br>Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water   |          |
| 351<br>215 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,SH Series Socket,Hose End Size:3/4,Part No.:600SH,Normal<br>Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water   |          |
| 351<br>216 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,SH Series Socket,Hose End Size:1,Part No.:800SH,Normal<br>Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water     |          |
| 351<br>221 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:1/4,Part No.:20SH,Normal<br>Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water  |          |
| 351<br>222 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:3/8,Part No.:30SH,Normal<br>Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water  |          |
| 351<br>223 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:1/2,Part No.:40SH,Normal<br>Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water  |          |
| 351<br>224 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:1/2,Part No.:400SH,Normal<br>Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water |          |
| 351<br>225 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:3/4,Part No.:600SH,Normal<br>Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water |          |
| 351<br>226 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SH Series Socket,Hose End Size:1,Part No.:800SH,Normal<br>Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water   |          |
| 351<br>231 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PH Series Plug,Hose End Size:1/4,Part No.:20PH,Normal<br>Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil        |          |
| 351<br>232 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PH Series Plug,Hose End Size:3/8,Part No.:30PH,Normal<br>Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil        |          |
| 351<br>233 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PH Series Plug,Hose End Size1/2,Part No.:40PH,Normal<br>Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil         |          |
| 351<br>234 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PH Series Plug,Hose End Size:1/2,Part No.:400PH,Normal<br>Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil       |          |
| 351<br>235 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PH Series Plug,Hose End Size:3/4,Part No.:600PH,Normal<br>Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil       |          |
| 351<br>236 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PH Series Plug,Hose End Size:1,Part No.:800PH,Normal<br>Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Oil         |          |
| 351<br>241 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:1/4,Part No.:20PH,Normal<br>Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water      |          |
| 351<br>242 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:3/8,Part No.:30PH,Normal<br>Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water      |          |
| 351<br>243 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:1/2,Part No.:40PH,Normal<br>Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water      |          |
| 351<br>244 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:1/2,Part No.:400PH,Normal<br>Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water     |          |

| IMP<br>A   | Name                                               | Specification                                                                                                                             | Un<br>it |
|------------|----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 351<br>245 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:3/4,Part No.:600PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water   |          |
| 351<br>246 | Quick-Connect Coupler for All Purpose(Single End S | Brass,PH Series Plug,Hose End Size:1,Part No.:800PH,Normal Pressure:10kgf/cm2,Max.Pressure:15kgf/cm2,Major Applicable Fluid:Air,Water     |          |
| 351<br>251 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size:1/4,Part No.:20PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water  |          |
| 351<br>252 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size:3/8,Part No.:30PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water  |          |
| 351<br>253 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size1/2,Part No.:40PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water   |          |
| 351<br>254 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size:1/2,Part No.:400PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water |          |
| 351<br>255 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size:3/4,Part No.:600PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water |          |
| 351<br>256 | Quick-Connect Coupler for All Purpose(Single End S | S.Steel,PH Series Plug,Hose End Size:1,Part No.:800PH,Normal Pressure:15kgf/cm2,Max.Pressure:20kgf/cm2,Major Applicable Fluid:Air,Water   |          |
| 351<br>301 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 1/8,Part No.:10SM                                                                              |          |
| 351<br>302 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 1/4,Part No.:20SM                                                                              |          |
| 351<br>303 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 3/8,Part No.:30SM                                                                              |          |
| 351<br>304 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:40SM                                                                              |          |
| 351<br>305 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:400SM                                                                             |          |
| 351<br>306 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 3/4,Part No.:600SM                                                                             |          |
| 351<br>307 | Quick-Connect Coupler for All Purpose(Single End S | Steel,SM Series Socket,Male Pipe Thread:PT 1,Part No.:800SM                                                                               |          |
| 351<br>311 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 1/8,Part No.:10SM                                                                              |          |
| 351<br>312 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 1/4,Part No.:20SM                                                                              |          |
| 351<br>313 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 3/8,Part No.:30SM                                                                              |          |
| 351<br>314 | Quick-Connect Coupler for All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:40SM                                                                              |          |

| IMP<br>A   | Name                                                  | Specification                                                   | Un<br>it |
|------------|-------------------------------------------------------|-----------------------------------------------------------------|----------|
| 351<br>315 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:400SM   |          |
| 351<br>316 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 3/4,Part No.:600SM   |          |
| 351<br>317 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,SM Series Socket,Male Pipe Thread:PT 1,Part No.:800SM     |          |
| 351<br>321 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 1/8,Part No.:10SM  |          |
| 351<br>322 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 1/4,Part No.:20SM  |          |
| 351<br>323 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 3/8,Part No.:30SM  |          |
| 351<br>324 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:40SM  |          |
| 351<br>325 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 1/2,Part No.:400SM |          |
| 351<br>326 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 3/4,Part No.:600SM |          |
| 351<br>327 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SM Series Socket,Male Pipe Thread:PT 1,Part No.:800SM   |          |
| 351<br>331 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 1/8,Part No.:10SM      |          |
| 351<br>332 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 1/4,Part No.:20SM      |          |
| 351<br>333 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 3/8,Part No.:30SM      |          |
| 351<br>334 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:40SM      |          |
| 351<br>335 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:400SM     |          |
| 351<br>336 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 3/4,Part No.:600SM     |          |
| 351<br>337 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PM Series Plug,Male Pipe Thread:PT 1,Part No.:800SM       |          |
| 351<br>341 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 1/8,Part No.:10SM      |          |
| 351<br>342 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 1/4,Part No.:20SM      |          |

| IMP<br>A   | Name                                                  | Specification                                                   | Un<br>it |
|------------|-------------------------------------------------------|-----------------------------------------------------------------|----------|
| 351<br>343 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 3/8,Part No.:30SM      |          |
| 351<br>344 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:40SM      |          |
| 351<br>345 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:400SM     |          |
| 351<br>346 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 3/4,Part No.:600SM     |          |
| 351<br>347 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,PM Series Plug,Male Pipe Thread:PT 1,Part No.:800SM       |          |
| 351<br>351 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 1/8,Part No.:10SM    |          |
| 351<br>352 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 1/4,Part No.:20SM    |          |
| 351<br>353 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 3/8,Part No.:30SM    |          |
| 351<br>354 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:40SM    |          |
| 351<br>355 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 1/2,Part No.:400SM   |          |
| 351<br>356 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 3/4,Part No.:600SM   |          |
| 351<br>357 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,PM Series Plug,Male Pipe Thread:PT 1,Part No.:800SM     |          |
| 351<br>401 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 1/4,Part No.:20SF  |          |
| 351<br>402 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 3/8,Part No.:30SF  |          |
| 351<br>403 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:40SF  |          |
| 351<br>404 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:400SF |          |
| 351<br>405 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 3/4,Part No.:600SF |          |
| 351<br>406 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,SF Series Socket,Female Pipe Thread:PT 1,Part No.:800SF   |          |
| 351<br>411 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 1/4,Part No.:20SF  |          |

| IMP<br>A   | Name                                                  | Specification                                                     | Un<br>it |
|------------|-------------------------------------------------------|-------------------------------------------------------------------|----------|
| 351<br>412 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 3/8,Part No.:30SF    |          |
| 351<br>413 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:40SF    |          |
| 351<br>414 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:400SF   |          |
| 351<br>415 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 3/4,Part No.:600SF   |          |
| 351<br>416 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,SF Series Socket,Female Pipe Thread:PT 1,Part No.:800SF     |          |
| 351<br>421 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 1/4,Part No.:20SF  |          |
| 351<br>422 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 3/8,Part No.:30SF  |          |
| 351<br>423 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:40SF  |          |
| 351<br>424 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 1/2,Part No.:400SF |          |
| 351<br>425 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 3/4,Part No.:600SF |          |
| 351<br>426 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,SF Series Socket,Female Pipe Thread:PT 1,Part No.:800SF   |          |
| 351<br>431 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 1/4,Part No.:20SF      |          |
| 351<br>432 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 3/8,Part No.:30SF      |          |
| 351<br>433 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:40SF      |          |
| 351<br>434 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:400SF     |          |
| 351<br>435 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 3/4,Part No.:600SF     |          |
| 351<br>436 | Quick-Connect Coupler for<br>All Purpose(Single End S | Steel,PF Series Plug,Female Pipe Thread:PT 1,Part No.:800SF       |          |
| 351<br>441 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,PF Series Plug,Female Pipe Thread:PT 1/4,Part No.:20SF      |          |
| 351<br>442 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,PF Series Plug,Female Pipe Thread:PT 3/8,Part No.:30SF      |          |

| IMP<br>A   | Name                                                  | Specification                                                   | Un<br>it |
|------------|-------------------------------------------------------|-----------------------------------------------------------------|----------|
| 351<br>444 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:400SF   |          |
| 351<br>445 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,PF Series Plug,Female Pipe Thread:PT 3/4,Part No.:600SF   |          |
| 351<br>446 | Quick-Connect Coupler for<br>All Purpose(Single End S | Brass,PF Series Plug,Female Pipe Thread:PT 1,Part No.:800SF     |          |
| 351<br>451 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 1/4,Part No.:20SF  |          |
| 351<br>452 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 3/8,Part No.:30SF  |          |
| 351<br>453 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:40SF  |          |
| 351<br>454 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 1/2,Part No.:400SF |          |
| 351<br>455 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 3/4,Part No.:600SF |          |
| 351<br>456 | Quick-Connect Coupler for<br>All Purpose(Single End S | S.Steel,PF Series Plug,Female Pipe Thread:PT 1,Part No.:800SF   |          |