

Jinbo Marine

Marine Stores & Equipment Datasheet

IMPA DATASHEET

63 - CUTTINGTOOLS

Straight Shank Twist Drill (High Speed Steel)

Jinbo Marine supplies IMPA marine stores and ship equipment for global marine and offshore customers.

IMPA CODE

630107**Key Product Information**

IMPA	630107	Product Name	Straight Shank Twist Drill (High Speed Steel)
Specification	Diameter:0.9mm,Flute Length:11mm,Overall Length:32mm	Unit	pc
Category	63 - CuttingTools	Origin	China

Description

The drills are of the correctional two-flute design with helix angles,flute and point shapes selected for general purpose applications.They may be used very successfully in cast iron,steel forging and other materials.

Related IMPA Products

IMPA	Name	Specification	Unit
630101	Straight Shank Twist Drill (High Speed Steel)	Diameter:0.3mm,Flute Length:3mm,Overall Length:19mm	pc
630102	Straight Shank Twist Drill (High Speed Steel)	Diameter:0.4mm,Flute Length:5mm,Overall Length:20mm	pc
630103	Straight Shank Twist Drill (High Speed Steel)	Diameter:0.5mm,Flute Length:6mm,Overall Length:22mm	pc
630104	Straight Shank Twist Drill (High Speed Steel)	Diameter:0.6mm,Flute Length:7mm,Overall Length:24mm	pc
630105	Straight Shank Twist Drill (High Speed Steel)	Diameter:0.7mm,Flute Length:9mm,Overall Length:28mm	pc
630106	Straight Shank Twist Drill (High Speed Steel)	Diameter:0.8mm,Flute Length:10mm,Overall Length:30mm	pc
630108	Straight Shank Twist Drill (High Speed Steel)	Diameter:1.0mm,Flute Length:12mm,Overall Length:34mm	pc
630109	Straight Shank Twist Drill (High Speed Steel)	Diameter:1.1mm,Flute Length:14mm,Overall Length:36mm	pc
630110	Straight Shank Twist Drill (High Speed Steel)	Diameter:1.2mm,Flute Length:16mm,Overall Length:38mm	pc
630111	Straight Shank Twist Drill (High Speed Steel)	Diameter:1.3mm,Flute Length:16mm,Overall Length:48mm	pc

IMPA	Name	Specification	Unit
630112	Straight Shank Twist Drill (High Speed Steel)	Diameter:1.4mm,Flute Length:18mm,Overall Length:40mm	pc
630113	Straight Shank Twist Drill (High Speed Steel)	Diameter:1.5mm,Flute Length:18mm,Overall Length:40mm	pc
630114	Straight Shank Twist Drill (High Speed Steel)	Diameter:1.6mm,Flute Length:20mm,Overall Length:43mm	pc
630115	Straight Shank Twist Drill (High Speed Steel)	Diameter:1.7mm,Flute Length:20mm,Overall Length:43mm	pc
630116	Straight Shank Twist Drill (High Speed Steel)	Diameter:1.8mm,Flute Length:22mm,Overall Length:46mm	pc
630117	Straight Shank Twist Drill (High Speed Steel)	Diameter:1.9mm,Flute Length:22mm,Overall Length:46mm	pc
630118	Straight Shank Twist Drill (High Speed Steel)	Diameter:2.0mm,Flute Length:29mm,Overall Length:55mm	pc
630119	Straight Shank Twist Drill (High Speed Steel)	Diameter:2.1mm,Flute Length:29mm,Overall Length:55mm	pc
630120	Straight Shank Twist Drill (High Speed Steel)	Diameter:2.2mm,Flute Length:33mm,Overall Length:58mm	pc
630121	Straight Shank Twist Drill (High Speed Steel)	Diameter:2.3mm,Flute Length:33mm,Overall Length:58mm	pc
630122	Straight Shank Twist Drill (High Speed Steel)	Diameter:2.4mm,Flute Length:35mm,Overall Length:61mm	pc
630123	Straight Shank Twist Drill (High Speed Steel)	Diameter:2.5mm,Flute Length:35mm,Overall Length:61mm	pc
630124	Straight Shank Twist Drill (High Speed Steel)	Diameter:2.6mm,Flute Length:37mm,Overall Length:64mm	pc
630125	Straight Shank Twist Drill (High Speed Steel)	Diameter:2.7mm,Flute Length:37mm,Overall Length:64mm	pc
630126	Straight Shank Twist Drill (High Speed Steel)	Diameter:2.8mm,Flute Length:39mm,Overall Length:67mm	pc
630127	Straight Shank Twist Drill (High Speed Steel)	Diameter:2.99mm,Flute Length:42mm,Overall Length:71mm	pc
630128	Straight Shank Twist Drill (High Speed Steel)	Diameter:3.0mm,Flute Length:42mm,Overall Length:71mm	pc
630129	Straight Shank Twist Drill (High Speed Steel)	Diameter:3.1mm,Flute Length:42mm,Overall Length:71mm	pc
630130	Straight Shank Twist Drill (High Speed Steel)	Diameter:3.2mm,Flute Length:42mm,Overall Length:71mm	pc
630131	Straight Shank Twist Drill (High Speed Steel)	Diameter:3.3mm,Flute Length:45mm,Overall Length:73mm	pc
630132	Straight Shank Twist Drill (High Speed Steel)	Diameter:3.4mm,Flute Length:45mm,Overall Length:73mm	pc
630133	Straight Shank Twist Drill (High Speed Steel)	Diameter:3.5mm,Flute Length:45mm,Overall Length:73mm	pc
630134	Straight Shank Twist Drill (High Speed Steel)	Diameter:3.6mm,Flute Length:48mm,Overall Length:76mm	pc
630135	Straight Shank Twist Drill (High Speed Steel)	Diameter:3.7mm,Flute Length:48mm,Overall Length:76mm	pc
630136	Straight Shank Twist Drill (High Speed Steel)	Diameter:3.8mm,Flute Length:48mm,Overall Length:76mm	pc
630137	Straight Shank Twist Drill (High Speed Steel)	Diameter:3.9mm,Flute Length:51mm,Overall Length:79mm	pc
630138	Straight Shank Twist Drill (High Speed Steel)	Diameter:4.0mm,Flute Length:54mm,Overall Length:83mm	pc
630139	Straight Shank Twist Drill (High Speed Steel)	Diameter:4.1mm,Flute Length:54mm,Overall Length:83mm	pc
630140	Straight Shank Twist Drill (High Speed Steel)	Diameter:4.2mm,Flute Length:54mm,Overall Length:83mm	pc
630141	Straight Shank Twist Drill (High Speed Steel)	Diameter:4.3mm,Flute Length:54mm,Overall Length:83mm	pc
630142	Straight Shank Twist Drill (High Speed Steel)	Diameter:4.4mm,Flute Length:56mm,Overall Length:86mm	pc

IMPA	Name	Specification	Unit
630143	Straight Shank Twist Drill (High Speed Steel)	Diameter:4.5mm,Flute Length:56mm,Overall Length:86mm	pc
630144	Straight Shank Twist Drill (High Speed Steel)	Diameter:4.6mm,Flute Length:56mm,Overall Length:86mm	pc
630145	Straight Shank Twist Drill (High Speed Steel)	Diameter:4.7mm,Flute Length:59mm,Overall Length:89mm	pc
630146	Straight Shank Twist Drill (High Speed Steel)	Diameter:4.8mm,Flute Length:59mm,Overall Length:89mm	pc
630147	Straight Shank Twist Drill (High Speed Steel)	Diameter:4.9mm,Flute Length:62mm,Overall Length:89mm	pc
630148	Straight Shank Twist Drill (High Speed Steel)	Diameter:5.0mm,Flute Length:62mm,Overall Length:92mm	pc
630149	Straight Shank Twist Drill (High Speed Steel)	Diameter:5.1mm,Flute Length:62mm,Overall Length:92mm	pc
630150	Straight Shank Twist Drill (High Speed Steel)	Diameter:5.2mm,Flute Length:64mm,Overall Length:95mm	pc
630151	Straight Shank Twist Drill (High Speed Steel)	Diameter:5.3mm,Flute Length:64mm,Overall Length:95mm	pc
630152	Straight Shank Twist Drill (High Speed Steel)	Diameter:5.4mm,Flute Length:64mm,Overall Length:95mm	pc
630153	Straight Shank Twist Drill (High Speed Steel)	Diameter:5.5mm,Flute Length:64mm,Overall Length:95mm	pc
630154	Straight Shank Twist Drill (High Speed Steel)	Diameter:5.6mm,Flute Length:67mm,Overall Length:98mm	pc
630155	Straight Shank Twist Drill (High Speed Steel)	Diameter:5.7mm,Flute Length:67mm,Overall Length:98mm	pc
630156	Straight Shank Twist Drill (High Speed Steel)	Diameter:5.8mm,Flute Length:67mm,Overall Length:98mm	pc
630157	Straight Shank Twist Drill (High Speed Steel)	Diameter:5.9mm,Flute Length:67mm,Overall Length:98mm	pc
630158	Straight Shank Twist Drill (High Speed Steel)	Diameter:6.0mm,Flute Length:70mm,Overall Length:102mm	pc
630159	Straight Shank Twist Drill (High Speed Steel)	Diameter:6.1mm,Flute Length:70mm,Overall Length:102mm	pc
630160	Straight Shank Twist Drill (High Speed Steel)	Diameter:6.2mm,Flute Length:70mm,Overall Length:102mm	pc
630161	Straight Shank Twist Drill (High Speed Steel)	Diameter:6.3mm,Flute Length:70mm,Overall Length:102mm	pc
630162	Straight Shank Twist Drill (High Speed Steel)	Diameter:6.4mm,Flute Length:73mm,Overall Length:105mm	pc
630163	Straight Shank Twist Drill (High Speed Steel)	Diameter:6.5mm,Flute Length:73mm,Overall Length:105mm	pc
630164	Straight Shank Twist Drill (High Speed Steel)	Diameter:6.6mm,Flute Length:73mm,Overall Length:105mm	pc
630165	Straight Shank Twist Drill (High Speed Steel)	Diameter:6.7mm,Flute Length:73mm,Overall Length:105mm	pc
630166	Straight Shank Twist Drill (High Speed Steel)	Diameter:6.8mm,Flute Length:73mm,Overall Length:105mm	pc
630167	Straight Shank Twist Drill (High Speed Steel)	Diameter:6.9mm,Flute Length:73mm,Overall Length:105mm	pc
630168	Straight Shank Twist Drill (High Speed Steel)	Diameter:7.0mm,Flute Length:73mm,Overall Length:105mm	pc
630169	Straight Shank Twist Drill (High Speed Steel)	Diameter:7.1mm,Flute Length:75mm,Overall Length:108mm	pc
630170	Straight Shank Twist Drill (High Speed Steel)	Diameter:7.2mm,Flute Length:75mm,Overall Length:108mm	pc
630171	Straight Shank Twist Drill (High Speed Steel)	Diameter:7.3mm,Flute Length:75mm,Overall Length:108mm	pc
630172	Straight Shank Twist Drill (High Speed Steel)	Diameter:7.4mm,Flute Length:78mm,Overall Length:111mm	pc
630173	Straight Shank Twist Drill (High Speed Steel)	Diameter:7.5mm,Flute Length:78mm,Overall Length:111mm	pc

IMPA	Name	Specification	Unit
630174	Straight Shank Twist Drill (High Speed Steel)	Diameter:7.6mm,Flute Length:78mm,Overall Length:111mm	pc
630175	Straight Shank Twist Drill (High Speed Steel)	Diameter:7.7mm,Flute Length:81mm,Overall Length:114mm	pc
630176	Straight Shank Twist Drill (High Speed Steel)	Diameter:7.8mm,Flute Length:81mm,Overall Length:114mm	pc
630177	Straight Shank Twist Drill (High Speed Steel)	Diameter:7.9mm,Flute Length:81mm,Overall Length:114mm	pc
630178	Straight Shank Twist Drill (High Speed Steel)	Diameter:8.0mm,Flute Length:81mm,Overall Length:114mm	pc
630179	Straight Shank Twist Drill (High Speed Steel)	Diameter:8.1mm,Flute Length:84mm,Overall Length:117mm	pc
630180	Straight Shank Twist Drill (High Speed Steel)	Diameter:8.2mm,Flute Length:84mm,Overall Length:117mm	pc
630181	Straight Shank Twist Drill (High Speed Steel)	Diameter:8.3mm,Flute Length:84mm,Overall Length:117mm	pc
630182	Straight Shank Twist Drill (High Speed Steel)	Diameter:8.4mm,Flute Length:87mm,Overall Length:121mm	pc
630183	Straight Shank Twist Drill (High Speed Steel)	Diameter:8.5mm,Flute Length:87mm,Overall Length:121mm	pc
630184	Straight Shank Twist Drill (High Speed Steel)	Diameter:8.6mm,Flute Length:87mm,Overall Length:121mm	pc
630185	Straight Shank Twist Drill (High Speed Steel)	Diameter:8.7mm,Flute Length:87mm,Overall Length:121mm	pc
630186	Straight Shank Twist Drill (High Speed Steel)	Diameter:8.8mm,Flute Length:89mm,Overall Length:124mm	pc
630187	Straight Shank Twist Drill (High Speed Steel)	Diameter:8.9mm,Flute Length:89mm,Overall Length:124mm	pc
630188	Straight Shank Twist Drill (High Speed Steel)	Diameter:9.0mm,Flute Length:89mm,Overall Length:124mm	pc
630189	Straight Shank Twist Drill (High Speed Steel)	Diameter:9.1mm,Flute Length:89mm,Overall Length:124mm	pc
630190	Straight Shank Twist Drill (High Speed Steel)	Diameter:9.2mm,Flute Length:92mm,Overall Length:127mm	pc
630191	Straight Shank Twist Drill (High Speed Steel)	Diameter:9.3mm,Flute Length:92mm,Overall Length:127mm	pc
630192	Straight Shank Twist Drill (High Speed Steel)	Diameter:9.4mm,Flute Length:92mm,Overall Length:127mm	pc
630193	Straight Shank Twist Drill (High Speed Steel)	Diameter:9.5mm,Flute Length:92mm,Overall Length:127mm	pc
630194	Straight Shank Twist Drill (High Speed Steel)	Diameter:9.6mm,Flute Length:95mm,Overall Length:130mm	pc
630195	Straight Shank Twist Drill (High Speed Steel)	Diameter:9.7mm,Flute Length:95mm,Overall Length:130mm	pc
630196	Straight Shank Twist Drill (High Speed Steel)	Diameter:9.8mm,Flute Length:95mm,Overall Length:130mm	pc
630197	Straight Shank Twist Drill (High Speed Steel)	Diameter:9.9mm,Flute Length:95mm,Overall Length:130mm	pc
630198	Straight Shank Twist Drill (High Speed Steel)	Diameter:10.0mm,Flute Length:95mm,Overall Length:130mm	pc
630199	Straight Shank Twist Drill (High Speed Steel)	Diameter:10.5mm,Flute Length:100mm,Overall Length:137mm	pc
630201	Straight Shank Twist Drill (High Speed Steel)	Diameter:11.0mm,Flute Length:103mm,Overall Length:140mm	pc
630202	Straight Shank Twist Drill (High Speed Steel)	Diameter:11.5mm,Flute Length:106mm,Overall Length:143mm	pc
630203	Straight Shank Twist Drill (High Speed Steel)	Diameter:12.0mm,Flute Length:111mm,Overall Length:149mm	pc
630204	Straight Shank Twist Drill (High Speed Steel)	Diameter:12.5mm,Flute Length:114mm,Overall Length:152mm	pc
630205	Straight Shank Twist Drill (High Speed Steel)	Diameter:13.0mm,Flute Length:114mm,Overall Length:152mm	pc