73 - PIPE & TUBE FITTINGS

Steel Butt Welding Elbow(45° Long Radius for HP

Jinbo Marine supplies IMPA marine stores and ship equipment for global marine and offshore customers.

IMPA CODE
731435

Key Product Information

IMPA	731435	**Product Name**	Steel Butt Welding Elbow(45° Long Radius for HP
Specification	Nominal Size A:80×300A,Distance Center to End:(H):189.4mm	**Unit**	pc
Category	73 - Pipe & Tube Fittings	**Origin**	China

Description

Steel Butt-Welding ungalvanzed(Black) Pipe Fittings used for the fabrication of : 1.Carbon Steel Pipe for Pressure Service(STPG) 2.Carbon Steel Pipe for High Pressure Service(STS) 3.Carbon Steel Pipe for High Temperature Service(STPT) 4.St

Related IMPA Products

IMPA	Name	Specification	Unit
731401	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:40×15A,Distance Center to End:(H):15.8mm	pc
731402	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:40×20A,Distance Center to End:(H):15.8mm	pc
731403	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:40×25A,Distance Center to End:(H):15.8mm	pc
731404	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:40×32A,Distance Center to End:(H):19.7mm	pc
731405	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:40×40A,Distance Center to End:(H):23.7mm	pc
731406	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:40×50A,Distance Center to End:(H):31.6mm	pc

IMPA	Name	Specification	Unit
731407	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:40×65A,Distance Center to End: (H):39.5mm	pc
731408	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:40×80A,Distance Center to End: (H):47.3mm	pc
731409	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:40×90A,Distance Center to End: (H):55.3mm	pc
731410	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:40×100A,Distance Center to End: (H):63.1mm	pc
731411	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:40×125A,Distance Center to End: (H):78.9mm	pc
731412	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:40×150A,Distance Center to End: (H):94.7mm	pc
731413	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:40×200A,Distance Center to End: (H):126.3mm	pc
731414	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:40×250A,Distance Center to End: (H):157.3mm	pc
731415	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:40×300A,Distance Center to End: (H):189.4mm	pc
731421	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:80×15A,Distance Center to End: (H):15.8mm	pc
731422	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:80×20A,Distance Center to End: (H):15.8mm	pc
731423	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:80×25A,Distance Center to End: (H):15.8mm	pc
731424	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:80×32A,Distance Center to End: (H):19.7mm	pc
731425	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:80×40A,Distance Center to End: (H):23.7mm	pc
731426	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:80×50A,Distance Center to End: (H):31.6mm	pc
731427	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:80×65A,Distance Center to End: (H):39.5mm	pc
731428	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:80×80A,Distance Center to End: (H):47.3mm	pc
731429	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:80×90A,Distance Center to End: (H):55.3mm	pc
731430	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:80×100A,Distance Center to End: (H):63.1mm	pc

IMPA	Name	Specification	Unit
731431	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:80×125A,Distance Center to End:(H):78.9mm	pc
731432	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:80×150A,Distance Center to End:(H):94.7mm	pc
731433	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:80×200A,Distance Center to End:(H):126.3mm	pc
731434	Steel Butt Welding Elbow(45° Long Radius for HP	Nominal Size A:80×250A,Distance Center to End:(H):157.3mm	pc