


**MARINE HOIST**

# 0.5-01/01-01/02-01/03-01 HHBB Series Kito Electric Chain Hoist

- ISO9001 Supplier
- Class Certificate
- Export Supply

0.5-01/01-01/02-01/03-01 HHBB Series Kito Electric Chain Hoist The Kito electric chain hoist,engineered in japan,combines precision engineering with industrial robustness. Equipped with a dual-speed fr...

 <p style="font-size: small; color: gray;">jinbomarine.com</p>	<div style="background-color: #1a3d4d; color: white; padding: 5px;"><b>Key Highlights</b></div> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="border-right: 1px solid #ccc; padding: 5px;"><b>Category</b></td> <td style="padding: 5px;">Marine Hoist</td> </tr> <tr> <td style="border-right: 1px solid #ccc; padding: 5px;"><b>Standard</b></td> <td style="padding: 5px;">EN</td> </tr> <tr> <td style="border-right: 1px solid #ccc; padding: 5px;"><b>Weight / Size</b></td> <td style="padding: 5px;">from 125kg to 20 tons</td> </tr> <tr> <td style="border-right: 1px solid #ccc; padding: 5px;"><b>Certificate</b></td> <td style="padding: 5px;">ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS</td> </tr> </table> <div style="background-color: #f0f0f0; padding: 10px; margin-top: 10px;"> <p style="font-size: x-small;">We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.</p> </div>	<b>Category</b>	Marine Hoist	<b>Standard</b>	EN	<b>Weight / Size</b>	from 125kg to 20 tons	<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
<b>Category</b>	Marine Hoist								
<b>Standard</b>	EN								
<b>Weight / Size</b>	from 125kg to 20 tons								
<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS								


Technical Specifications			
<b>Category</b>	Marine Hoist	<b>Model / SKU</b>	0-5-01-01-01-02-01-03-01-HHBB-Series-Kito-Electric-Chain-Hoist
<b>Standard</b>	EN	<b>Weight / Size</b>	from 125kg to 20 tons
<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	<b>Warranty</b>	12 Months unless specified otherwise
<b>Origin</b>	China		

## China 0.5-01/01-01/02-01/03-01 HHBB Series Kito Electric Chain Hoist:

0.5-01/01-01/02-01/03-01 HHBB Series Kito Electric Chain Hoist

The Kito electric chain hoist,engineered in japan,combines precision engineering with industrial robustness. Equipped with a dual-speed frequency control system and aerospace-grade alloy chains,it handles lodes from 125kg to 20 tons with lifting speeds up to14.1m/min (model\_dependent) and positioning accuracy within+IMMM.Ideal for nuclear facilities, offshore rigs,and precision manufacturing.





Technical Parameters:

Type	Capacity(Ton)	Lifting Height (m)	Lifting Speed (m/min)	Lifting Moter				
				P o w e r ( k w )	R o t a t i o n s p e e d (r / m i n )	P h a s e s	v o l t a g e ( v )	F r e q u e n c y ( H z )
HHBB0.5 - 01	0.5	3/9	7.2	1 . 1	1 4 4 0	3	2 2 0 / - 4 4 0	5 0 / 6 4 0
HHBB01 - 02	1	3/9	3.6	1 . 1	1 4 4 0	3	2 2 0 / - 4 4 0	5 0 / 6 4 0
HHBB01 - 01	1	3/9	6.8	1 . 5	1 4 4 0	3	2 2 0 / - 4 4 0	5 0 / 6 4 0



HHBB02 - 02	2	3/9	3.4	1 . 5	1 4 4 0	3	2 2 0 / 6 4 4 0	5 0 / 6 4 0
HHBB02 - 01	2	3/9	6.6	3	1 4 4 0	3	2 2 0 / 6 4 4 0	5 0 / 6 4 0
HHBB03 - 03	3	3/9	2.2	1 . 5	1 4 4 0	3	2 2 0 / 6 4 4 0	5 0 / 6 4 0
HHBB03 - 02	3	3/9	3.3	3	1 4 4 0	3	2 2 0 / 6 4 4 0	5 0 / 6 4 0
HHBB03 - 01	3	3/9	5.6	3	1 4 4 0	3	2 2 0 / 6 4 4 0	5 0 / 6 4 0
HHBB05 - 02	5	3/9	2.8	3	1 4 4 0	3	2 2 0 / 6 4 4 0	5 0 / 6 4 0

## Product Size:

Type	Capacity	H	A	B	D	E	I	J	K	L	N	M
HHBB0.5 - 01	0.5	550	460	230	240	160	Φ32	25	Φ32	25	17	17
HHBB01 - 02	1	670	460	230	240	205	Φ40	31	Φ40	31	24	24
HHBB01 - 01	1	600	520	260	310	205	Φ40	31	Φ40	31	24	24



0.079668s

HHBB02 - 02	2	750	520	260	310	230	Φ49	35	Φ49	35	30	30
HHBB02 - 01	2	800	620	300	440	265	Φ49	35	Φ49	35	30	30
HHBB03 - 03	3	1000	420	260	310	280	Φ59	42	Φ59	42	35	35
HHBB03 - 02	3	950	620	300	440	320	Φ59	42	Φ59	42	35	35
HHBB03 - 01	3	845	620	300	440	265	Φ59	42	Φ59	42	35	35
HHBB05 - 02	5	1030	620	300	440	325	Φ60	45	Φ60	45	43	43