MARINE HOIST

0.5-01/01-01/02-01/03-01 HHBB Series Kito Electric Chain Hoist

ISO9001 Supplier

Class Certificate

Export Supply

0.5-01/01-01/02-01/03-01 HHBB Series Kito Electric Chain Hoist The Kito electric chain hoist,engineered in japan,combines precision engineering with industrial robustness. Equipped with a dual-speed fr...



Key Highlights

Category	Marine Hoist
Standard	EN
Weight / Size	from 125kg to 20 tons
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.


Technical Specifications

Category	Marine Hoist	**Model / SKU**	0-5-01-01-01-02-01-03-01-HHBB-Series-Kito-Electric-Chain-Hoist
Standard	EN	**Weight / Size**	from 125kg to 20 tons
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	**Warranty**	12 Months unless specified otherwise
Origin	China		

China 0.5-01/01-01/02-01/03-01 HHBB Series Kito Electric Chain Hoist:

0.5-01/01-01/02-01/03-01 HHBB Series Kito Electric Chain Hoist

The Kito electric chain hoist,engineered in japan,combines precision engineering with industrial robustness. Equipped with a dual-speed frequency control system and aerospace-grade alloy chains,it handles lodes from 125kg to 20 tons with lifting speeds up to14.1m/min (model_dependent) and positioning accuracy within+IMMM.Ideal for nuclear facilities, offshore rigs,and precision manufacturing.



Technical Parameters:

Type	Capacity(Ton)	Lifting Height (m)	Lifting Speed (m/min)	Lifting Moter				
				Power(kw)	Rotation speed(r/min)	Phases	voltage(v)	Frequency(Hz)
HHBB0.5 - 01	0.5	3/9	7.2	1.1	1440	3	220-440	50/60
HHBB01 - 02	1	3/9	3.6	1.1	1440	3	220-440	50/60
HHBB01 - 01	1	3/9	6.8	1.5	1440	3	220-440	50/60

HHBB02 - 02	2	3/9	3.4	1.5	1440	3	220-440	50/60
HHBB02 - 01	2	3/9	6.6	3	1440	3	220-440	50/60
HHBB03 - 03	3	3/9	2.2	1.5	1440	3	220-440	50/60
HHBB03 - 02	3	3/9	3.3	3	1440	3	220-440	50/60
HHBB03 - 01	3	3/9	5.6	3	1440	3	220-440	50/60
HHBB05 - 02	5	3/9	2.8	3	1440	3	220-440	50/60

Product Size:

Type	Capacity	H	A	B	D	E	I	J	K	L	N	M
HHBB0.5 - 01	0.5	550	460	230	240	160	Φ32	25	Φ32	25	17	17
HHBB01 - 02	1	670	460	230	240	205	Φ40	31	Φ40	31	24	24
HHBB01 - 01	1	600	520	260	310	205	Φ40	31	Φ40	31	24	24

HHBB02 - 02	2	750	520	260	310	230	Φ49	35	Φ49	35	30	30
HHBB02 - 01	2	800	620	300	440	265	Φ49	35	Φ49	35	30	30
HHBB03 - 03	3	1000	420	260	310	280	Φ59	42	Φ59	42	35	35
HHBB03 - 02	3	950	620	300	440	320	Φ59	42	Φ59	42	35	35
HHBB03 - 01	3	845	620	300	440	265	Φ59	42	Φ59	42	35	35
HHBB05 - 02	5	1030	620	300	440	325	Φ60	45	Φ60	45	43	43