

MARINE HOIST

10 - 04/15 - 06/20 - 08/25 - 10 HHBB
Series Kito Electric Chain Hoist

ISO9001 Supplier

Class Certificate

Export Supply

10 - 04/15 - 06/20 - 08/25 - 10 HHBB Series Kito Electric Chain Hoist Technical
Parameters: Type Capacity(Ton) Lifting Height (m) ...



Key Highlights


Category	Marine Hoist
Standard	EN
Weight / Size	Type Capacity(Ton) Lifting Height (m) Lifting Speed (m/min) Lifting Mote...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Hoist	Model / SKU	10-04-15-06-20-08-25-10-HHBB-Series-Kito-Electric-Chain-Hoist
Standard	EN	Weight / Size	Type Capacity(Ton) Lifting Height (m) Lifting Speed (m/min) Lifting Moter Traveing speed(m/min) Operating Moter Power(kw) Rotation speed(r/min) Phases voltage(v) Frequency(Hz) Power(kw) Rotation speed(r/min) Phases voltage(v) Frequency(Hz) HHBB10-04 10 3/9 2.8 3x2 1440 3 220-440 50/60 10/20 0.75x2 1440 3 220-440 50/60 HHBB15 - 06 15 3/9 1.8 3x2 1440 3 220-440 50/60 10/20 0.75x2 1440 3 220-440 50/60 HHBB20 - 8 20 3/9 1.4 3x2 1440 3 220-440 50/60 10/20 0.75x2 1440 3 220-440 50/60 HHBB25 - 10 25 3/9 1.1 3x2 1440 3 220-440 50/60 10/20 0.75x2 1440 3 220-440 50/60 Product Size:
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

China 10 - 04/15 - 06/20 - 08/25 - 10 HHBB Series Kito Electric Chain Hoist:

10 - 04/15 - 06/20 - 08/25 - 10 HHBB Series Kito Electric Chain Hoist



Technical Parameters:

Type	Capacity(Ton)	Lifting Height (m)	Lifting Speed (m/min)	Lifting Moter					Traveing speed(m/min)	Operating Moter				
				P o w e r (k w)	R o t a t i o n s p e e d (r / m i n)	P h a s s	v o l t a g e (v)	F r e q u e n c y (H z)		P o w e r (k w)	R o t a t i o n s p e e d (r / m i n)	P h a s s	v o l t a g e (v)	F r e q u e n c y (H z)
HHBB10-04	10	3/9	2.8	3 x 2	1 4 4 0	3	2 2 0 / 6 4 4 0	5 0 / 6 0	10/20	0 . 7 5 x 2	1 4 4 0	3	2 2 0 / 6 4 4 0	5 0 / 6 0
HHBB15 - 06	15	3/9	1.8	3 x 2	1 4 4 0	3	2 2 0 / 6 4 4 0	5 0 / 6 0	10/20	0 . 7 5 x 2	1 4 4 0	3	2 2 0 / 6 4 4 0	5 0 / 6 0
HHBB20 - 8	20	3/9	1.4	3 x 2	1 4 4 0	3	2 2 0 / 6 4 4 0	5 0 / 6 0	10/20	0 . 7 5 x 2	1 4 4 0	3	2 2 0 / 6 4 4 0	5 0 / 6 0
HHBB25 - 10	25	3/9	1.1	3 x 2	1 4 4 0	3	2 2 0 / 6 4 4 0	5 0 / 6 0	10/20	0 . 7 5 x 2	1 4 4 0	3	2 2 0 / 6 4 4 0	5 0 / 6 0

Product Size:

Type	Capacit y	H	A	B	D	E	F	K	L	N	I- BEAM	Chain
HHBB10 - 04	10	880	630	315	1620	365	365	Φ83	68	55	150-220	Φ11.2
HHBB15 - 06	15	1100	630	315	1840	365	365	Φ115	90	72	150-220	Φ11.2

HHBB20 - 08	20	1180	630	315	2050	365	365	Φ115	90	72	150- 220	Φ11.2
HHBB25 - 10	25	1280	630	315	2265	365	365	Φ142	110	85	150- 220	Φ11.2