

MARINE BATTERYLESS TELEPHONE SYSTEM

12KS-1G 12 Lines Marine Batteryless Telephone

- ISO9001 Supplier
- Class Certificate
- Export Supply

Ambient Noise:<=75dB Ring Sound Level:>85dB(A) Voltage:24V DC Color: Black Cable Hole size: Single Line 1-14mm, 1-18mm, 6/12 Lines:1-Dia14mm, 1-Dia25mm.



Key Highlights

Category	Marine Batteryless Telephone System
Standard	EN
Weight / Size	Black Cable Hole size:
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Marine Batteryless Telephone System	Model / SKU	12KS-1G-12-Lines-Marine-Batteryless-Telephone
Standard	EN	Weight / Size	Black Cable Hole size:
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

China 12KS-1G 12 Lines Marine Batteryless Telephone:

- Ambient Noise:<=75dB
- Ring Sound Level:>85dB(A)
- Voltage:24V DC
- Color: Black
- Cable Hole size: Single Line 1-14mm, 1-18mm, 6/12 Lines:1-Dia14mm, 1-Dia25mm.





