

SEWAGE PUMP

12LPM Low Voltage Submersible Pump

12LPM Low Voltage Submersible Pump These pumps are true powerhouses and can also be used when you are on the move. They can offer 30 mins continous operating when connected to a suitable power unit, a c...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Sewage Pump
Standard	EN
Material	This product use food grade material with wide range of application.
Weight / Size	Silent, vibration-free operation, dry sealed and permanently lubricated,...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Sewage Pump	Model / SKU	12LPM-Low-Voltage-Submersible-Pump
Standard	EN	Material	This product use food grade material with wide range of application.
Weight / Size	Silent, vibration-free operation, dry sealed and permanently lubricated, small size, light weight, easy to install and carry.	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- 12LPM Low Voltage Submersible Pump
- STANDARD PUMP CONFIGURATIONS
- PERFORMANCE

12LPM Low Voltage Submersible Pump



These pumps are true powerhouses and can also be used when you are on the move. They can offer 30 mins continuous operating when connected to a suitable power unit, a car battery or a solar power system. This product uses food grade material with a wide range of application. Silent, vibration-free operation, dry sealed and permanently lubricated, small size, light weight, easy to install and carry.

STANDARD PUMP CONFIGURATIONS

Model	FlowRate	Voltage	Max Draw	BAR	Head	Wire Lead	Outlet Dia	N.W. / G.W.
SFSP1-L012-01	12LPM	12V	2.0A	0.6bar	20' (6m)	3' (1m)	1/2"	0.16/0.18 kg

PERFORMANCE

Voltage(V)	Current(A)	Flow		Head(M)
		GPM	LPM	
12	2.0	3.2	12.0	1
12	1.9	2.8	10.5	2
12	1.7	2.5	9.3	3