

STEEL CARGO BLOCK

14HC-1 5Ton Cargo Block

14-HC 5x1 Cargo Block Material: Casting Steel SWL:5Ton Testing Load:20Ton Wire rope size:20-24mm Weight: 59KGS HC Series Cargo Block Specification T...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

|               |                                                                          |
|---------------|--------------------------------------------------------------------------|
| Category      | Steel Cargo Block                                                        |
| Material      | 14-HC 5x1 Cargo Block Material:                                          |
| Weight / Size | Casting Steel SWL:5Ton Testing Load:20Ton Wire rope size:20-24mm Weight: |
| Certificate   | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS                               |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

|             |                                            |               |                                                                          |
|-------------|--------------------------------------------|---------------|--------------------------------------------------------------------------|
| Category    | Steel Cargo Block                          | Model / SKU   | 14HC-1-5Ton-Cargo-Block                                                  |
| Material    | 14-HC 5x1 Cargo Block Material:            | Weight / Size | Casting Steel SWL:5Ton Testing Load:20Ton Wire rope size:20-24mm Weight: |
| Certificate | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS | Warranty      | 12 Months unless specified otherwise                                     |
| Origin      | China                                      |               |                                                                          |

CONTENTS

- China 14HC-1 5Ton Cargo Block:
- HC Series Cargo Block Specification

China 14HC-1 5Ton Cargo Block:

14-HC 5x1 Cargo Block


Material: Casting Steel

SWL:5Ton

Testing Load:20Ton

Wire rope size:20-24mm

Weight: 59KGS



HC Series Cargo Block Specification

| Type          | SWL(<br>KN) | Test<br>Load(KN) | Wire Rope<br>Dia(mm) | L<br>Type | N<br>Type | Y<br>Type | Q<br>Type | B       | C       | D       | L<br>Type | N<br>Type | Y<br>Type | Q<br>Type |
|---------------|-------------|------------------|----------------------|-----------|-----------|-----------|-----------|---------|---------|---------|-----------|-----------|-----------|-----------|
| 6-HC<br>2x1   | 20          | 80               | 10-13                | 429       | 384       | 384       | 401       | 15<br>6 | 13<br>2 | 10<br>0 | 11        | 11        | 11        | 12.5      |
| 8-HC<br>3x1   | 30          | 120              | 16-20                | 568       | 482       | 482       | 501       | 19<br>6 | 16<br>4 | 12<br>4 | 20        | 20        | 20        | 22        |
| 10-HC<br>3x1  | 30          | 120              | 16-20                | 606       | 551       | 551       | 570       | 26<br>0 | 22<br>4 | 12<br>4 | 27        | 27        | 27        | 30        |
| 12-HC<br>5x1  | 50          | 200              | 20-22                | 605       | 643       | 643       | 658       | 30<br>0 | 26<br>0 | 13<br>4 | 40        | 40        | 41        | 46        |
| 14-HC<br>5x1  | 50          | 200              | 20-24                | 796       | 737       | 737       | 750       | 34<br>0 | 30<br>0 | 15<br>1 | 55        | 55        | 55        | 59        |
| 16-HC<br>10x  | 100         | 400              | 24-26                | 945       | 881       | 881       | 897       | 40<br>6 | 35<br>6 | 19<br>0 | 100       | 100       | 102       | 110       |
| 17-HC<br>16x1 | 160         | 640              | 26-28                | 1018      | 948       | 948       | 968       | 43<br>0 | 37<br>8 | 19<br>2 | 125       | 125       | 128       | 132       |
| 18-HC<br>20x1 | 200         | 800              | 26-28                | 1095      | 1035      | 1035      | 1055      | 46<br>0 | 41<br>0 | 21<br>0 | 150       | 150       | 155       | 172       |

Note:unit in mm unless otherwise specified.

