

MARINE AIR RECEIVER

160L Vertical Service Air Reservior

160L Vertical Service Air Reservior: Marine Low-pressure air receiver is mainly used to store compressed air, and supply start up or air whistle for main engine and auxiliary engine. A-type is made up of...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

|               |                                                                            |
|---------------|----------------------------------------------------------------------------|
| Category      | Marine Air Receiver                                                        |
| Standard      | DIN                                                                        |
| Material      | Steel                                                                      |
| Weight / Size | Type Type remark Capacity Working Pressure Internal Diameter Height Wei... |
| Certificate   | CCS, BV, ABS, GL , LR, NK                                                  |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

| Technical Specifications |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |             |                                     |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-------------------------------------|
| Category                 | Marine Air Receiver                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Model / SKU | 160L-Vertical-Service-Air-Reservior |
| Standard                 | DIN                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Material    | Steel                               |
| Weight / Size            | Type Type remark Capacity<br>Working Pressure Internal<br>Diameter Height Weight Mpa mm<br>mm kg A A0.05-1.0 m3 1 300 1050<br>70 A0.10-1.0 0.1 400 1270 125<br>A0.16-1.0 0.16 400 1750 155<br>A0.25-1.0 0.25 500 1760 180<br>A0.32-1.0 0.32 500 2170 248<br>A0.40-1.0 0.4 600 1865 250<br>A0.05-3.0 0.05 3 300 1050 100<br>A0.08-3.0 0.08 300 1360 120<br>A0.10-3.0 0.1 400 1270 165<br>A0.16-3.0 0.16 400 1750 215<br>A0.25-3.0 0.25 500 1760 295<br>A0.32-3.0 0.32 500 2100 345<br>A0.40-3.0 0.4 600 1865 410<br>A0.50-3.0 0.5 600 2270 450 | Certificate | CCS, BV, ABS, GL , LR, NK           |
| Warranty                 | 12 Months unless specified otherwise                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Origin      | China                               |

|          |                                                                          |                                                     |
|----------|--------------------------------------------------------------------------|-----------------------------------------------------|
| CONTENTS | <div> <div></div> <div>160L Vertical Service Air Reservior:</div> </div> | <div> <div></div> <div>Technical data:</div> </div> |
|----------|--------------------------------------------------------------------------|-----------------------------------------------------|

## 160L Vertical Service Air Reservior:

Marine Low-pressure air receiver is mainly used to store compressed air, and supply start up or air whistle for main engine and auxiliary engine.

A-type is made up of bottle valve and steel body. Body has handhole (or manhole) foe easy wash and examination, and bottle valve set up inlet/outlet valve, safety valve , pressure gauge and pressure gauge valve, drain valve etc.

B-type is made up of steel body, shell cover, manhole for easy examination and repair set in shell cover, inlet/outlet valve, safety valve, pressure gauge and pressure gauge valve, drain valve, installation seat ect.

Notice:

The specification is according to its volume and working pressure, you can choose as CB/T493-1998. You also can give us parameter concerned, we will provide non-standard products.

## Technical data:

| Type | Type remark | Capacity | Working Pressure | Internal Diameter | Height | Weight |
|------|-------------|----------|------------------|-------------------|--------|--------|
|      |             |          | Mpa              | mm                | mm     | kg     |

|   |           |      |   |     |      |     |
|---|-----------|------|---|-----|------|-----|
| A | A0.05-1.0 | m3   | 1 | 300 | 1050 | 70  |
|   | A0.10-1.0 | 0.1  |   | 400 | 1270 | 125 |
|   | A0.16-1.0 | 0.16 |   | 400 | 1750 | 155 |
|   | A0.25-1.0 | 0.25 |   | 500 | 1760 | 180 |
|   | A0.32-1.0 | 0.32 |   | 500 | 2170 | 248 |
|   | A0.40-1.0 | 0.4  |   | 600 | 1865 | 250 |
|   | A0.05-3.0 | 0.05 | 3 | 300 | 1050 | 100 |
|   | A0.08-3.0 | 0.08 |   | 300 | 1360 | 120 |
|   | A0.10-3.0 | 0.1  |   | 400 | 1270 | 165 |
|   | A0.16-3.0 | 0.16 |   | 400 | 1750 | 215 |
|   | A0.25-3.0 | 0.25 |   | 500 | 1760 | 295 |
|   | A0.32-3.0 | 0.32 |   | 500 | 2100 | 345 |
|   | A0.40-3.0 | 0.4  |   | 600 | 1865 | 410 |
|   | A0.50-3.0 | 0.5  |   | 600 | 2270 | 450 |