

# Jinbo Marine

Marine &amp; Offshore Equipment Datasheet

PRODUCT DATASHEET

## MOORING LINE

## 16inch Circ. Double Braided Grommet Type Mooring Hawser

ISO9001 Supplier

Class Certificate

Export Supply

16" Circ. DOUBLE BRAID 32/64 Brand 100% nylon rope,DOUBLE BRAIDED ropes are constructed by braiding a sheath over a braided hollow core. They have 32 core strands and 64 sheath strands with an equal number of left and ri...



### Key Highlights

Category	Mooring Line
Standard	ISO
Material	Nylon
Weight / Size	Length and sizes can be made as client request.
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

### Technical Specifications

Category	Mooring Line	Model / SKU	16inch-Circ-Double-Braided-Grommet-Type-Mooring-Hawser
Standard	ISO	Material	Nylon
Weight / Size	Length and sizes can be made as client request.	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China


#### CONTENTS

- China 16inch Circ. Double Braided Grommet Type Mooring Hawser:

- Shipping & Packing

### China 16inch Circ. Double Braided Grommet Type Mooring Hawser:

16" Circ. DOUBLE BRAID 32/64 Brand 100% nylon rope,DOUBLE BRAIDED ropes are constructed by braiding a sheath over a braided hollow core. They have 32 core strands and 64 sheath strands with an equal number of left and right hand providing a perfectly torque free rope.





Length and sizes can be made as client request.



DOUBLE BRAID is acknowledged as the best rope construction to absorb the enormous dynamic forces generated at SPM's. The weight of either the inner braid or the outer braid shall not exceed 55 % of the total weight of the rope as per ISO 10554.



## Shipping & Packing

1. Shipping by sea or air, or as your request.
2. Standard Export Packing.

