

LIFE BUOY

2.5kg Life Buoy

The Life buoy series with all kinds of approvals according to SOLAS. Model number:XT5555
Lifebuoy,also named as life ring. Parameter 2.5kg life buoy ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Life Buoy
Standard	DIN
Material	Parameter 2.5kg life buoy Outer Dia.(mm) 720mm Inner Dia.(mm) 440mm Thic...
Weight / Size	Parameter 2.5kg life buoy Outer Dia.(mm) 720mm Inner Dia.(mm) 440mm Thic...
Certificate	CCS / EC

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Life Buoy	Model / SKU	2-5kg-Life-Buoy
Standard	DIN	Material	Parameter 2.5kg life buoy Outer Dia.(mm) 720mm Inner Dia.(mm) 440mm Thickness(mm) 105mm Buoyancy(kg) >14.5kg Weight(kg) ≥ 2.5kg Color Orange Crust Material Low pressure polyethylene Inner Material Hard PU Approval EC/CCS 2.5kg life buoys are fit for all kinds of vessels and aquatic equipments,used by the seamen and passenger for lifesaving. The lifebuoys of more than 4.3kg are used to release the self-actived smoke signal , supplying life buoy for the rescuees and research direction for the rescuers. In accordance with SOLAS 1974/1996 , the international life-saving appliance code,and MSC.81(70). Outside material:HDPE, Inside material:Hard PU.
Weight / Size	Parameter 2.5kg life buoy Outer Dia.(mm) 720mm Inner Dia.(mm) 440mm Thickness(mm) 105mm Buoyancy(kg) >14.5kg Weight(kg) ≥ 2.5kg Color Orange Crust Material Low pressure polyethylene Inner Material Hard PU Approval EC/CCS 2.5kg life buoys are fit for all kinds of vessels and aquatic equipments,used by the seamen and passenger for lifesaving. The lifebuoys of more than 4.3kg are used to release the self-actived smoke signal , supplying life buoy for the rescuees and research direction for the rescuers. In accordance with SOLAS 1974/1996 , the international life-saving appliance code,and MSC.81(70). Outside material:HDPE, Inside material:Hard PU.	Certificate	CCS / EC

Warranty	12 Months unless specified otherwise	Origin	China
----------	--------------------------------------	--------	-------

China 2.5kg Life Buoy:

The Life buoy series with all kinds of approvals according to SOLAS.

Model number:XT5555

Lifebuoy,also named as life ring.

Parameter	2.5kg life buoy
Outer Dia.(mm)	720mm
Inner Dia.(mm)	440mm
Thickness(mm)	105mm
Buoyancy(kg)	>14.5kg
Weight(kg)	≥ 2.5kg
Color	Orange
Crust Material	Low pressure polyethylene
Inner Material	Hard PU
Approval	EC/CCS

2.5kg life buoys are fit for all kinds of vessels and aquatic equipments,used by the seamen and passenger for lifesaving.

The lifebuoys of more than 4.3kg are used to release the self-actived smoke signal ,

supplying life buoy for the rescuees and research direction for the rescuers. In accordance with SOLAS 1974/1996 , the international life-saving appliance code,and MSC.81(70).

Outside material:HDPE, Inside material:Hard PU.