

MARINE GENERATOR

2-stroke air-cooled gasoline generator

2-stroke air-cooled gasoline generator Parameter 2-stroke air-cooled gasoline generator
Generator Model 650CX ...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Generator
Standard	EN
Weight / Size	2-stroke air-cooled gasoline generator Parameter 2-stroke air-cooled gas...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Category	Marine Generator	Model / SKU	2-stroke-air-cooled-gasoline-generator
Standard	EN	Weight / Size	2-stroke air-cooled gasoline generator Parameter 2-stroke air-cooled gasoline generator Generator Model 650CX 950CX 1000CX 1200CX Rated output power(W) 500 650 750 800 Max.power(W) 550 700 800 850 Rated frequency(Hz) 50/60 50/60 50/60 50/60 Rated voltage(V) 110/220 110/220 110/220 110/220 Rated rotation speed(Rpm) 3000/3600 3000/3600 3000/3600 3000/3600 Noise level(db) 65 65 65 65 Power factor(cosφ) 1 1 1 1 Fuel tank capacity(L) 4 4 4 4 Structure type Portable Portable Portable Portable Engine type 1E45F 1E45F 1E45F 1E45F Engine Type Air-cooled,2-stroke,gasoling engine Displacement(CC) 63 63 63 65 Bore x Stroke(mm) 45x40 45x40 45x40 47x40 Max.output power(hp)/Speed(Rpm) 2.0/3600 2.0/3600 2.0/3600 2.0/3600 Fuel tpe Automotive unleaded gasoline Oil 2-Stroke oil Fuel oil mix ratio 50:1 / 40:1(Summer) Ignition method C.D.I starting method Recoil start Options DC charger(12v/8.3A) Available Available Available Available Voltmeter Available Available Available Available Fuel gauge Available Available Available Available Frame Available Available Available Available Pack Packing size(mm) 375x325x330 375x325x330 375x325x330 375x325x330 Net weight(Kgs) 18 18 19 20 Gross weight(Kgs) 20 20 21 22 20FT Qty 750 750 750 750
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

2-stroke air-cooled gasoline generator

Parameter

2-stroke air-cooled gasoline generator					
Generator	Model	650CX	950CX	1000CX	1200CX
	Rated output power(W)	500	650	750	800
	Max.power(W)	550	700	800	850
	Rated frequency(Hz)	50/60	50/60	50/60	50/60
	Rated voltage(V)	110/220	110/220	110/220	110/220
	Rated rotation speed(Rpm)	3000/3600	3000/3600	3000/3600	3000/3600
	Noise level(db)	65	65	65	65
	Power factor(cosφ)	1	1	1	1
	Fuel tank capacity(L)	4	4	4	4
	Structure type	Portable	Portable	Portable	Portable
	Engine type	1E45F	1E45F	1E45F	1E45F
Engine	Type	Air-cooled,2-stroke,gasoling engine			
	Displacement(CC)	63	63	63	65
	Bore x Stroke(mm)	45x40	45x40	45x40	47x40
	Max.output power(hp)/Speed(Rpm)	2.0/3600	2.0/3600	2.0/3600	2.0/3600
	Fuel tpe	Automotive unleaded gasoline			
	Oil	2-Stroke oil			
	Fuel oil mix ratio	50:1 / 40:1(Summer)			
	Ignition method	C.D.I			
	starting method	Recoil start			
Options	DC charger(12v/8.3A)	Available	Available	Available	Available
	Voltmeter	Available	Available	Available	Available
	Fuel gauge	Available	Available	Available	Available
	Frame	Available	Available	Available	Available

Pack	Packing size(mm)	375x325x330	375x325x330	375x325x330	375x325x330
	Net weight(Kgs)	18	18	19	20
	Gross weight(Kgs)	20	20	21	22
	20FT Qty	750	750	750	750