

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE AIR RECEIVER

2000L Horizontal Main starting Air Reservoir

ISO9001 Supplier

Class Certificate

Export Supply

2000L Horizontal Main starting Air Reservoir: B-type is made up of steel body, shell cover, manhole for easy examination and repair set in shell cover, inlet/outlet valve, safety valve, pressure gauge and pressure ...



Key Highlights

| | |
|---------------|---|
| Category | Marine Air Receiver |
| Material | Carbon Steel |
| Weight / Size | B Type remark Capacity Working Pressure Internal Diameter Height Weight ... |
| Certificate | CCS, BV, ABS, GL , LR, NK |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



| Technical Specifications | | | |
|--------------------------|---------------------------|----------------------|---|
| Category | Marine Air Receiver | Model / SKU | 2000L-Horizontal-Main-starting-Air-Reservoir |
| Material | Carbon Steel | Weight / Size | B Type remark Capacity Working Pressure Internal Diameter Height Weight m3 Mpa mm mm kg B0.63-1.0 0.63 1 700 1370 480 B0.80-1.0 0.8 700 1370 520 B1.00-1.0 1 800 1490 695 B0.63-3.0 0.63 3 700 1470 680 B0.80-3.0 0.8 700 1470 780 B1.00-1.0 1 800 1580 950 B1.60-3.0 1.6 900 1680 1180 B2.50-3.0 2.5 1100 1940 1925 B4.00-3.0 4 1200 2040 3400 B4.50-3.0 4.5 1200 2040 3750 B5.00-3.0 5 1200 2040 4100 B6.30-3.0 6.3 1400 2266 4230 B8.00-3.0 8 1500 2365 4930 B10.00-3.0 10 1600 2505 6785 B12.00-3.0 12 1700 2605 7500 B14.00-3.0 14 1800 2750 8770 B16.00-3.0 16 2000 3070 11000 |
| Certificate | CCS, BV, ABS, GL , LR, NK | Warranty | 12 Months unless specified otherwise |
| Origin | China | | |

CONTENTS

- 2000L Horizontal Main starting Air Reservoir:

- Technical data:

2000L Horizontal Main starting Air Reservoir:

B-type is made up of steel body, shell cover, manhole for easy examination and repair set in shell cover, inlet/outlet valve, safety valve, pressure gauge and pressure gauge valve, drain valve, installation seat ect.

Technical data:

| B | Type remark | Capacity | Working Pressure | Internal Diameter | Height | Weight |
|---|-------------|----------|------------------|-------------------|--------|--------|
| | | m3 | Mpa | mm | mm | kg |
| | B0.63-1.0 | 0.63 | 1 | 700 | 1370 | 480 |
| | B0.80-1.0 | 0.8 | | 700 | 1370 | 520 |
| | B1.00-1.0 | 1 | | 800 | 1490 | 695 |
| | B0.63-3.0 | 0.63 | 3 | 700 | 1470 | 680 |
| | B0.80-3.0 | 0.8 | | 700 | 1470 | 780 |
| | B1.00-1.0 | 1 | | 800 | 1580 | 950 |
| | B1.60-3.0 | 1.6 | | 900 | 1680 | 1180 |
| | B2.50-3.0 | 2.5 | | 1100 | 1940 | 1925 |
| | B4.00-3.0 | 4 | | 1200 | 2040 | 3400 |
| | B4.50-3.0 | 4.5 | | 1200 | 2040 | 3750 |
| | B5.00-3.0 | 5 | | 1200 | 2040 | 4100 |
| | B6.30-3.0 | 6.3 | | 1400 | 2266 | 4230 |
| | B8.00-3.0 | 8 | | 1500 | 2365 | 4930 |
| | B10.00-3.0 | 10 | | 1600 | 2505 | 6785 |
| | B12.00-3.0 | 12 | | 1700 | 2605 | 7500 |
| | B14.00-3.0 | 14 | | 1800 | 2750 | 8770 |
| | B16.00-3.0 | 16 | | 2000 | 3070 | 11000 |