

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

SCREW PUMP

2LB-500 Marine Horizontal Twin Screw pump

ISO9001 Supplier

Class Certificate

Export Supply

Installation type: Horizontal type and vertical type Structure type: Casting type and welding type Wrming type: According to the demands of media, it can be warmed up Material: The materials of pump body contain cast-...



Key Highlights

Category	Screw Pump
Standard	DIN
Material	According to the demands of media, it can be warmed up Material:
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Screw Pump	Model / SKU	2LB-500-Marine-Horizontal-Twin-Screw-pump
Standard	DIN	Material	According to the demands of media, it can be warmed up Material:
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

China 2LB-500 Marine Horizontal Twin Screw pump:

Installation type: Horizontal type and vertical type

Structure type: Casting type and welding type

Wrming type: According to the demands of media, it can be warmed up

Material: The materials of pump body contain cast-steel, cast-iron, cast stainless steel, Q235 steel, 304stainless steel,



316L stainless steel, weld and so on. The material of the screw cover cast-steel, cast stainless steel, ordinary steel, 304 stainless steel, 316L stainless steel, 17-4PH and so on. Meanwhile, customers can choose appropriate materials based on their different working situation.

Main Technical Data				
Type	Flow rate	Pressure	Power	Inlet dia
	m3/h	Mpa	Kw	mm
2LB-6	6	1	3.6	50
2LB-12	12	1	6.2	50
2LB-25	25	1	11.8	80
2LB-35	35	1	17.3	80
2LB-50	50	1	24.6	100
2LB-80	80	1	34	100
2LB-100	100	1	42	150
2LB-120	120	1	49.9	150
2LB-150	150	1	61.2	150
2LB-200	200	1	76.8	200
2LB-250	250	1	95	200
2LB-300	300	1	111	250
2LB-350	350	1	132	250
2LB-400	400	1	166	250
2LB-450	450	1	184	300
2LB-500	500	1	202	300
2LB-600	600	1	229	350
2LB-650	650	1	250	350
2LB-700	700	1	270	350
2LB-750	750	1	287	350
2LB-800	800	1	318	350

