

HEAT EXCHANGER

2LQF1W Model Oil Cooler

Description: Our factory mainly produces BR0.1 type, BR0.2 type, BR0.3 type, BR0.5 type plate cooler, GLL type, GLC type, 2LQFW type, 2LQFL type, 2LQF1W type, 2LQF1L type, 2LQF2W type, 4LQF3W type, LC type, FL ...

- ISO9001 Supplier
- Class Certificate
- Export Supply



Key Highlights

Category	Heat Exchanger
Material	At the same time, the production uses air (wind) as cooling medium, KL, ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS


We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Heat Exchanger	Model / SKU	2LQF1W-Model-Oil-Cooler
Material	At the same time, the production uses air (wind) as cooling medium, KL, FL type air cooler and all copper, aluminum, stainless steel cooler, motor cooler.	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

Description:

Our factory mainly produces BR0.1 type, BR0.2 type, BR0.3 type, BR0.5 type plate cooler, GLL type, GLC type, 2LQFW type, 2LQFL type, 2LQF1W type, 2LQF1L type, 2LQF2W type, 4LQF3W type, LC type, FL type, SL type, BR type oil cooler tube. At the same time, the production uses air (wind) as cooling medium, KL, FL type air cooler and all copper, aluminum, stainless steel cooler, motor cooler. Special specifications of our factory can help design, installation, to provide users with the required parameters. Cooler products are widely used in power, metallurgy, mining, machine tools, chemical industry and other industries in the hydraulic, hydraulic, lubricating systems and heat exchange cooling system, heat the working medium to the prescribed temperature



Model	10/19F	10/25F	10-29F	10/36F	10/45F	10/55F	10/68F	10/77F	10/100F	10/135F	10/176F	10/244F	10/299F
A	2690	2690	2670	2640	2670	2590	2590	2590	2690	2620	4700	4800	5800
C	360	415	445	495	98%	600	655	705	805	905	805	908	908
D1	280	280	280	280	280	335	335	405	405	405	405	405	405
D2	190	190	215	215	280	280	280	280	335	335	335	335	335
D3	240	240	240	240	240	295	295	355	355	355	355	355	355
D4	160	160	185	195	240	240	240	240	295	295	295	295	295
Dg	273	325	351	402	450	500	560	600	700	800	705	810	810
d2	80	80	100	100	150	150	150	150	200	200	200	200	200
d3	8-φ23	8-φ23	8-φ23	8-φ23	8-φ23	12-φ23	12-φ23	12-φ23	12-φ25	12-φ25	12-φ25	12-φ25	12-φ25
d4	8-φ18	8-φ18	8-φ18	8-φ18	8-φ23	8-φ23	8-φ23	8-φ23	8-φ23	8-φ23	8-φ23	8-φ23	8-φ23
d5	4 hole 16×22	4hole 16×32	4hole 16×32	4hole 19×32	4hole 19×32	4hole 19×32	4hole 19×32	4hole 19×32	4-φ22	4-φ22	4-φ22	4-φ22	4-φ22
F1	200	200	250	270	300	325	325	400	435	435	430	480	480
G	240	240	280	285	310	345	345	355	360	375	425	450	450
H	190	216	268	292	305	330	300	380	432	482	435	485	485
H1	248	280	298	324	350	375	375	432	490	540	489	540	540
h	10	10	10	10	10	14	14	14	14	14	14	14	14
L	3460	3470	3510	3520	3580	3630	3640	3655	3770	3770	5709	6022	7059
M	140	145	160	165	190	195	200	205	255	255	201	611	611
P	290	292	310	320	345	385	390	395	475	475	381	404	404
T	2690	2690	2690	2680	2680	2615	2600	2595	2510	2510	4705	4993	5905
U	60	60	85	85	85	100	100	100	100	125	125	125	125
V	35	35	50	50	50	70	70	70	100	100	100	100	100

