

HEAT EXCHANGER

2LQF4 Type Oil Cooler

Model Cooling surface area m2 A B C D F G H I ...

ISO9001 Supplier

Class Certificate

Export Supply




Key Highlights

Category	Heat Exchanger
Material	Copper
Weight / Size	Model Cooling surface area m2 A B C D F G H I J K L M P O S Weight kg A/...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.	

Technical Specifications			
Category	Heat Exchanger	Model / SKU	2LQF4-Type-Oil-Cooler
Material	Copper	Weight / Size	Model Cooling surface area m2 A B C D F G H I J K L M P O S Weight kg A/0.5 0.5 464 212 134 140 178 160 100 80 28 80 130 3 φ12 100 ZG (4"/3) 17 A/0.7 0.7 522 270 192 18 A/1.0 1 696 444 366 22 A/1.6 1.6 986 734 656 27 A/1.3 1.3 550 278 191 150 193 190 120 95 30 100 157 3 φ12 130 ZG1" 30 A/2.0 2 706 434 347 34 A/2.5 2.5 862 590 500 40 A/3.5 3.5 1096 824 737 48 A/3.0 3 674 382 285 160 208 230 145 115 50 130 188 4 φ14 164 ZG1 (1"/4) 52 A/4.0 4 830 538 441 61 A/4.5 4.5 908 616 519 65 A/5.5 5.5 1064 772 675 73 A/5.0 5 742 430 328 170 220 260 170 135 62 150 217 4 φ14 194 ZG1 (1"/2) 71 A/6.0 6 830 518 416 77 A/7.0 7 918 606 504 83 A/9.0 9 1180 868 766 102 A/8.0 8 793 446 332 180 246 290 195 155 70 180 246 4 φ14 224 ZG2" 95 A/10 10 969 622 508 111 A/12 12 1145 798 684 127 A/14 14 1321 974 860 143

Surface	Model Cooling surface area m2 A B C D F G H I J K L M P O S Weight kg A/0.5 0.5 464 212 134 140 178 160 100 80 28 80 130 3 φ12 100 ZG (4"/3) 17 A/0.7 0.7 522 270 192 18 A/1.0 1 696 444 366 22 A/1.6 1.6 986 734 656 27 A/1.3 1.3 550 278 191 150 193 190 120 95 30 100 157 3 φ12 130 ZG1" 30 A/2.0 2 706 434 347 34 A/2.5 2.5 862 590 500 40 A/3.5 3.5 1096 824 737 48 A/3.0 3 674 382 285 160 208 230 145 115 50 130 188 4 φ14 164 ZG1 (1"/4) 52 A/4.0 4 830 538 441 61 A/4.5 4.5 908 616 519 65 A/5.5 5.5 1064 772 675 73 A/5.0 5 742 430 328 170 220 260 170 135 62 150 217 4 φ14 194 ZG1 (1"/2) 71 A/6.0 6 830 518 416 77 A/7.0 7 918 606 504 83 A/9.0 9 1180 868 766 102 A/8.0 8 793 446 332 180 246 290 195 155 70 180 246 4 φ14 224 ZG2" 95 A/10 10 969 622 508 111 A/12 12 1145 798 684 127 A/14 14 1321 974 860 143	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China



A/0.5	0.5	464	212	134	140	178	160	100	80	28	80	130	3	φ12	100	ZG (4"/3)	17
A/0.7	0.7	522	270	192													18
A/1.0	1	696	444	366													22
A/1.6	1.6	986	734	656													27
A/1.3	1.3	550	278	191	150	193	190	120	95	30	100	157	3	φ12	130	ZG1"	30
A/2.0	2	706	434	347													34
A/2.5	2.5	862	590	500													40
A/3.5	3.5	1096	824	737													48
A/3.0	3	674	382	285	160	208	230	145	115	50	130	188	4	φ14	164	ZG1 (1"/4)	52
A/4.0	4	830	538	441													61
A/4.5	4.5	908	616	519													65
A/5.5	5.5	1064	772	675													73
A/5.0	5	742	430	328	170	220	260	170	135	62	150	217	4	φ14	194	ZG1 (1"/2)	71
A/6.0	6	830	518	416													77
A/7.0	7	918	606	504													83
A/9.0	9	1180	868	766													102
A/8.0	8	793	446	332	180	246	290	195	155	70	180	246	4	φ14	224	ZG2"	95
A/10	10	969	622	508													111
A/12	12	1145	798	684													127
A/14	14	1321	974	860													143

