

HEAT EXCHANGER

2LQG2W Model Oil Cooler

Model Heat exchange area m2 Shell dimension mm Bearing size mm Ends size mm L L1 ...

ISO9001 Supplier

Class Certificate

Export Supply




Key Highlights

Category	Heat Exchanger
Standard	EN
Weight / Size	Model Heat exchange area m2 Shell dimension mm Bearing size mm Ends size ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.	

Technical Specifications			
Category	Heat Exchanger	Model / SKU	2LQG2W-Model-Oil-Cooler
Standard	EN	Weight / Size	Model Heat exchange area m2 Shell dimension mm Bearing size mm Ends size mm L L1 C R D1 H1 d1 l1 l2 l3 H2 F f e1 e2 t n-φ0 D2 p d2 A B 10/0.2 0.2 347 270 180 45 76 60 G1 120 122 70 102 80 15 15 3 4-φ10 110 52 G3/4 40 37 105 10/0.4 0.4 527 450 360 285 10/0.5 0.5 757 680 590 515 10/1.0 1 444 340 240 160 76 10/1.25 1.25 124 450 350 270 10/1.4 1.4 634 530 430 350 10/1.8 1.8 784 680 580 500 10/2.24 2.24 954 850 750 50 114 85 G11/4 140 670 142 90 148 120 20 20 3 4-φ12 147 G1 52 52 10/2.0 2 587 450 340 250 10/3.0 3 817 680 570 175 480 10/3.75 3.75 987 850 740 650 10/4.25 4.25 1107 970 860 55 140 95 G11/2 770 175 145 180 140 24 16 5 4-φ15 194 100 G1 72 85
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

China 2LQG2W Model Oil Cooler:



Model	Heat exchange area m2	Shell dimension mm							Bearing size mm										Ends size mm				
		L	L1	C	R	D1	H1	d1	l1	l2	l3	H2	F	f	e1	e2	t	n-φ0	D2	p	d2	A	B

10/ 0.2	0.2	3 4 7	2 7 0	1 8 0	4 5	7 6	6 0	G1	1 2 0	1 2 2	7 0	1 0 2	8 0	1 5	1 5	3	4- φ1 0	11 0	5 2	G 3/ 4	4 0	3 7	1 0 5		
10/ 0.4	0.4	5 2 7	4 5 0	3 6 0																				2 8 5	
10/ 0.5	0.5	7 5 7	6 8 0	5 9 0																					5 1 5
10/ 1.0	1	4 4 4	3 4 0	2 4 0																					
10/ 1.2 5	1.25	1 2 4	4 5 0	3 5 0															2 7 0						
10/ 1.4	1.4	6 3 4	5 3 0	4 3 0															3 5 0						
10/ 1.8	1.8	7 8 4	6 8 0	5 8 0															5 0 0						
10/ 2.2 4	2.24	9 5 4	8 5 0	7 5 0	5 0	11 4	8 5	G1 1/4	1 4 0	6 7 0	1 4 2	9 0	1 4 8	1 2 0	2 0	2 0	3	4- φ1 2	1 4 7	G 1	5 2	5 2			
10/ 2.0	2	5 8 7	4 5 0	3 4 0																					
10/ 3.0	3	8 1 7	6 8 0	5 7 0																					
10/ 3.7 5	3.75	9 8 7	8 5 0	7 4 0																					
10/ 4.2 5	4.25	11 0 7	9 7 0	8 6 0						5 5	1 4 0	9 5	G1 1/2		7 7 0	1 7 5	1 4 5	1 8 0	1 4 0	2 4	1 6	5		4- φ1 5	1 9 4

