

STEEL WIRE ROPE

350Tons Steel Wire Rope Press Machine

ISO9001 Supplier

Class Certificate

Export Supply

Steel Wire Rope Press Machine is Hydraulic Wire Rope Swage Machine, used to make pressed wire rope sling, with feature of compact form, good-looking appearance and easy operation. Widely used at mine, metallurgy, wharf, ...



Key Highlights

Category	Steel Wire Rope
Standard	EN
Material	Steel Wire Rope Press Machine is Hydraulic Wire Rope Swage Machine, used...
Weight / Size	Main Specification press power (KN) 3500 Max wire rope diameter in one p...
Certificate	CE

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Steel Wire Rope	Model / SKU	350Tons-Steel-Wire-Rope-Press-Machine
Standard	EN	Material	Steel Wire Rope Press Machine is Hydraulic Wire Rope Swage Machine, used to make pressed wire rope sling, with feature of compact form, good-looking appearance and easy operation.
Weight / Size	Main Specification press power (KN) 3500 Max wire rope diameter in one pressing (mm) Φ26 Max wire rope diameter in multi-pressing (mm) Φ34 Power (KW) 4 Max working pressure (Mpa) 58Mpa Max piston movement (mm) 80 The up speed of piston (mm/sec) 4.5 The down speed of piston (mm/sec) Max 4.5 Total length (mm) 1200 Total width (mm) 650 Total height (mm) 1400 Net weight (kg) 1000	Certificate	CE
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	■ China 350Tons Steel Wire Rope Press Machine:	■ Main Specification
----------	--	----------------------

China 350Tons Steel Wire Rope Press Machine:

Steel Wire Rope Press Machine is Hydraulic Wire Rope Swage Machine, used to make pressed wire rope sling, with feature of compact form, good-looking appearance and easy operation. Widely used at mine, metallurgy, wharf, railway, electrics and other filed.

- It uses a mechanical and electrical design, to switch to a different mold, you can suppress the different specifications of wire rope, easy to operate and safe.
- Dual control for hydraulic system, the overflow valve, magnetic contact on the pressure gauge can be accurately controlled.
- Electric control parts of the low-voltage control, an increase of operating system security.
- Pull the rope to suppress large, beautiful, fast, and a wire rope press-fit just a few minutes to complete, significantly reduced the labor intensity and improve the work efficiency.

Main Specification

press power (KN)	3500
------------------	------

Max wire rope diameter in one pressing (mm)	Φ26
Max wire rope diameter in multi-pressing (mm)	Φ34
Power (KW)	4
Max working pressure (Mpa)	58Mpa
Max piston movement (mm)	80
The up speed of piston (mm/sec)	4.5
The down speed of piston (mm/sec)	Max 4.5
Total length (mm)	1200
Total width (mm)	650
Total height (mm)	1400
Net weight (kg)	1000