

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

## MARINE GENERATOR

# 4-stroke Air-cooled gasoline generator

4-stroke Air-cooled gasoline generator Parameter 4-Stroke Air-cooled gasoline generator  
Generator Model 1700 ...

ISO9001 Supplier

Class Certificate

Export Supply



## Key Highlights

Category	Marine Generator
Standard	EN
Weight / Size	4-stroke Air-cooled gasoline generator Parameter 4-Stroke Air-cooled gas...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



## Technical Specifications

<b>Category</b>	Marine Generator	<b>Model / SKU</b>	4-stroke-Air-cooled-gasoline-generator
<b>Standard</b>	EN	<b>Weight / Size</b>	4-stroke Air-cooled gasoline generator Parameter 4-Stroke Air-cooled gasoline generator Generator Model 1700 2700 4700 6700 Rated output power(KW) 1 2 3 5 Max.power(KW) 1.2 2.2 3.3 5.5 Rated frequency(Hz) 50/60 50/60 50/60 50/60 1-Phase AC voltage 110/220 110/220 110/220 110/220 DC output 12V/8.3A 12V/8.3A 12V/8.3A 12V/8.3A Power factor(cosφ) 1 1 1 1 Rated rotation speed(rpm) 3000/3600 3000/3600 3000/3600 3000/3600 Noise level 65 68 70 72 Fuel tank capacity(L) 4 12 25 25 Structure type Open Frame type Engine Engine Model 154F 168F1 173F 188F Type Single cylinder,4-stroke,air-cooled OHV,gasoline engine Displacement(ml) 87 163 243 389 Max.output power(hp)/Speed(Rpm) 2.8/3600 5.5/3600 8/3600 13/3600 Oil capacity(L) 0.37 0.6 1 1.1 Ignition method Transistor electric, inductive firing starting method Recoil start Continuous work time(Hour) 10 8 8 8 Options Electric start system N/A N/A Available Available 3-Phase Ac voltage N/A N/A Available Available 4-wheel vehicle set N/A N/A Available Available 2-Wheel and handle N/A N/A Available Available Double voltage switch N/A N/A Available Available Pack Packing size(mm) 460x410x390 605x445x470 700x530x575 700x530x575 Net weight(Kgs) 27 40 75 80 Gross weight(Kgs) 29 42 78 83 20FT Qty 420 235 136 136
<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	<b>Warranty</b>	12 Months unless specified otherwise
<b>Origin</b>	China		

## CONTENTS

■ 4-stroke Air-cooled gasoline generator

■ Parameter

## 4-stroke Air-cooled gasoline generator

### Parameter

4-Stroke Air-cooled gasoline generator					
Generator	Model	1700	2700	4700	6700
	Rated output power(KW)	1	2	3	5
	Max.power(KW)	1.2	2.2	3.3	5.5
	Rated frequency(Hz)	50/60	50/60	50/60	50/60
	1-Phase AC voltage	110/220	110/220	110/220	110/220
	DC output	12V/8.3A	12V/8.3A	12V/8.3A	12V/8.3A
	Power factor(cosφ)	1	1	1	1
	Rated rotation speed(rpm)	3000/3600	3000/3600	3000/3600	3000/3600
	Noise level	65	68	70	72
	Fuel tank capacity(L)	4	12	25	25
	Structure type	Open Frame type			
Engine	Engine Model	154F	168F1	173F	188F
	Type	Single cylinder,4-stroke,air-cooled OHV,gasoline engine			
	Displacement(ml)	87	163	243	389
	Max.output power(hp)/Speed(Rpm)	2.8/3600	5.5/3600	8/3600	13/3600
	Oil capacity(L)	0.37	0.6	1	1.1
	Ignition method	Transistor electric, inductive firing			
	starting method	Recoil start			
	Continuous work time(Hour)	10	8	8	8
Options	Electric start system	N/A	N/A	Available	Available
	3-Phase Ac voltage	N/A	N/A	Available	Available
	4-wheel vehicle set	N/A	N/A	Available	Available
	2-Wheel and handle	N/A	N/A	Available	Available
	Double voltage switch	N/A	N/A	Available	Available

Pack	Packing size(mm)	460x410x390	605x445x470	700x530x575	700x530x575
	Net weight(Kgs)	27	40	75	80
	Gross weight(Kgs)	29	42	78	83
	20FT Qty	420	235	136	136