

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

## MARINE AIR RECEIVER

# 4000L Main starting Air Reservoir:

4000L Main starting Air Reservoir: It used to main engine starting when the controller&nbsp;start the main engine. B-type is made up of steel body, shell cover, manhole for easy examination and repair set in ...

ISO9001 Supplier

Class Certificate

Export Supply



### Key Highlights

Category	Marine Air Receiver
Standard	DIN
Material	Carbon Steel
Weight / Size	B Type remark Capacity Working Pressure Internal Diameter Height Weight...
Certificate	CCS, BV, ABS, GL , LR, NK

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
<b>Category</b>	Marine Air Receiver	<b>Model / SKU</b>	4000L-Main-starting-Air-Reservoir
<b>Standard</b>	DIN	<b>Material</b>	Carbon Steel
<b>Weight / Size</b>	B Type remark Capacity Working Pressure Internal Diameter Height Weight m <sup>3</sup> Mpa mm mm kg B0.63-1.0 0.63 1 700 1370 480 B0.80-1.0 0.8 700 1370 520 B1.00-1.0 1 800 1490 695 B0.63-3.0 0.63 3 700 1470 680 B0.80-3.0 0.8 700 1470 780 B1.00-1.0 1 800 1580 950 B1.60-3.0 1.6 900 1680 1180 B2.50-3.0 2.5 1100 1940 1925 B4.00-3.0 4 1200 2040 3400 B4.50-3.0 4.5 1200 2040 3750 B5.00-3.0 5 1200 2040 4100 B6.30-3.0 6.3 1400 2266 4230 B8.00-3.0 8 1500 2365 4930 B10.00-3.0 10 1600 2505 6785 B12.00-3.0 12 1700 2605 7500 B14.00-3.0 14 1800 2750 8770 B16.00-3.0 16 2000 3070 11000	<b>Certificate</b>	CCS, BV, ABS, GL , LR, NK
<b>Warranty</b>	12 Months unless specified otherwise	<b>Origin</b>	China

**CONTENTS**

- 4000L Main starting Air Reservoir:

- Technical data:

## 4000L Main starting Air Reservoir:

It used to main engine starting when the controller start the main engine.

B-type is made up of steel body, shell cover, manhole for easy examination and repair set in shell cover, inlet/outlet valve, safety valve, pressure gauge and pressure gauge valve, drain valve, installation seat ect.

Notice:

The specification is according to its volume and working pressure, you can choose as CB/T493-1998. You also can give us parameter concerned, we will provide non-standard products

## Technical data:

B	Type remark	Capacity	Working Pressure	Internal Diameter	Height	Weight
		m3	Mpa	mm	mm	kg
	B0.63-1.0	0.63	1	700	1370	480
	B0.80-1.0	0.8		700	1370	520
	B1.00-1.0	1		800	1490	695
	B0.63-3.0	0.63	3	700	1470	680
	B0.80-3.0	0.8		700	1470	780
	B1.00-1.0	1		800	1580	950
	B1.60-3.0	1.6		900	1680	1180
	B2.50-3.0	2.5		1100	1940	1925
	B4.00-3.0	4		1200	2040	3400
	B4.50-3.0	4.5		1200	2040	3750
	B5.00-3.0	5		1200	2040	4100
	B6.30-3.0	6.3		1400	2266	4230
	B8.00-3.0	8		1500	2365	4930
	B10.00-3.0	10		1600	2505	6785
	B12.00-3.0	12		1700	2605	7500
	B14.00-3.0	14		1800	2750	8770
	B16.00-3.0	16		2000	3070	11000