

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

## MOORING ROPE

# 6 Strand Rope

Feature: 1.High strength, moisture proof 2.Approval:ABS, DNV, LR, GL, BV, CCS, RINA, etc  
3.Material:Polyester, nylon, cotton, PP ,Metallic Yarn etc. 4.good reputation 5.longer work life  
...

ISO9001 Supplier

Class Certificate

Export Supply



### Key Highlights

Category	Mooring Rope
Standard	EN
Material	Polyester,polypropylene,polythylene,nylon etc.
Weight / Size	Specifications Polyamide Filament Polyamide Polypropylene Filament PP Po...
Certificate	BV,CCS,ABS,DNV,LR,NK,RINA,mill certificate etc.

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
<b>Category</b>	Mooring Rope	<b>Model / SKU</b>	6-Strand-Rope
<b>Standard</b>	EN	<b>Material</b>	Polyester,polypropylene,polythylene,nylon etc.
<b>Weight / Size</b>	Specifications Polyamide Filament Polyamide Polypropylene Filament PP Polyester Diameter Weight Breaking Strength Weight Breaking Strength Weight Breaking Strength Weight Breaking Strength Weight Breaking Strength mm Kg/220M daN Kg/220M daN Kg/220M daN Kg/220M daN Kg/220M daN 28 105 16300 100 12800 87 12700 85 10500 130 13200 32 140 25000 135 17400 115 14000 110 13300 175 16200 36 180 30000 173 21200 145 19500 135 16600 220 19900 40 220 35000 212 25100 180 23100 165 20100 270 24700 44 265 41000 255 30000 215 27400 200 24200 325 29300 48 315 48000 305 34500 255 31500 235 28000 385 34500 52 370 57000 355 4000 295 36000 280 32500 445 40300 56 430 65000 415 46000 350 41200 325 37100 525 46100 60 490 73000 470 51000 400 47700 375 42500 600 51300 64 560 85000 540 58000 45500 53500 430 48000 680 59600 72 710 110000 680 73000 57500 6700 535 60300 860 74200 80 880 126000 845 93000 710 81500 660 72400 1060 91000	<b>Certificate</b>	BV,CCS,ABS,DNV,LR,NK,RINA,mill certificate etc.
<b>Warranty</b>	12 Months unless specified otherwise	<b>Origin</b>	China

**CONTENTS**

■ Feature:

■ Specification:

**Feature:**

- 1.High strength, moisture proof
- 2.Approval:ABS, DNV, LR, GL, BV, CCS, RINA, etc

3.Material:Polyester, nylon, cotton, PP ,Metallic Yarn etc.

4.good reputation

5.longer work life

Mainly used in the ocean shipping, fishing, port handling, defense industry and oil exploration fields

## Specification:

Specifications	Polyamide Filament		Polyamide		Polypropylene Filament		PP		Polyester	
	Diameter	Weight	Breaking Strength	Weight	Breaking Strength	Weight	Breaking Strength	Weight	Breaking Strength	Weight
mm	Kg/220M	daN	Kg/220M	daN	Kg/220M	daN	Kg/220M	daN	Kg/220M	daN
28	105	16300	100	12800	87	12700	85	10500	130	13200
32	140	25000	135	17400	115	14000	110	13300	175	16200
36	180	30000	173	21200	145	19500	135	16600	220	19900
40	220	35000	212	25100	180	23100	165	20100	270	24700
44	265	41000	255	30000	215	27400	200	24200	325	29300
48	315	48000	305	34500	255	31500	235	28000	385	34500
52	370	57000	355	40000	295	36000	280	32500	445	40300
56	430	65000	415	46000	350	41200	325	37100	525	46100
60	490	73000	470	51000	400	47700	375	42500	600	51300
64	560	85000	540	58000	45500	53500	430	48000	680	59600
72	710	110000	680	73000	57500	67000	535	60300	860	74200
80	880	126000	845	93000	710	81500	660	72400	1060	91000