

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

STEEL WIRE ROPE

650Tons Steel Wire Rope Press Machine

ISO9001 Supplier

Class Certificate

Export Supply

650Ton Steel Wire Rope Press Machine is Hydraulic Wire Rope Swage Machine, used to make pressed wire rope sling, with feature of compact form, good-looking appearance and easy operation. Widely used at mine, metallurgy, ...



Key Highlights

| | |
|---------------|---|
| Category | Steel Wire Rope |
| Standard | EN |
| Material | 650Ton Steel Wire Rope Press Machine is Hydraulic Wire Rope Swage Machin... |
| Weight / Size | Technical Specification Max press power (KN) 6500 Max wire rope diameter... |
| Certificate | CE |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



| Technical Specifications | | | |
|--------------------------|--|-------------|--|
| Category | Steel Wire Rope | Model / SKU | 650Tons-Steel-Wire-Rope-Press-Machine |
| Standard | EN | Material | 650Ton Steel Wire Rope Press Machine is Hydraulic Wire Rope Swage Machine, used to make pressed wire rope sling, with feature of compact form, good-looking appearance and easy operation. |
| Weight / Size | Technical Specification Max press power (KN) 6500 Max wire rope diameter in one pressing (mm) Φ 38 Max wire rope diameter in multi-pressing (mm) Φ 48 Power (KW) 7.5 Max working pressure (Mpa) 56Mpa Max piston movement (mm) 160 The up speed of piston(mm/sec) 4.5 The down speed of piston(mm/sec) 8 Total length (mm) 1550 Total width (mm) 650 Total height (mm) 1600 Net weight (kg) 3000 | Certificate | CE |
| Warranty | 12 Months unless specified otherwise | Origin | China |

CONTENTS

- China 650Tons Steel Wire Rope Press Machine:

- Technical Specification

China 650Tons Steel Wire Rope Press Machine:

650Ton Steel Wire Rope Press Machine is Hydraulic Wire Rope Swage Machine, used to make pressed wire rope sling, with feature of compact form, good-looking appearance and easy operation. Widely used at mine, metallurgy, wharf, railway, electrics and other filed.

- It uses a mechanical and electrical design, to switch to a different mold, you can suppress the different specifications of wire rope, easy to operate and safe.
- Dual control for hydraulic system, the overflow valve, magnetic contact on the pressure gauge can be accurately controlled.
- Electric control parts of the low-voltage control, an increase of operating system security.
- Pull the rope to suppress large, beautiful, fast, and a wire rope press-fit just a few minutes to complete, significantly reduced the labor intensity and improve the work efficiency.

Technical Specification

| | |
|----------------------|------|
| Max press power (KN) | 6500 |
|----------------------|------|



0.048278s

| | |
|---|-------|
| Max wire rope diameter in one pressing (mm) | Φ38 |
| Max wire rope diameter in multi-pressing (mm) | Φ48 |
| Power (KW) | 7.5 |
| Max working pressure (Mpa) | 56Mpa |
| Max piston movement (mm) | 160 |
| The up speed of piston(mm/sec) | 4.5 |
| The down speed of piston(mm/sec) | 8 |
| Total length (mm) | 1550 |
| Total width (mm) | 650 |
| Total height (mm) | 1600 |
| Net weight (kg) | 3000 |