

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

CENTRIFUGAL PUMP

65CWZ-8 Marine horizontal self-priming centrifugal pump

ISO9001 Supplier

Class Certificate

Export Supply

Product overview CWZ series marine horizontal self-priming centrifugal pump is suitable for marine cooling pump, sanitary pump, fire pump, bilge ballast pump, etc. Model description ...



Key Highlights

Category	Centrifugal Pump
Standard	EN
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Centrifugal Pump	Model / SKU	65CWZ-8-Marine-horizontal-self-priming-centrifugal-pump
Standard	EN	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

 Product overview

 Model description

Product overview

CWZ series marine horizontal self-priming centrifugal pump is suitable for marine cooling pump, sanitary pump, fire pump, bilge ballast pump, etc.

Model description



Model	Flow Rate m3/h	Height m	NPSH m	Speed r/min	Motor kW
32CWZ-3	8	42	4	2950	4
32CWZ-4	8	30	4		2.2
32CWZ-5	8	21	4		1.5
40CWZ-4	12	42	4		4
40CWZ-5	12	30	4		3
40CWZ-6	12	21	4		2.2
50CWZ-5	21	42	4		5.5
50CWZ-6	21	30	4		4
50CWZ-8	21	21	4		3
50CWZ-11	21	15	4		2.2
65CWZ-5	30	60	5		15
65CWZ-6	36	42	5		11
65CWZ-8	36	30	4		5.5
65CWZ-11	36	21	4		4
80CWZ-5.5	60	75	5		30
80CWZ-6	60	50	5		22
80CWZ-11	60	30	4		11
80CWZ-14	60	21	4		7.5
100CWZ-6	100	85	5		55
100CWZ-8	100	60	5		37
100CWZ-11	100	40	5	22	
100CWZ-14	100	30	5	15	
100CWZ-18	100	21	5	11	
150CWZ-16	180	30	4.5	37	
150CWZ-22	200	25	4.5	37	
200CWZ-15	300	25	6.5	1450	37
250CWZ-20	550	22	5		75
32CWZ-5(Z)	8	21	2950	1.5	4
40CWZ-4A(Z)	12.5	32	2950	3	4
40CWZ-5(Z)	12	30	2950	3	4
40CWZ-6(Z)	12	20	2950	2.2	4

50CWZ-4(Z)	13.5	22.5	2900	2.2	5
50CWZ-5(Z)	21	42	2950	5.5	5
50CWZ-6(Z)	25.5	18	2900	3	4
65CWZ-6(Z)	36	42	2950	11	5
65CWZ-8(Z)	36	30	2950	5.5	4
65CWZ-11(Z)	36	21	2950	4	4
80CWZ-6(Z)	60	60	2950	22	5
80CWZ-6(Z)A	52	56	2950	18.5	5
80CWZ-8(Z)	60	42	2950	15	5
80CWZ-11(Z)	50	30	2950	11	4
80CWZ-14(Z)	60	21	2950	7.5	4