

STEEL WIRE ROPE

6x19S+IWR Steel Wire Rope Category A

ISO9001 Supplier

Class Certificate

Export Supply

Wire Rope Definition a. Wires: steel wires for wire ropes are normally made of non-alloy carbon steel with a carbon content of 0.4 to 0.95%. The tensile forces and to run over sheaves with relatively small diameters. ...



Key Highlights

|               |                                                                                   |
|---------------|-----------------------------------------------------------------------------------|
| Category      | Steel Wire Rope                                                                   |
| Standard      | DIN                                                                               |
| Material      | SS Galvanized                                                                     |
| Weight / Size | 6x19S+IWR Steel Wire Rope<br>Category A Construction<br>6x19S+IWR Steel Wire R... |
| Certificate   | ABS, LR, BV, DNVGL, NK, KR,<br>IRS, RMRS, CCS                                     |

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

## Technical Specifications

|          |                 |             |                                      |
|----------|-----------------|-------------|--------------------------------------|
| Category | Steel Wire Rope | Model / SKU | 6x19S-IWR-Steel-Wire-Rope-Category-A |
| Standard | DIN             | Material    | SS Galvanized                        |

|               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Weight / Size | 6x19S+IWR Steel Wire Rope<br>Category A Construction<br>6x19S+IWR Steel Wire Rope<br>Category A Parameter Diameter<br>MM Approx.Weight Minimum<br>Breaking Load of Rope ( KN)<br>Kg/100m 1570Mpa 1670Mpa NF<br>SF IWR FC IWR FC IWR 6 13.3<br>13 14.6 6 18.7 20.1 19.8 21.4 7<br>18.1 17.6 19.9 25.4 27.4 27 29.1 8<br>23.6 23 25.9 33.2 35.8 35.3 38 9<br>29.9 29.1 32.8 42 45.3 44.6 48.2<br>10 36.9 36 40.6 51.8 55.9 55.1<br>59.5 11 44.6 43.5 49.1 62.7 67.6<br>66.7 71.9 12 53.1 51.8 58.4 74.6<br>80.5 79.4 85.6 13 62.3 60.8 68.5<br>87.6 94.5 93.1 100 14 72.2 70.5<br>79.5 102 110 108 117 16 94.4 92.1<br>104 133 143 141 152 18 119 177<br>131 168 181 179 193 20 147 144<br>162 207 224 220 238 22 178 174<br>196 251 271 267 288 24 212 207<br>234 298 322 317 342 26 249 243<br>274 350 378 373 402 28 289 282<br>318 406 438 432 466 30 332 324<br>365 466 503 496 535 32 377 369<br>415 531 572 564 609 34 426 416<br>469 599 646 637 687 36 478 466<br>525 671 724 714 770 38 532 520<br>585 748 807 796 858 40 590 576<br>649 829 894 882 951 Diameter<br>MM Minimum Breaking Load of<br>Rope ( KN) 1870Mpa 1960Mpa<br>2160Mpa 1770Mpa FC IWR FC<br>IWR FC IWR FC IWR 6 22.2 24<br>23.3 25.1 25.7 27.7 21 22.7 7 30.2<br>32.6 31.7 34.2 34.9 37.7 28.6 30.9<br>8 39.5 42.6 41.4 44.6 45.6 49.2<br>37.4 40.3 9 50 53.9 52.4 56.5 57.7<br>62.3 47.3 51 10 61.7 66.6 64.7<br>69.8 71.3 76.9 58.4 63 11 74.7<br>80.6 78.3 84.4 86.2 93 70.7 76.2<br>12 88.9 95.9 93.1 100 103 111<br>84.1 90.7 13 104 113 109 118 120<br>130 98.7 106 14 121 130 127 137<br>140 151 114 124 16 158 170 166<br>179 182 197 150 161 18 200 216<br>210 226 231 249 189 204 20 247<br>266 259 279 285 308 234 252 22<br>299 322 313 338 345 372 283 305<br>24 355 383 373 402 411 443 336<br>363 26 417 450 437 472 482 520 |
| Surface       | galvanized                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |


|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                 |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|
|             | 395 426 28 484 522 507 547 559<br>603 458 494 30 555 599 582 628<br>642 692 526 567 32 632 682 662<br>718 730 787 598 645 34 713 770<br>748 807 824 889 675 728 36 800<br>863 838 904 924 997 757 817 38<br>891 961 934 1010 1030 1110 843<br>910 40 987 1070 1030 1120 1140<br>1230 935 1010 Applications Mine<br>hoisting, blast furnace hoisting,<br>large casting, oil drilling, forestry<br>and marine industries,all kinds<br>ofelevator, large hoisting, ground<br>cable car ships and offshore<br>facilities, cable railing. |                                                 |
| Certificate | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Warranty12 Months unless specified<br>otherwise |
| Origin      | China                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                 |

|          |                                                  |                                                     |
|----------|--------------------------------------------------|-----------------------------------------------------|
| CONTENTS | ■ Wire Rope Definition                           | ■ 6x19S+IWR Steel Wire Rope Category A Construction |
|          | ■ 6x19S+IWR Steel Wire Rope Category A Parameter | ■ Applications                                      |
|          | ■ How To Choose Material                         | ■ Packaging                                         |

## Wire Rope Definition

- Wires: steel wires for wire ropes are normally made of non-alloy carbon steel with a carbon content of 0.4 to 0.95%. The tensile forces and to run over sheaves with relatively small diameters.
- Strand: the strand is a component of wire rope usually consisting of an assembly of wires of appropriate diamsions laid helically in one or more layers around a central element.
- Core: the core is the central element, of fiber or steel, around which are laid helically the outer strands of wire rope. The core provides proper support for the strands under normal bending and loading conditions.
- Wire rope is several strands of metal wire twisted into a helix forming a composite "rope", in a pattern known as "laid rope". Larger diameter wire rope consists of multiple strands.

## 6x19S+IWR Steel Wire Rope Category A Construction



## 6x19S+IWR Steel Wire Rope Category A Parameter

| Diameter<br>MM | Approx.Weight |      |        | Minimum Breaking Load of Rope ( KN) |      |         |      |
|----------------|---------------|------|--------|-------------------------------------|------|---------|------|
|                | Kg/100m       |      |        | 1570Mpa                             |      | 1670Mpa |      |
|                | NF            | SF   | IWR    | FC                                  | IWR  | FC      | IWR  |
| 6              | 13.3          | 13   | 14.6.6 | 18.7                                | 20.1 | 19.8    | 21.4 |
| 7              | 18.1          | 17.6 | 19.9   | 25.4                                | 27.4 | 27      | 29.1 |
| 8              | 23.6          | 23   | 25.9   | 33.2                                | 35.8 | 35.3    | 38   |
| 9              | 29.9          | 29.1 | 32.8   | 42                                  | 45.3 | 44.6    | 48.2 |
| 10             | 36.9          | 36   | 40.6   | 51.8                                | 55.9 | 55.1    | 59.5 |
| 11             | 44.6          | 43.5 | 49.1   | 62.7                                | 67.6 | 66.7    | 71.9 |
| 12             | 53.1          | 51.8 | 58.4   | 74.6                                | 80.5 | 79.4    | 85.6 |
| 13             | 62.3          | 60.8 | 68.5   | 87.6                                | 94.5 | 93.1    | 100  |
| 14             | 72.2          | 70.5 | 79.5   | 102                                 | 110  | 108     | 117  |
| 16             | 94.4          | 92.1 | 104    | 133                                 | 143  | 141     | 152  |
| 18             | 119           | 177  | 131    | 168                                 | 181  | 179     | 193  |
| 20             | 147           | 144  | 162    | 207                                 | 224  | 220     | 238  |
| 22             | 178           | 174  | 196    | 251                                 | 271  | 267     | 288  |
| 24             | 212           | 207  | 234    | 298                                 | 322  | 317     | 342  |
| 26             | 249           | 243  | 274    | 350                                 | 378  | 373     | 402  |
| 28             | 289           | 282  | 318    | 406                                 | 438  | 432     | 466  |
| 30             | 332           | 324  | 365    | 466                                 | 503  | 496     | 535  |
| 32             | 377           | 369  | 415    | 531                                 | 572  | 564     | 609  |

|    |     |     |     |     |     |     |     |
|----|-----|-----|-----|-----|-----|-----|-----|
| 34 | 426 | 416 | 469 | 599 | 646 | 637 | 687 |
| 36 | 478 | 466 | 525 | 671 | 724 | 714 | 770 |
| 38 | 532 | 520 | 585 | 748 | 807 | 796 | 858 |
| 40 | 590 | 576 | 649 | 829 | 894 | 882 | 951 |

| Diameter<br>MM | Minimun Breaking Load of Rope ( KN) |      |         |      |         |      |         |      |
|----------------|-------------------------------------|------|---------|------|---------|------|---------|------|
|                | 1870Mpa                             |      | 1960Mpa |      | 2160Mpa |      | 1770Mpa |      |
|                | FC                                  | IWR  | FC      | IWR  | FC      | IWR  | FC      | IWR  |
| 6              | 22.2                                | 24   | 23.3    | 25.1 | 25.7    | 27.7 | 21      | 22.7 |
| 7              | 30.2                                | 32.6 | 31.7    | 34.2 | 34.9    | 37.7 | 28.6    | 30.9 |
| 8              | 39.5                                | 42.6 | 41.4    | 44.6 | 45.6    | 49.2 | 37.4    | 40.3 |
| 9              | 50                                  | 53.9 | 52.4    | 56.5 | 57.7    | 62.3 | 47.3    | 51   |
| 10             | 61.7                                | 66.6 | 64.7    | 69.8 | 71.3    | 76.9 | 58.4    | 63   |
| 11             | 74.7                                | 80.6 | 78.3    | 84.4 | 86.2    | 93   | 70.7    | 76.2 |
| 12             | 88.9                                | 95.9 | 93.1    | 100  | 103     | 111  | 84.1    | 90.7 |
| 13             | 104                                 | 113  | 109     | 118  | 120     | 130  | 98.7    | 106  |
| 14             | 121                                 | 130  | 127     | 137  | 140     | 151  | 114     | 124  |
| 16             | 158                                 | 170  | 166     | 179  | 182     | 197  | 150     | 161  |
| 18             | 200                                 | 216  | 210     | 226  | 231     | 249  | 189     | 204  |
| 20             | 247                                 | 266  | 259     | 279  | 285     | 308  | 234     | 252  |
| 22             | 299                                 | 322  | 313     | 338  | 345     | 372  | 283     | 305  |
| 24             | 355                                 | 383  | 373     | 402  | 411     | 443  | 336     | 363  |
| 26             | 417                                 | 450  | 437     | 472  | 482     | 520  | 395     | 426  |
| 28             | 484                                 | 522  | 507     | 547  | 559     | 603  | 458     | 494  |
| 30             | 555                                 | 599  | 582     | 628  | 642     | 692  | 526     | 567  |
| 32             | 632                                 | 682  | 662     | 718  | 730     | 787  | 598     | 645  |
| 34             | 713                                 | 770  | 748     | 807  | 824     | 889  | 675     | 728  |
| 36             | 800                                 | 863  | 838     | 904  | 924     | 997  | 757     | 817  |
| 38             | 891                                 | 961  | 934     | 1010 | 1030    | 1110 | 843     | 910  |
| 40             | 987                                 | 1070 | 1030    | 1120 | 1140    | 1230 | 935     | 1010 |

## Applications

Mine hoisting, blast furnace hoisting, large casting, oil drilling, forestry and marine industries, all kinds of elevator, large hoisting, ground cable car ships and offshore facilities, cable railing.

## How To Choose Material

1. stainless steel :

providing good corrosion resistance and strength comparable to galvanized carbon steel grades.

2. galvanized steel:

Zinc coated carbon steel offers some corrosion resistance. It remains ductile over long periods of working. Usually higher break strengths than stainless steels.

## Packaging

