


**CHAIN SLING**

# 8-271 YOKE Swivel Point

8-271 YOKE Swivel Point Drawing 8-271 YOKE Swivel Point Parameters ITEM NO. WLL/T  
THREAD/M WEIGHT/KG ...

- ISO9001 Supplier
- Class Certificate
- Export Supply



### Key Highlights

|                      |   |
|----------------------|---|
| <b>Category</b>      | Chain Sling   |
| <b>Weight / Size</b> | WLL/T THREAD/M WEIGHT/KG Y (Z) 8-271-003 0.4 0.6 M8X1.25 0.2 8-271-004 0... |
| <b>Certificate</b>   | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS                                  |


We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

## Technical Specifications

|                      |   |                    |  |
|----------------------|---|--------------------|--|
| <b>Category</b>      | Chain Sling   | <b>Model / SKU</b> | 8-271-YOKE-Swivel-Point                    |
| <b>Weight / Size</b> | WLL/T THREAD/M WEIGHT/KG Y (Z) 8-271-003 0.4 0.6 M8X1.25 0.2 8-271-004 0.6 0.9 M10X1.5 0.2 8-271-006 0.7 1.2 M12X1.75 0.3 8-271-013 1.5 2.6 M16X2 0.5 8-271-020 2.5 4 M20X2.5 1.0 8-271-035 4 7 M24X3 2.2 8-271-060 6 10 M30X3.5 4.5 8-271-080 10 15 M36X4 4.6 8-271-120 13 17 M42X4.5 5.5 8-271-130 14 18 M48X5 6.1 8-271-140 20 25 M52X5 10.5 8-271-160 20 28 M56X5.5 10.7 8-271-161 20 28 M64X6 11.6 8-271-310 40 50 M72X6 30.6 8-271-350 48 50 M80X6 31.9 8-271-400 48 50 M90X6 33.9 ITEM NO. | <b>Certificate</b> | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS |
| <b>Warranty</b>      | 12 Months unless specified otherwise  | <b>Origin</b>      | China                                      |



## 8-271 YOKE Swivel Point Drawing



## 8-271 YOKE Swivel Point Parameters

| ITEM NO.  | WLL/T |     | THREAD/M | WEIGHT /KG |
|-----------|-------|-----|----------|------------|
|           | Y     | (Z) |          |            |
| 8-271-003 | 0.4   | 0.6 | M8X1.25  | 0.2        |
| 8-271-004 | 0.6   | 0.9 | M10X1.5  | 0.2        |
| 8-271-006 | 0.7   | 1.2 | M12X1.75 | 0.3        |
| 8-271-013 | 1.5   | 2.6 | M16X2    | 0.5        |
| 8-271-020 | 2.5   | 4   | M20X2.5  | 1.0        |
| 8-271-035 | 4     | 7   | M24X3    | 2.2        |
| 8-271-060 | 6     | 10  | M30X3.5  | 4.5        |
| 8-271-080 | 10    | 15  | M36X4    | 4.6        |
| 8-271-120 | 13    | 17  | M42X4.5  | 5.5        |
| 8-271-130 | 14    | 18  | M48X5    | 6.1        |
| 8-271-140 | 20    | 25  | M52X5    | 10.5       |
| 8-271-160 | 20    | 28  | M56X5.5  | 10.7       |
| 8-271-161 | 20    | 28  | M64X6    | 11.6       |
| 8-271-310 | 40    | 50  | M72X6    | 30.6       |
| 8-271-350 | 48    | 50  | M80X6    | 31.9       |
| 8-271-400 | 48    | 50  | M90X6    | 33.9       |

| ITEM NO.  | TECHNICAL PARAMETERS/MM |     |     |    |
|-----------|-------------------------|-----|-----|----|
|           | A                       | B   | C   | D  |
| 8-271-003 | 29                      | 32  | 40  | 8  |
| 8-271-004 | 29                      | 32  | 40  | 8  |
| 8-271-006 | 35                      | 50  | 45  | 10 |
| 8-271-013 | 38                      | 50  | 54  | 13 |
| 8-271-020 | 38                      | 54  | 68  | 13 |
| 8-271-035 | 40                      | 66  | 88  | 19 |
| 8-271-060 | 50                      | 86  | 120 | 22 |
| 8-271-080 | 50                      | 86  | 120 | 22 |
| 8-271-120 | 65                      | 110 | 122 | 25 |
| 8-271-130 | 65                      | 110 | 122 | 25 |
| 8-271-140 | 70                      | 120 | 150 | 32 |
| 8-271-160 | 70                      | 120 | 150 | 32 |
| 8-271-161 | 70                      | 120 | 150 | 32 |
| 8-271-310 | 90                      | 130 | 210 | 45 |
| 8-271-350 | 90                      | 130 | 210 | 45 |
| 8-271-400 | 90                      | 130 | 210 | 45 |
| ITEM NO.  | TECHNICAL PARAMETERS/MM |     |     |    |
|           | E                       | F   | G   | K  |
| 8-271-003 | 12                      | 72  | 35  | 30 |
| 8-271-004 | 15                      | 72  | 35  | 30 |
| 8-271-006 | 18                      | 95  | 40  | 36 |
| 8-271-013 | 24                      | 104 | 46  | 41 |
| 8-271-020 | 30                      | 122 | 62  | 55 |
| 8-271-035 | 36                      | 154 | 78  | 70 |
| 8-271-060 | 45                      | 206 | 90  | 80 |
| 8-271-080 | 54                      | 206 | 90  | 80 |
| 8-271-120 | 63                      | 235 | 98  | 84 |
| 8-271-130 | 72                      | 235 | 98  | 84 |
| 8-271-140 | 78                      | 270 | 120 | 94 |
| 8-271-160 | 84                      | 270 | 120 | 94 |
| 8-271-161 | 96                      | 270 | 120 | 94 |

|           |     |     |     |     |
|-----------|-----|-----|-----|-----|
| 8-271-310 | 108 | 340 | 170 | 145 |
| 8-271-350 | 120 | 340 | 170 | 145 |
| 8-271-400 | 135 | 340 | 170 | 145 |

