

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

## HIGH HOLDING POWER ANCHOR

# AC-14 SB HHP Anchor

AC-14 SB Type HHP Anchor Material: Casting Steel Weight: 75kgs-30000kgs Finish: Black Painted. AC-14 HHP Anchors Weights: Weight/Mass (KG)...

ISO9001 Supplier

Class Certificate

Export Supply



### Key Highlights

Category	High Holding Power Anchor
Material	Casting Steel
Weight / Size	75kgs-30000kgs
Certificate	ABS, LR, BV, DNV, GL, RINA, NK, KR, RS, IRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

### Technical Specifications

Category	High Holding Power Anchor	Model / SKU	AC-14-SB-HHP-Anchor
Material	Casting Steel	Weight / Size	75kgs-30000kgs
Surface	Painted	Certificate	ABS, LR, BV, DNV, GL, RINA, NK, KR, RS, IRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

#### CONTENTS

■ China AC-14 SB HHP Anchor:

■ AC-14 HHP Anchors Weights:


## China AC-14 SB HHP Anchor:

### AC-14 SB Type HHP Anchor

Material: Casting Steel


Weight: 75kgs-30000kgs

Finish: Black Painted.






**AC-14 HHP Anchors Weights:**



Weight/Mass (KG)	Size(mm)							
	A	B	C	D	E	F	G	J
75KGS	550	326	350	606	188	185	115	24
100KGS	607	380	385	704	207	200	130	28
120KGS	635	380	402	704	217	215	145	32
180KGS	742	442	470	822	254	252	160	36
225KGS	828	495	525	915	283	277	175	40
250KGS	828	495	525	915	283	280	175	40
300KGS	882	525	559	975	301	298	192	45
340KGS	918	548	582	1015	313	310	215	48
360KGS	918	548	582	1015	313	313	215	48
430KGS	990	590	628	1098	339	336	215	48



495KGS	1025	610	650	1135	350	348	235	50
585KGS	1102	658	699	1220	376	375	235	50
675KGS	1152	690	731	1278	394	390	255	60
765KGS	1205	718	764	1335	411	408	255	60
855KGS	1250	745	793	1385	427	420	280	62
970KGS	1200	775	826	1445	444	440	280	62
1080KGS	1350	808	855	1495	461	455	280	62
1200KGS	1400	835	887	1545	478	470	310	68
1305KGS	1440	858	913	1595	492	485	310	68
1440KGS	1486	885	943	1645	507	505	310	68
1575KGS	1534	915	972	1695	523	518	340	74
1710KGS	1575	940	998	1756	538	532	340	74
1745KGS	1616	962	1025	1785	552	546	340	74
1980KGS	1650	985	1048	1830	564	560	380	82
2100KGS	1686	1005	1070	1865	575	570	380	82
2295KGS	1738	1035	1102	1920	593	588	380	82
2475KGS	1780	1062	1128	1970	607	602	385	82
2655KGS	1720	1085	1155	2018	621	615	385	82
2835KGS	1862	1109	180	2057	635	625	410	90
3040KGS	1896	1130	1204	2100	646	640	410	90
3550KGS	2030	1198	1284	2225	693	680	415	100
3940KGS	2080	1240	1318	2300	709	705	150	100
4500KGS	2170	1295	1376	2405	741	735	150	100
4870KGS	2225	1330	1410	2465	760	755	180	110
5175KGS	2275	1358	1443	2520	777	770	180	110
5610KGS	2339	1396	1483	2590	798	790	500	110
6000KGS	2390	1426	1515	2646	816	810	500	110
6225KGS	2420	1443	1534	2678	826	820	540	117
6525KGS	2450	1462	1554	2712	836	830	540	117
6975KGS	2507	1496	1589	2775	855	8948	580	121
7350KGS	2560	1526	1622	2832	873	866	580	121
7875KGS	2610	1558	1655	2890	891	884	600	130
8325KGS	2662	1590	1689	2950	909	902	600	130

8775KGS	2707	1614	1715	2996	924	916	630	135
9300KGS	2765	1652	1754	3064	945	936	640	140
9675KGS	2805	1674	1778	3104	957	948	640	140
10125KGS	2850	1700	1806	3152	972	960	640	140
10575KGS	2880	1720	1827	3192	984	976	660	145
11025KGS	2930	1750	1859	3247	1001	990	660	145
11700KGS	2987	1782	1894	3308	1019	1010	700	155
12075KGS	3010	1800	1906	3343	1027	1020	700	155
12675KGS	3065	1812	1945	3364	1047	1028	700	155
13350KGS	3132	1870	1986	3470	1069	1060	700	155
14100KGS	3178	1896	2015	3520	1084	1076	730	160
14700KGS	3228	1924	2045	3570	1099	1090	730	160
15400KGS	3272	1954	2075	3626	1117	1108	770	170
16100KGS	3320	1980	2110	3680	1132	1125	770	170
16900KGS	3350	2000	2126	3720	1144	1144	770	170
17250KGS	3380	2016	2142	3740	1151	1144	770	170
17800KGS	3440	2050	2180	3806	1173	1162	800	180
18800KGS	3500	2088	2220	2875	1193	1185	800	180
20000KGS	3573	2132	2265	3956	1220	1210	820	185
25000KGS	4100	2437	2600	4577	1399	1375	880	200
30000KGS	4358	2888	2765	4663	1484	1380	940	210

For more details, please contact us.