

WATER TREATMENT EQUIPMENT

ALFA LAVAL 30ton/day Plate Type Fresh Water Generator

- ISO9001 Supplier
- Class Certificate
- Export Supply

Plate Type Fresh Water Generator: Plate Type Fresh Water Generator mainly consists of evaporating, condensing chamber, ejector equipped to achieve vacuum, fresh water pump for delivering distilled water to storage ...



Key Highlights

Category	Water Treatment Equipment
Standard	EN
Material	Titanium alloy
Weight / Size	Type Capacity(t/day) Dimension LXWXH Weight(kg) Operation Weight(kg) FWG...
Certificate	CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Water Treatment Equipment	Model / SKU	ALFA-LAVAL-30ton-day-Plate-Type-Fresh-Water-Generator
Standard	EN	Material	Titanium alloy
Weight / Size	Type Capacity(t/day) Dimension LXWXH Weight(kg) Operation Weight(kg) FWG-3 3 1295x915x980 390 550 FWG-5 5 1295x965x980 400 550 FWG-7 7 1295x1075x980 430 580 FWG-8 8 1510x1025x1200 800 950 FWG-10 10 1510x1075x1200 850 1050 FWG-12 12 1710x1170x1420 900 1150 FWG-15 15 1710x1170x1420 1000 1200 FWG-18 18 1710x1270x1420 1200 1450 FWG-20 20 1710x1270x1420 1250 1480 FWG-25 25 1710x1385x1420 1320 1500 FWG-30 30 1720x1250x1740 1400 1550	Certificate	CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	<ul style="list-style-type: none"> ■ Plate Type Fresh Water Generator: ■ Technical Data: 	<ul style="list-style-type: none"> ■ Features:
-----------------	--	---

Plate Type Fresh Water Generator:

Plate Type Fresh Water Generator mainly consists of evaporating, condensing chamber, ejector equipped to achieve vacuum, fresh water pump for delivering distilled water to storage tank. Heat exchanger is made of titanium. It's an energy-saving device because of using jacket water heat and lower boiling point of water in vacuum.

Features:

- High quality titanic plate for evaporator and condenser
- Highly compatible to variety heating sources as jacket water, steam and thermal oil
- Control cabinet with specialized salinity meter
- No moving part, less maintenance.

Technical Data:

Type	Capacity(t/day)	Dimension LXWXH	Weight(kg)	Operation Weight(kg)
FWG-3	3	1295x915x980	390	550
FWG-5	5	1295x965x980	400	550

FWG-7	7	1295x1075x980	430	580
FWG-8	8	1510x1025x1200	800	950
FWG-10	10	1510x1075x1200	850	1050
FWG-12	12	1710x1170x1420	900	1150
FWG-15	15	1710x1170x1420	1000	1200
FWG-18	18	1710x1270x1420	1200	1450
FWG-20	20	1710x1270x1420	1250	1480
FWG-25	25	1710x1385x1420	1320	1500
FWG-30	30	1720x1250x1740	1400	1550