

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

SHIPBUILDING STEEL

ASTM A36 JIS G3192 Hot Rolled Mild Steel H Beam

ISO9001 Supplier

Class Certificate

Export Supply

Grade: Q235/SS400 S235JR Size GB Wight(kg/m)
 JIS Weight(kg/m) Size GB Weight(kg/...



Key Highlights

Category	Shipbuilding Steel
Standard	JIS
Weight / Size	Grade: Q235/SS400 S235JR Size GB Wight(kg/m) JIS Weight(kg/m) Size ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Shipbuilding Steel	Model / SKU	ASTM-A36-JIS-G3192-Hot-Rolled-Mild-Steel-H-Beam
-----------------	--------------------	--------------------	---

Standard	JIS	Weight / Size	Grade: Q235/SS400 S235JR
			Size GB Wight(kg/m) JIS
			Weight(kg/m) Size GB
			Weight(kg/m) JIS Weight(kg/m)
			100*100*6*8 17.2 16.9
			400*200*8*13 66 65.4
			125*125*6.5*9 23.8 23.6
			400*150*8*13 55.8 55.2
			148*100*6*9 21.4 21.1
			400*400*13*21 172 - 150*75*5*7
			14.3 14 400*408*21*21 197 -
			150*150*7*10 31.9 31.1
			414*405*18*28 233 232
			175*90*5*8 18.2 18
			414*202*10*20 94.5 93.9
			175*175*7.5*11 40.3 40.4
			428*407*20*35 284 283
			194*150*6*9 31.2 29.9
			440*300*11*18 124 121
			198*99*4.5*7 18.5 17.8
			446*199*8*12 66.7 65.1
			200*100*5.5*8 21.7 20.9
			450*200*9*14 76.5 74.9
			200*200*8*12 50.5 49.9
			470*202*11*24 115.2 -
			200*204*12*12 56.7 56.2
			482*300*11*15 115 111
			244*175*7*11 44.1 43.6
			488*300*11*18 129 125
			248*124*5*8 25.8 25.1
			496*199*9*14 79.5 77.9
			250*125*6*9 29.7 29
			500*200*10*16 89.6 88.2
			250*250*9*14 72.4 71.8
			510*206*16*21 129 -
			250*255*14*14 82.2 81.6
			512*202*12*22 114 -
			294*200*8*12 57.3 55.8
			506*201*11*19 103 102
			294*302*12*12 85 83.4
			582*300*12*17 137 133
			298*149*5.5*8 32.6 32
			588*300*12*20 151 147
			298*201*9*14 65.9 64.4
			594*302*14*23 175 170
			300*150*6.5*9 37.3 36.7
			596*199*10*15 95.1 92.5
			300*300*10*15 94.5 93
			600*200*11*17 106 103
			300*305*15*15 106 105
			600*304*16*26 198 194
			338*351*13*13 106 -

			606*201*12*20 120 118 340*250*9*14 79.7 78.1 692*300*13*20 166 163 344*348*10*16 115 113 700*300*13*24 185 182 344*354*16*16 131 - 708*304*15*28 216 - 346*174*6*9 41.8 41.2 792*300*14*22 191 188 350*175*7*11 50 49.4 800*300*14*26 210 207 350*350*12*19 137 135 900*300*16*28 243 240 350*357*19*19 156 - 388*402*15*15 141 140 390*300*10*16 107 105 394*398*11*18 147 147 394*405*18*18 169 - 396*199*7*11 56.7 56.1
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

China ASTM A36 JIS G3192 Hot Rolled Mild Steel H Beam:

Grade: Q235/SS400 S235JR

Size	GB Wight(kg/m)	JIS Weight(kg/m)	Size	GB Weight(kg/m)	JIS Weight(kg/m)
100*100*6*8	17.2	16.9	400*200*8*13	66	65.4
125*125*6.5*9	23.8	23.6	400*150*8*13	55.8	55.2
148*100*6*9	21.4	21.1	400*400*13*21	172	-
150*75*5*7	14.3	14	400*408*21*21	197	-
150*150*7*10	31.9	31.1	414*405*18*28	233	232
175*90*5*8	18.2	18	414*202*10*20	94.5	93.9
175*175*7.5*11	40.3	40.4	428*407*20*35	284	283
194*150*6*9	31.2	29.9	440*300*11*18	124	121
198*99*4.5*7	18.5	17.8	446*199*8*12	66.7	65.1
200*100*5.5*8	21.7	20.9	450*200*9*14	76.5	74.9
200*200*8*12	50.5	49.9	470*202*11*24	115.2	-
200*204*12*12	56.7	56.2	482*300*11*15	115	111
244*175*7*11	44.1	43.6	488*300*11*18	129	125
248*124*5*8	25.8	25.1	496*199*9*14	79.5	77.9

250*125*6*9	29.7	29	500*200*10*16	89.6	88.2
250*250*9*14	72.4	71.8	510*206*16*21	129	-
250*255*14*14	82.2	81.6	512*202*12*22	114	-
294*200*8*12	57.3	55.8	506*201*11*19	103	102
294*302*12*12	85	83.4	582*300*12*17	137	133
298*149*5.5*8	32.6	32	588*300*12*20	151	147
298*201*9*14	65.9	64.4	594*302*14*23	175	170
300*150*6.5*9	37.3	36.7	596*199*10*15	95.1	92.5
300*300*10*15	94.5	93	600*200*11*17	106	103
300*305*15*15	106	105	600*304*16*26	198	194
338*351*13*13	106	-	606*201*12*20	120	118
340*250*9*14	79.7	78.1	692*300*13*20	166	163
344*348*10*16	115	113	700*300*13*24	185	182
344*354*16*16	131	-	708*304*15*28	216	-
346*174*6*9	41.8	41.2	792*300*14*22	191	188
350*175*7*11	50	49.4	800*300*14*26	210	207
350*350*12*19	137	135	900*300*16*28	243	240
350*357*19*19	156	-			
388*402*15*15	141	140			
390*300*10*16	107	105			
394*398*11*18	147	147			
394*405*18*18	169	-			
396*199*7*11	56.7	56.1			