

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE NAVIGATION SIGNAL LIGHT

Afterangel Light CXH10-1, CXH10-1B

Used as lamp signal at night and identification when the formation navigation of ship.

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Navigation Signal Light
Standard	EN
Material	Type CXH10-1 CXH10-1B Voltage 220V Power 2X25W Visibility 2n.m Lamp Hold...
Weight / Size	Type CXH10-1 CXH10-1B Voltage 220V Power 2X25W Visibility 2n.m Lamp Hold...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Marine Navigation Signal Light	Model / SKU	Afterangel-Light-CXH10-1-CXH10-1B
Standard	EN	Material	Type CXH10-1 CXH10-1B Voltage 220V Power 2X25W Visibility 2n.m Lamp Holder E27 Horizontal 100 Vertical Optical Angle 300 Protection Class IP55 Cable Diameter Dia10 Material Aluminum Brass Weight 5.3kgs 9.3kgs
Weight / Size	Type CXH10-1 CXH10-1B Voltage 220V Power 2X25W Visibility 2n.m Lamp Holder E27 Horizontal 100 Vertical Optical Angle 300 Protection Class IP55 Cable Diameter Dia10 Material Aluminum Brass Weight 5.3kgs 9.3kgs	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- China Afterangel Light CXH10-1, CXH10-1B:

- Main Specification:

China Afterangel Light CXH10-1, CXH10-1B:



Used as lamp signal at night and identification when the formation navigation of ship.

Main Specification:

Type	CXH10-1	CXH10-1B
Voltage	220V	
Power	2X25W	



0.043771s

Visibility	2n.m	
Lamp Holder	E27	
Horizontal	10 ⁰	
Vertical Optical Angle	30 ⁰	
Protection Class	IP55	
Cable Diameter	Dia10	
Material	Aluminum	Brass
Weight	5.3kgs	9.3kgs