

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

AIR AND GENERAL PURPOSE HOSE

## Air Hose

Main Specification ID OD WP BP Bending Radius Plies Weight Length ...

ISO9001 Supplier

Class Certificate

Export Supply



### Key Highlights

Category	Air and General Purpose Hose
Standard	DIN
Weight / Size	Main Specification ID OD WP BP Bending Radius Plies Weight Length mm inc...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
<b>Category</b>	Air and General Purpose Hose		<b>Model / SKU</b> Air-Hose
<b>Standard</b>	DIN		<b>Weight / Size</b> Main Specification ID OD WP BP Bending Radius Plies Weight Length mm inch mm inch Mpa bar Mpa bar mm B kg/m m 10 3/8" 18 3/4" 3 30 9 90 130 1 0.3 20-50 12.5 1/2" 23 7/8" 3 30 9 90 180 1 0.46 20-50 16 5/8" 26 1" 2.5 25 7.5 75 210 1 0.53 20-50 19 3/4" 29 1- 1/4" 2.5 25 7.5 75 240 1 0.6 20-50 22 7/8" 32 1-1/4" 2 20 6 60 280 1 0.8 20-50 25 1" 35 1-2/5" 2 20 6 60 375 1 0.93 20-50 32 1-1/4" 42 1- 5/8" 1.5 15 4.5 45 420 2 1.25 20- 50 38 1-1/2" 48 1-7/8" 1.5 15 4.5 45 500 2 1.47 20-50 45 1-3/4" 56 2-1/4" 1.2 12 3.6 36 630 2 1.76 20- 50 50 2" 64 2-1/2" 1.2 12 3.6 36 630 2 1.92 20-50 57 2-1/4" 70 2- 4/5" 1 10 3 30 855 2 2.1 20-50 64 2-1/2" 78 3" 1 10 3 30 960 2 2.56 20-50 76 3" 90 3-1/2" 0.8 8 2.4 24 1140 2 2.96 20-50 90 3-1/2" 106 4" 0.6 6 1.8 18 1350 2 3.7 20-50 100 4" 120 4-4/5" 0.6 6 1.8 18 1530 2 4.3 20-50
<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS		<b>Warranty</b> 12 Months unless specified otherwise
<b>Origin</b>	China		

## Main Specification

ID		OD		WP		BP		Bending Radius	Plies	Weight	Length
mm	inch	mm	inch	Mpa	bar	Mpa	bar	mm	B	kg/m	m
10	3/8"	18	3/4"	3	30	9	90	130	1	0.3	20-50
12.5	1/2"	23	7/8"	3	30	9	90	180	1	0.46	20-50
16	5/8"	26	1"	2.5	25	7.5	75	210	1	0.53	20-50
19	3/4"	29	1-1/4"	2.5	25	7.5	75	240	1	0.6	20-50
22	7/8"	32	1-1/4"	2	20	6	60	280	1	0.8	20-50
25	1"	35	1-2/5"	2	20	6	60	375	1	0.93	20-50
32	1-1/4"	42	1-5/8"	1.5	15	4.5	45	420	2	0.045594s	

38	1-1/2"	48	1-7/8"	1.5	15	4.5	45	500	2	1.47	20-50
45	1-3/4"	56	2-1/4"	1.2	12	3.6	36	630	2	1.76	20-50
50	2"	64	2-1/2"	1.2	12	3.6	36	630	2	1.92	20-50
57	2-1/4"	70	2-4/5"	1	10	3	30	855	2	2.1	20-50
64	2-1/2"	78	3"	1	10	3	30	960	2	2.56	20-50
76	3"	90	3-1/2"	0.8	8	2.4	24	1140	2	2.96	20-50
90	3-1/2"	106	4"	0.6	6	1.8	18	1350	2	3.7	20-50
100	4"	120	4-4/5"	0.6	6	1.8	18	1530	2	4.3	20-50