

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

## MARINE HOIST

# Air Jack

Air Jack &nbsp;Model number FG50T-2 FG80T-2(National standard type) FG80T (Heavy type) FG80T-2 (Unfold typ...

ISO9001 Supplier

Class Certificate

Export Supply



### Key Highlights

|               |  |
|---------------|--|
| Category      | Marine Hoist   |
| Standard      | EN   |
| Weight / Size | Air Jack Model number FG50T-2 FG80T-2(National standard type) FG80T (He... |
| Certificate   | ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS                                 |


We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



| Technical Specifications |   |                      |  |
|--------------------------|---|----------------------|--|
| <b>Category</b>          | Marine Hoist                                  | <b>Model / SKU</b>   | Air-Jack   |
| <b>Standard</b>          | EN  | <b>Weight / Size</b> | Air Jack Model number FG50T-2<br>FG80T-2(National standard type)<br>FG80T (Heavy type) FG80T-2<br>(Unfold type) FG80T-2(Fold type)<br>FG80T-2 (Lowtype) FG80T-<br>2(Extension type) FG100T-2<br>(Heavy type) FG100T-2(Heavy<br>type) FG100T-2(Heavy type)<br>FG120T FG150T Lifting capacity<br>50T/25T 80T/40T 80T/40T<br>80T/40T 80T/40T 80T/40T<br>80T/40T 100T/50T 100T/50T<br>100T/50T 120T/60T 150T/75T Air<br>pressure 0.8-1.2 mpa 0.8-1.2 mpa<br>0.8-1.2 mpa 0.8-1.2 mpa 0.8-1.2<br>mpa 0.8-1.2 mpa 0.8-1.2 mpa 0.8-<br>1.2 mpa 0.8-1.2 mpa 0.8-1.2 mpa<br>0.8-1.2 mpa 0.8-1.2 mpa Min<br>height 165mm 195mm 225mm<br>195mm 195mm 165mm 225mm<br>205mm 205mm 205mm 205mm<br>205mm Lifting height 320mm<br>320mm 460mm 370mm 370mm<br>285mm 460mm 400mm 400mm<br>400mm 400mm 400mm Stroke<br>155mm 175mm 120mm 235mm<br>195mm 195mm 195mm Extension<br>height 60mm/30mm 60mm/30mm<br>60mm/30mm 60mm/30mm 60mm/<br>30mm 60mm /30mm 60mm /<br>30mm 60mm / 30mm 60mm/30mm<br>60mm/30mm N.W 40kg 40kg 75kg<br>60kg 60kg 50kg 68kg 70kg 80kg<br>80kg 80kg 100kg |
| <b>Certificate</b>       | ABS, LR, BV, DNVGL, NK, KR,<br>IRS, RMRS, CCS | <b>Warranty</b>      | 12 Months unless specified<br>otherwise  |
| <b>Origin</b>            | China   |                      |  |

## China Air Jack:

Air Jack



| Model number     | FG50 T-2    | FG80T-2(National standard type) | FG80 T (Heavy type) | FG80T-2 (Unfold type) | FG80T -2(Fold type) | FG80T -2 (Low type) | FG80T-2(Extension type) | FG100 T-2 (Heavy type) | FG100 T-2(Heavy type) | FG100 T-2(Heavy type) | FG120 T     | FG150T      |
|------------------|-------------|---------------------------------|---------------------|-----------------------|---------------------|---------------------|-------------------------|------------------------|-----------------------|-----------------------|-------------|-------------|
| Lifting capacity | 50T/25T     | 80T/40T                         | 80T/40T             | 80T/40T               | 80T/40T             | 80T/40T             | 80T/40T                 | 100T/50T               | 100T/50T              | 100T/50T              | 120T/60T    | 150T/75T    |
| Air pressure     | 0.8-1.2 mpa | 0.8-1.2 mpa                     | 0.8-1.2 mpa         | 0.8-1.2 mpa           | 0.8-1.2 mpa         | 0.8-1.2 mpa         | 0.8-1.2 mpa             | 0.8-1.2 mpa            | 0.8-1.2 mpa           | 0.8-1.2 mpa           | 0.8-1.2 mpa | 0.8-1.2 mpa |
| Min height       | 165mm       | 195mm                           | 225mm               | 195mm                 | 195mm               | 165mm               | 225mm                   | 205mm                  | 205mm                 | 205mm                 | 205mm       | 205mm       |
| Lifting height   | 320mm       | 320mm                           | 460mm               | 370mm                 | 370mm               | 285mm               | 460mm                   | 400mm                  | 400mm                 | 400mm                 | 400mm       | 400mm       |
| Stroke           | 155mm       | 175mm                           | 120mm               | 235mm                 | 195mm               | 195mm               | 195mm                   |                        |                       |                       |             |             |
| Extension height | 60mm/30mm   | 60mm/30mm                       | 60mm/30mm           | 60mm/30mm             | 60mm/30mm           | 60mm/30mm           | 60mm/30mm               | 60mm/30mm              | 60mm/30mm             | 60mm/30mm             |             |             |
| N.W              | 40kg        | 40kg                            | 75kg                | 60kg                  | 60kg                | 50kg                | 68kg                    | 70kg                   | 80kg                  | 80kg                  | 80kg        | 100kg       |