

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE GENERATOR

Air-cooled gasoline generator

Air-cooled gasoline generator Parameter Air-cooled gasoline generator Generator Model 1500CX 2500C...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Marine Generator
Standard	EN
Weight / Size	Air-cooled gasoline generator Parameter Air-cooled gasoline generator Ge...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications

Category	Marine Generator	Model / SKU	Air-cooled-gasoline-generator



Standard	EN	Weight / Size	Air-cooled gasoline generator Parameter Air-cooled gasoline generator Generator Model 1500CX 2500CX 3500CX 3800CX 6500CX 8500CX Rated output power(KW) 1 2 2.5 2.8 5 6 Max.power(KW) 1.2 2.2 2.8 3 5.5 6.5 Rated frequency(Hz) 50/60 50/60 50/60 50/61 50/62 1-Phase AC voltage 110/220 110/220 110/220 110/221 110/222 DC output 12V/8.3A 12V/8.3A 12V/8.3A 12V/8.3A 12V/8.3A Power factor(cosφ) 1 1 1 1 1 1 Rated rotation speed(rpm) 3000/3600 3000/3600 3000/3600 3000/3601 3000/3602 Noise level 65 68 69 70 72 72 Fuel tank capacity(L) 6.3 13.4 13.4 25 25 25 Structure type Open Frame type Engine Engine Model 154F 170F 170F 170F 188F 190F Type Single cylinder,4-stroke,air-cooled OHV,gasoline engine Displacement(ml) 87 208 208 208 208 389 402 Max.output power(hp)/Speed(Rpm) 2.8/3600 7.5/3600 7.5/3600 7.5/3600 13/3600 16/3600 Oil capacity(L) 0.37 0.6 0.6 0.6 1.1 1.1 Ignition method Transistor electric, inductive firing starting method Recoil start Continuous work time(Hour) 10 8 8 8 8 8 Electric start system N/A N/A N/A N/A Available Available 3-Phase Ac voltage N/A N/A N/A N/A Available Available 4-wheel vehicle set N/A N/A N/A Available Available 2-Wheel and handle N/A N/A N/A N/A Available Available Side panel N/A N/A N/A N/A Available Available Options Double voltage switch N/A N/A N/A N/A Available Available Remote control system N/A N/A N/A N/A Available Available ATS N/A N/A N/A N/A Available Available Time meter N/A N/A N/A Available Available Pack Packing size(mm) 460x410x390 605x445x445 0.052295s
----------	----	---------------	---

		605x445x470 610x450x470 700x530x575 700x530x575 Net weight(Kgs) 27 40 43 45 80 82 Gross weight(Kgs) 29 42 45 47 83 85 20FT Qty 420 235 235 235 136 136
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty 12 Months unless specified otherwise
Origin	China	

CONTENTS

■ Air-cooled gasoline generator

■ Parameter

Air-cooled gasoline generator**Parameter**

Air-cooled gasoline generator							
Generator	Model	1500CX	2500CX	3500CX	3800CX	6500CX	8500CX
	Rated output power(KW)	1	2	2.5	2.8	5	6
	Max.power(KW)	1.2	2.2	2.8	3	5.5	6.5
	Rated frequency(Hz)	50/60	50/60	50/60	50/60	50/61	50/62
	1-Phase AC voltage	110/220	110/220	110/220	110/220	110/221	110/222
	DC output	12V/8.3A	12V/8.3A	12V/8.3A	12V/8.3A	12V/8.3A	12V/8.3A
	Power factor(cosφ)	1	1	1	1	1	1
	Rated rotation speed(rpm)	3000/3600	3000/3600	3000/3600	3000/3600	3000/3601	3000/3602
	Noise level	65	68	69	70	72	72
	Fuel tank capacity(L)	6.3	13.4	13.4	25	25	25
	Structure type	Open Frame type					

Engine	Engine Model	154F	170F	170F	170F	188F	190F
	Type	Single cylinder,4-stroke,air-cooled OHV,gasoline engine					
	Displacement(ml)	87	208	208	208	389	402
	Max.output power(hp)/Speed(Rpm)	2.8/3600	7.5/3600	7.5/3600	7.5/3600	13/3600	16/3600
	Oil capacity(L)	0.37	0.6	0.6	0.6	1.1	1.1
	Ignition method	Transistor electric, inductive firing					
	starting method	Recoil start					
	Continuous work time(Hour)	10	8	8	8	8	8
	Electric start system	N/A	N/A	N/A	N/A	Available	Available
	3-Phase Ac voltage	N/A	N/A	N/A	N/A	Available	Available
	4-wheel vehicle set	N/A	N/A	N/A	N/A	Available	Available
	2-Wheel and handle	N/A	N/A	N/A	N/A	Available	Available
	Side panel	N/A	N/A	N/A	N/A	Available	Available
Options	Double voltage switch	N/A	N/A	N/A	N/A	Available	Available
	Remote control system	N/A	N/A	N/A	N/A	Available	Available
	ATS	N/A	N/A	N/A	N/A	Available	Available
	Time meter	N/A	N/A	N/A	N/A	Available	Available
Pack	Packing size(mm)	460x410x390	605x445x470	605x445x470	610x450x470	700x530x575	700x530x575
	Net weight(Kgs)	27	40	43	45	80	82
	Gross weight(Kgs)	29	42	45	47	83	85
	20FT Qty	420	235	235	235	136	136