

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE HOIST

Aluminum Electric Winch

Aluminum Electric Winch Model Usage Voltage Capacity Power Lifting Speed Lift...


- ISO9001 Supplier
- Class Certificate
- Export Supply



Key Highlights

Category	Marine Hoist
Weight / Size	Aluminum Electric Winch Model Usage Voltage Capacity Power Lifting Speed...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.



Technical Specifications			
Category	Marine Hoist	Model / SKU	Aluminum-Electric-Winch
Weight / Size	Aluminum Electric Winch Model Usage Voltage Capacity Power Lifting Speed Lifting Height Dia of Rope N.W (v) (kg) (kw) (m/min) (m) (mm) (kg) 1T Single-Hook 220 500 2.2 14 30-100 6 32 Double-Hook 1000 7 1T Single-Hook 380 500 1.7 16 30-100 6 34 Double-Hook 1000 8 1.2T Single-Hook 220 600 3 14 30-100 6 36 Double-Hook 1200 7 1.2T Single-Hook 380 600 2.2 14 30-100 6 34 Double-Hook 1200 7 1.5T Single-Hook 220 600 4 14 30-100 7 42 Double-Hook 1200 7 1.5T Single-Hook 380 750 2.5 14 30-100 7 42 Double-Hook 1500 7 2.5T Single-Hook 220 900 5 8 30-100 9.3 58 Double-Hook 1800 4 3T Single-Hook 380 1500 3 8 30-100 9.3 58 Double-Hook 3000 4	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

China Aluminum Electric Winch:

Aluminum Electric Winch

Model	Usage	Voltage	Capacity	Power	Lifting Speed	Lifting Height	Dia of Rope	N.W
(v)	(kg)	(kw)	(m/min)	(m)	(mm)	(kg)		
1T	Single-Hook	220	500	2.2	14	30-100	6	32
	Double-Hook		1000		7			
1T	Single-Hook	380	500	1.7	16	30-100	6	34
	Double-Hook		1000		8			
1.2T	Single-Hook	220	600	3	14	30-100	6	36
	Double-Hook		1200		7			
1.2T	Single-Hook	380	600	2.2	14	30-100	6	34
	Double-Hook		1200		7			



1.5T	Single-Hook	220	600	4	14	30-100	7	42
	Double-Hook		1200		7			
1.5T	Single-Hook	380	750	2.5	14	30-100	7	42
	Double-Hook		1500		7			
2.5T	Single-Hook	220	900	5	8	30-100	9.3	58
	Double-Hook		1800		4			
3T	Single-Hook	380	1500	3	8	30-100	9.3	58
	Double-Hook		3000		4			