

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

CHAIN STOPPER

Anchor Stoppers CB/T 877-2011

Anchor Stopper Structure Anchor Stopper consists of bollard, wire rope, Turn buckle, shackle and eye plates. 1. Bollard 2. Wire rope 3. Roller 4. Turn buckle, shackle 5. Ey...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Chain Stopper
Standard	CB
Material	Steel
Weight / Size	Anchor Stopper Size(mm) Anchor Chain Diameter Wire Rope Size Turnbuckle ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Chain Stopper	Model / SKU	Anchor-Stoppers-CB-T-877-2011
Standard	CB	Material	Steel
Weight / Size	Anchor Stopper Size(mm) Anchor Chain Diameter Wire Rope Size Turnbuckle and Shackle Eye Plates Weight(kgs) 16-19 7 KUUD12-M F6 1.7 20.5-24 8 KUUD14-M F10 2.6 28-34 9 KUUD20-M F20 6.8 36-42 11 KUUH24-M F30 11.8 44-48 13 KUUH27-M F40 13.9 50-60 16 KUUH36-M F60 26.4 62-68 18 KUUH39-M F80 34.4 70-78 20 KUUH42-M F100 43.4 81-87 22 KUUH48-M F120 66.5 87-92 24 KUUH56-M F160 78.5 95-102 26 KUUH60-M F200 96.3 107-114 32 KUUH64-M F250 126.7 117-122 32 KUUH64-M F250 126.7	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- Anchor Stopper Structure

- Anchor Stopper Size(mm)

Anchor Stopper Structure

Anchor Stopper consists of bollard, wire rope, Turn buckle, shackle and eye plates.



1. Bollard
2. Wire rope
3. Roller
4. Turn buckle, shackle
5. Eye plates.

Anchor Stopper Size(mm)

Anchor Chain Diameter	Wire Rope Size	Turnbuckle and Shackle	Eye Plates	Weight(kgs)
16-19	7	KUUD12-M	F6	1.7
20.5-24	8	KUUD14-M	F10	2.6

28-34	9	KUUD20-M	F20	6.8
36-42	11	KUUH24-M	F30	11.8
44-48	13	KUUH27-M	F40	13.9
50-60	16	KUUH36-M	F60	26.4
62-68	18	KUUH39-M	F80	34.4
70-78	20	KUUH42-M	F100	43.4
81-87	22	KUUH48-M	F120	66.5
87-92	24	KUUH56-M	F160	78.5
95-102	26	KUUH60-M	F200	96.3
107-114	32	KUUH64-M	F250	126.7
117-122	32	KUUH64-M	F250	126.7