

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

MARINE KITCHEN GALLEY


BDCZ-15S Marine Large Electromagnetic Cooker


ISO9001 Supplier

Class Certificate

Export Supply

BDCZ-15S Marine Large Electromagnetic Cooker 1.Complete stainless steel execution. 2.With advanced induction heating system and imported ceramic glass heating top to ensure long service life. 3.Power display is f...

	Key Highlights	
	Category	Marine Kitchen Galley
	Standard	EN
	Material	SS
	Weight / Size	BDCZ-15S Marine Large Electromagnetic Cooker Specification Model Voltage...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	
<p>We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.</p>		



Technical Specifications			
Category	Marine Kitchen Galley	Model / SKU	BDCZ-15S-Marine-Large-Electromagnetic-Cooker
Standard	EN	Material	SS
Weight / Size	BDCZ-15S Marine Large Electromagnetic Cooker Specification Model Voltage Rating Size(WxDxH)mm Weight BDCZ-15 380-415V/3P/50Hz 440-480V/3P/60Hz 15Kw 1100x1150x850 100kg BDCZ-18 380-415V/3P/50Hz 440-480V/3P/60Hz 18Kw 1100x1150x850 100kg BDCZ-15S 380-415V/3P/50Hz 440-480V/3P/60Hz 2X15Kw 2000x1150x850 230kg BDCZ-18S 380-415V/3P/50Hz 440-480V/3P/60Hz 2X18Kw 2000x1150x850 230kg	Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS	BDCZ-15S Marine Large Electromagnetic Cooker		BDCZ-15S Marine Large Electromagnetic Cooker Specification	

BDCZ-15S Marine Large Electromagnetic Cooker

- 1.Complete stainless steel execution.
- 2.With advanced induction heating system and imported ceramic glass heating top to ensure long service life.
- 3.Power display is fitted for easily monitoring the working of the equipment.
- 4.Low power consumption,the heating efficiency is over 90%.
- 5.With characteristics of high efficiency,safe and easy cleaning.
- 6.Equipped with wave protection armrests.

BDCZ-15S Marine Large Electromagnetic Cooker Specification

Model	Voltage	Rating	Size(WxDxH)mm	Weight
BDCZ-15	380-415V/3P/50Hz 440-480V/3P/60Hz	15Kw	1100x1150x850	100kg
BDCZ-18	380-415V/3P/50Hz 440-480V/3P/60Hz	18Kw	1100x1150x850	100kg
BDCZ-15S	380-415V/3P/50Hz 440-480V/3P/60Hz	2X15Kw	2000x1150x850	230kg



BDCZ-18S	380-415V/3P/50Hz 440-480V/3P/60Hz	2X18Kw	2000x1150x850	230kg
----------	--------------------------------------	--------	---------------	-------

