

## MARINE TRANSFORMERS

## BH-0.66TH III Marine Current Transformer

ISO9001 Supplier

Class Certificate

Export Supply

Transformer Definition Transformer, instrument transformer), also known as instrument transformer, current transformer and voltage transformer is a general designation to high voltage to low voltage, large current ...



### Key Highlights

Category	Marine Transformers
Standard	GB
Weight / Size	GB20840, IEC61869 BH-0.66TH III Marine Current Transformer Drawing BH-0....
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications			
Category	Marine Transformers	Model / SKU	BH-0-66TH-III-Marine-Current-Transformer
Standard	GB	Weight / Size	GB20840, IEC61869 BH-0.66TH III Marine Current Transformer Drawing BH-0.66TH III Marine Current Transformer Parameter Auxiliary Model Overall Size Inner Hole Size Installation Size W H D a b M 60X52 II 102 130 47 62 52 80X52 II 118 133 44.2 82 52 60 100X52 II 141 133.5 49 102 55 80 100X85 II 149 145 48 102 85 120X70 II 159 177.5 60.4 122 72 125 II 177.5 157.5 60 128 63 150X130 II 195.5 230 49 152 133
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS			
	■ Transformer Definition		■ BH-0.66TH III Marine Current Transformer
	■ BH-0.66TH III Marine Current Transformer Drawing		■ BH-0.66TH III Marine Current Transformer Parameter


## Transformer Definition

Transformer, instrument transformer), also known as instrument transformer, current transformer and voltage transformer is a general designation to high voltage to low voltage, large current to small current, its function is used to measure or to protect system is mainly to high voltage or high current in proportion to transform into standard low voltage (100 v) or small current (5 a or 1 a, shall mean rating), in order to achieve the standardization of measuring instrument to protect equipment and automatic control equipment, miniaturization transformer can also be used to separate the high voltage system at the same time, in order to ensure personal and equipment safety.

## BH-0.66TH III Marine Current Transformer

- 1.Application: mainly used for electric power, electrical line voltage measurement, overload protection, intercept signal.
- 2.Working temperature: -40°C~+40°C
- 3.Rated voltage: 0..66KV
- 4.Rated frequency: 50/60 HZ
- 5.Rated primary voltage:5~10000kv
6. Rated secondary voltage: 1~5A
- 7.Rated secondary load: 2.5~50VA
- 8.Accurate level: 5P,10P
- 9:Standard: GB20840, IEC61869

## BH-0.66TH III Marine Current Transformer Drawing



## BH-0.66TH III Marine Current Transformer Parameter

Auxiliary Model	Overall Size			Inner Hole Size		Installation Size
	W	H	D	a	b	
60X52 II	102	130	47	62	52	
80X52 II	118	133	44.2	82	52	60
100X52 II	141	133.5	49	102	55	80
100X85 II	149	145	48	102	85	
120X70 II	159	177.5	60.4	122	72	
125 II	177.5	157.5	60	128	63	
150X130 II	195.5	230	49	152	133	