

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

ANCHOR CHAIN

Buoy Anchor Chain

Buoy Anchor Chain is produced according to ISO1704-2008, size range from 11mm to 38mm, widely supply to oversea markets. Non Standard Chain Link also can be supplied as per client request. V-Cable length acc...

ISO9001 Supplier

Class Certificate

Export Supply



Key Highlights

Category	Anchor Chain
Standard	ISO
Material	Steel
Weight / Size	Buoy Anchor Chain is produced according to ISO1704-2008, size range from...
Certificate	CCS,ABS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Anchor Chain	Model / SKU	Buoy-Anchor-Chain
Standard	ISO	Material	Steel
Weight / Size	Buoy Anchor Chain is produced according to ISO1704-2008, size range from 11mm to 38mm, widely supply to oversea markets.	Certificate	CCS,ABS
Warranty	12 Months unless specified otherwise	Origin	China

CONTENTS

- China Buoy Anchor Chain:
- Mooring Buoy Anchor Specification
- Buoy Anchor Chain Sketch

China Buoy Anchor Chain:

Buoy Anchor Chain is produced according to ISO1704-2008, size range from 11mm to 38mm, widely supply to oversea markets. Non Standard Chain Link also can be supplied as per client request.





V-Cable length accords to marine buoy

Short cable length: 4.5m

Half cable length: 13.7m

Long cable length: 27.5m

Buoy Anchor Chain Sketch



Mooring Buoy Anchor Specification

Chain Diameter(mm)							V-Cable		Short Cable		Half Cable		Full Cable		Buoy Spec
S	E	E	S	A	J	Y	Lengt h(M)	Weight (kg)	Lengt h(M)	Weight (kg)	Lengt h(M)	Weight (kg)	Lengt h(M)	Weight (kg)	
11	13	13	13	15	14	17	2.27	3.89	4.5	6.04	13.7	17.97	27.5	35.91	HF0.6-D1
13	14	16	15	18	16	18	2.72	7.59	4.5	11.63	13.7	34.04	27.5	67.63	HF0.8-D1
14	16	18	17	19	19	22	2.76	10.37	4.5	16.24	13.7	47.64	27.5	94.37	HF1.08-D1
18	19	21	21	25	23	25	2.77	18.44	4.5	27.78	13.7	81.64	27.5	162.37	HF1.2-D1



22	24	26	26	31	29	34	2.79	31.73	4.5	47.03	13.7	136.75	27.5	269.71	HF1.5-D1
28	30	34	34	39	36	40	3.94	65.42	4.5	79.39	13.7	222.58	27.5	442.36	HF1.8-D1
34	36	40	41	48	44	50	5.26	152.65	4.5	114.15	13.7	328.86	27.5	650.91	HF2.4-D1
38	40	46	46	53	49	56	5.24	197.44	4.5	136.26	13.7	397.66	27.5	774.37	HF2.4-D1/ 3.0-3.6