

IEC 60092 STANDARD CABLE (CHINA TYPE)

CEPF/NC Fire Resistant Marine Power & Lighting Cable 0/6/1KV(No Armoured)

ISO9001 Supplier

Class Certificate

Export Supply

CEPF/NC is fire-resistant, halogen free and low smoke marine power and control cable, your reliable marine cable supplier from China.




Key Highlights

Category	IEC 60092 Standard Cable (China Type)
Standard	EN
Material	Tinned Copper/Mica Tape/EPR insulation/SHF1 Outer Sheath
Weight / Size	IEC 61034-1, IEC61034-2 Cores & Size Cores:
Certificate	ABS, LR, BV, GL, RINA, DNV, NK, KR, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	IEC 60092 Standard Cable (China Type)	Model / SKU	CEPF-NC-Fire-Resistant-Marine-Power-Lighting-Cable-0-6-1KV-No-Armoured
Standard	EN	Material	Tinned Copper/Mica Tape/EPR insulation/SHF1 Outer Sheath
Weight / Size	IEC 61034-1, IEC61034-2 Cores & Size Cores:	Certificate	ABS, LR, BV, GL, RINA, DNV, NK, KR, CCS
Warranty	12 Months unless specified otherwise	Origin	China



CONTENTS

- China CEPF/NC Fire Resistant Marine Power & Lighting Cable 0/6/1KV(No Armoured):
- Standards
- Feature
- Cable Construction
- Cores & Size
- Application:

China CEPF/NC Fire Resistant Marine Power & Lighting Cable 0/6/1KV(No Armoured):



CEPF/NC is Fire-Resistance Marine Power and Control Cable(0.6/1KV), a Mica Tape on the conductor.

Cable Construction

Conductor: Tinned Copper. IEC 60228 Class 2

Mica Tape

Insulation : EPR Insulation

Inner Covering: None

Armour : None

Outer Sheath : Halogen-free Thermoplastic Polyolefin(SHF1)

Standards

Design : IEC 60092-350, 353

Insulation Material : IEC 60092 -351

Sheath Material : IEC 60092-359

Fire Resistant: IEC 60331


Halogen--free: IEC60754-1, IEC60754-2

Smoke Emission: IEC 61034-1, IEC61034-2

Cores & Size

Cores: 1, 2,3,4,5,7,10,12,14,16,19,24,37

Size (sqmm): 1.5, 2.5, 4, 6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 180, 240, 300



Feature

Halogen-free, Low Smoke, Fire resistant.

Application:

The cable is fixed installation, used for power, lighting and control in most area and open deck area in ship.

