

Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

CENTRIFUGAL PUMP

CIS Series Marine Horizontal Centrifugal Pump Ballast And Bilge Pumps

ISO9001 Supplier

Class Certificate

Export Supply

1. High Quality,suitable for sea water transfer2. Fast Delivery3. Easy maintenance4. Competitive price



Key Highlights

Category	Centrifugal Pump
Standard	EN
Material	Cast iron pump cast, Bronze impeller, Stainless steel pump shaft
Certificate	CCS , Rina , ABS, BV, GL,

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Centrifugal Pump	Model / SKU	CIS-Series-Marine-Horizontal-Centrifugal-Ballast-And-Bilge-Pumps
Standard	EN	Material	Cast iron pump cast, Bronze impeller, Stainless steel pump shaft
Certificate	CCS , Rina , ABS, BV, GL,	Warranty	12 Months unless specified otherwise
Origin	China		

CONTENTS

- CIS series Marine horizontal centrifugal pumps
- Model Explanation
- Performance
- General Description
- Structural Specifications



0.045811s

CIS series Marine horizontal centrifugal pumps



- High Quality,suitable for sea water transfer
- Fast Delivery
- Easy maintenance
- Competitive price


General Description

CIS type pump is single-stage,single-suction(axial inhalation) centrifugal pump, which is used onboard as fresh water and sea water cooling pump, and sanitary pump, domestic pump and daily water pump with motor-driven. Transmission medium temperature should be lower than 75c.

Model Explanation

- CIS50-32-125
- CIS-Marine centrifugal pump
- 50-Inlet diameter 50mm
- 32-Outlet diameter 65mm
- 125-Impeller diameter 125mm

Structural Specifications



Performance

50HZ



Model	Flow of	Head	Power	RPM
	rate (Q)	H	P	n
	m ³ /h	m	Kw	r/min
CIS50-32-125	12.5	20	2.2	2900
CIS50-32-160		32	3	
CIS50-32-200		50	5.5	
CIS65-50-125	25	20	3	
CIS65-50-160		32	5.5	
CIS65-50-200		50	7.5	
CIS65-50-250		80	15	
CIS80-65-125	50	20	5.5	
CIS80-65-160		32	7.5	
CIS80-65-200		50	15	
CIS80-65-250		80	22	
CIS100-80-125	100	20	11	
CIS100-80-160		32	15	
CIS100-80-200		50	22	
CIS100-80-250		80	37	
CIS100-80-315		125	75	
CIS125-100-200	200	50	45	
CIS125-100-250		80	75	
CIS125-100-315		125	110	
CIS125-100-400	100	50	30	1450
CIS150-125-250	200	20	18.5	
CIS150-125-315		32	30	
CIS150-125-400		50	45	
CIS200-150-250	400	20	37	
CIS200-150-315		32	55	
CIS200-150-400		50	90	

60HZ

Model	Flow of	Head	Power	RPM
	rate (Q)	H	P	n
	m ³ /h	m	Kw	r/min
CIS50-32-125	15	29	3	3500
CIS50-32-160		46	5.5	
CIS50-32-200		72	7.5	
CIS65-50-125	30	29	5.5	
CIS65-50-160		46	7.5	
CIS65-50-200		72	15	
CIS65-50-250		116	22	
CIS80-65-125	60	29	7.5	
CIS80-65-160		46	15	
CIS80-65-200		72	22	
CIS80-65-250		116	37	
CIS100-80-125	120	29	15	
CIS100-80-160		46	30	
CIS100-80-200		72	37	
CIS100-80-250		116	15	
CIS100-80-315		182		
CIS125-100-200	240	72	75	
CIS125-100-250		116		
CIS125-100-315		182		
CIS125-100-400	120	72	45	1750
CIS150-125-250	240	29	30	
CIS150-125-315		46	55	
CIS150-125-400		72		
CIS200-150-250	480	29	55	
CIS200-150-315		46		
CIS200-150-400		72		