

# Jinbo Marine

Marine &amp; Offshore Equipment Datasheet

PRODUCT DATASHEET

IEC 60092 STANDARD CABLE (CHINA TYPE)


## CJ96/SC Flame Retardant Marine Power & Lighting Cable 0/6/1KV(Armoured)

ISO9001 Supplier

Class Certificate

Export Supply

CJ96/SC Cable is Galvanized Steel Wire Braided Cable, 0.6/1KV, &nbsp;all material have been inspected before use. Cable Construction &nbsp; Conductor: Tinned Copper. IEC 60228 Class 2 ...



### Key Highlights

<b>Category</b>	IEC 60092 Standard Cable (China Type)
<b>Standard</b>	DIN
<b>Material</b>	Tinned Copper/XLPE insulation/Galvanized Steel Wire Braided/SHF1
<b>Weight / Size</b>	IEC 61034-1, IEC61034-2 Cores & Size Cores:
<b>Certificate</b>	ABS, LR, BV, GL, RINA, DNV, NK, KR, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

### Technical Specifications

<b>Category</b>	IEC 60092 Standard Cable (China Type)	<b>Model / SKU</b>	CJ96-SC-Flame-Retardant-Marine-Power-Lighting-Cable-0-6-1KV-Armoured
<b>Standard</b>	DIN	<b>Material</b>	Tinned Copper/XLPE insulation/Galvanized Steel Wire Braided/SHF1
<b>Weight / Size</b>	IEC 61034-1, IEC61034-2 Cores & Size Cores:	<b>Surface</b>	Galvanized
<b>Certificate</b>	ABS, LR, BV, GL, RINA, DNV, NK, KR, CCS	<b>Warranty</b>	12 Months unless specified otherwise
<b>Origin</b>	China		



0.041814s

**CONTENTS**

- China CJ96/SC Flame Retardant Marine Power & Lighting Cable 0/6/1KV(Armoured):
- Standards
- Shipment:
- Cable Construction
- Cores & Size

## China CJ96/SC Flame Retardant Marine Power & Lighting Cable 0/6/1KV(Armoured):



CJ96/SC Cable is Galvanized Steel Wire Braided Cable, 0.6/1KV, all material have been inspected before use.

### Cable Construction

Conductor: Tinned Copper. IEC 60228 Class 2

Insulation : XLPE Insulation

Armour :Galvanized Steel Wire Braided

Outer Sheath : Halogen-free Thermoplastic Polyolefin(SHF1)

### Standards

Design : IEC 60092-350, 353

Insulation Material : IEC 60092 -351

Sheath Material : IEC 60092-359

Flame Retardant: IEC 60332-1 & IEC 60332-3 Category A

Halogen--free: IEC60754-1, IEC60754-2

Smoke Emission: IEC 61034-1, IEC61034-2

### Cores & Size

Cores: 1, 2,3,4,5,7,10,12,14,16,19,24,37

Size (sqmm): 1.5, 2.5, 4, 6, 10, 16, 25, 35, 50, 70, 95, 120, 150, 180, 240, 300

### Shipment:

We can delivery the goods all around the world by sea or air according to Incoterms 2010.



