CENTRIFUGAL PUMP

CLH/2 Marine Vertical Two Stage Centrifugal pump

ISO9001 Supplier

Class Certificate

Export Supply

Description: CLH/2 marine vertical two-stage double outlet centrifugal pump, a pump can be used in two working conditions, that is, a high lift working condition, a low lift working condition. Set fi...



Key Highlights

Category	Centrifugal Pump
Standard	EN
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

Technical Specifications

Category	Centrifugal Pump	**Model / SKU**	CLH-2-Marine-Vertical-Two-Stage-Centrifugal-pump
Standard	EN	**Certificate**	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
Warranty	12 Months unless specified otherwise	**Origin**	China

CONTENTS

- Description:
- Technical data:

Description:



CLH/2 marine vertical two-stage double outlet centrifugal pump, a pump can be used in two working conditions, that is, a high lift working condition, a low lift working condition. Set fire, bilge, ballast, cooling, all in one, suitable for all kinds of ships, naval vessels.

Technical data:

Model	Caliber (mm)	Capacity (m3/h)	Head (m)	Power (kw)	Speed (r/min)	NPSH (m)

40DL(DLR)6-12x2	40	6	24	1.5	1480	3.2
40DL(DLR)6-12x3			36	2.2		
40DL(DLR)6-12x4			48	3		
40DL(DLR)6-12x5			60	4		
40DL(DLR)6-12x6			72	4		
40DL(DLR)6-12x7			84	5.5		
40DL(DLR)6-12x8			96	5.5		
40DL(DLR)6-12x9			108	7.5		
40DL(DLR)6-12x10			120	7.5		
40DL(DLR)6-12x11			132	7.5		
40DL(DLR)6-12x12			144	11		
50DL(DLR)12.5-12.5x2	50	12.5	25	2		2.2
50DL(DLR)12.5-12.5x3			37.5	3		
50DL(DLR)12.5-12.5x4			50	4		
50DL(DLR)12.5-12.5x5			62.5	5.5		
50DL(DLR)12.5-12.5x6			75	7.5		
50DL(DLR)12.5-12.5x7			87.5	7.5		
50DL(DLR)12.5-12.5x8			100	7.5		
50DL(DLR)12.5-12.5x9			112.5	11		
50DL(DLR)12.5-12.5x10			125	11		
65DL(DLR)30-15x2	65	30	30	5.5		2.82
65DL(DLR)30-15x3			45	7.5		
65DL(DLR)30-15x4			60	11		
65DL(DLR)30-15x5			75	15		
65DL(DLR)30-15x6			90	15		
65DL(DLR)30-15x7			105	18.5		
65DL(DLR)30-15x8			120	22		
65DL(DLR)30-15x9			135	22		
65DL(DLR)30-15x10			150	30		