

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

## MARINE AIR CONDITIONER

# CNF/D Marine Electric Heating Air Fan Unit

ISO9001 Supplier

Class Certificate

Export Supply

CNF/D Marine electric heating unit is composed of electric heater, fan, thermostat and control box: Type  CNF/D-2(l) CNF/D-3(l) ...



### Key Highlights


<b>Category</b>	Marine Air Conditioner
<b>Weight / Size</b>	Type CNF/D-2(l) CNF/D-3(l) CNF/D-4(l) CNF/D-5(l) CNF/D-6(l) Electric he...
<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

**Technical Specifications**


<b>Category</b>	Marine Air Conditioner	<b>Model / SKU</b>	CNF-D-Marine-Electric-Heating-Air-Fan-Unit
<b>Weight / Size</b>	Type CNF/D-2(I) CNF/D-3(I) CNF/D-4(I) CNF/D-5(I) CNF/D-6(I) Electric heating capacity KW 2 3 4 5 6 Air flow m3/h 300 400 600 700 800 External pressure Pa 5 ~ 10 5 ~ 10 5 ~ 10 5 ~ 10 5 ~ 10 Fan motor power KW 0.03 0.04 0.05 0.06 0.07 Noise dB(A) 48 49 50 51 55 Weight Kg 40 42 43 45 50 Power supply AC380V/440V 3P 50/60Hz AC220V/230V 1P 50/60Hz Type CNF/D-2(II) CNF/D-3(II) CNF/D-4(II) CNF/D- 5(II) CNF/D-6(II) Electric heating capacity KW 2 3 4 5 6 Air flow m3/h 600 700 800 900 1000 External pressure Pa 100 ~ 150 100 ~ 150 100 ~ 150 100 ~ 150 100 ~ 150 Fan motor power KW 0.18 0.18 0.25 0.25 0.32 Noise dB(A) 48 49 50 51 55 Weight Kg 40 42 43 45 50 Power supply AC380V/440V 3P 50/60Hz AC220V/230V 1P 50/60Hz	<b>Certificate</b>	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS
<b>Warranty</b>	12 Months unless specified otherwise	<b>Origin</b>	China

**CNF/D Marine electric heating unit is composed of electric heater, fan, thermostat and control box:**



Type	CNF/D-2(I)	CNF/D-3(I)	CNF/D-4(I)	CNF/D-5(I)	CNF/D-6(I)
Electric heating capacity KW	2	3	4	5	6
Air flow m3/h	300	400	600	700	800
External pressure Pa	5 ~ 10	5 ~ 10	5 ~ 10	5 ~ 10	5 ~ 10

Fan motor power KW	0.03	0.04	0.05	0.06	0.07
Noise dB(A)	48	49	50	51	55
Weight Kg	40	42	43	45	50
Power supply	AC380V/440V 3P 50/60Hz AC220V/230V 1P 50/60Hz				



Type	CNF/D-2(II)	CNF/D-3(II)	CNF/D-4(II)	CNF/D-5(II)	CNF/D-6(II)
Electric heating capacity KW	2	3	4	5	6
Air flow m3/h	600	700	800	900	1000
External pressure Pa	100 ~ 150	100 ~ 150	100 ~ 150	100 ~ 150	100 ~ 150
Fan motor power KW	0.18	0.18	0.25	0.25	0.32
Noise dB(A)	48	49	50	51	55
Weight Kg	40	42	43	45	50
Power supply	AC380V/440V 3P 50/60Hz AC220V/230V 1P 50/60Hz				