

# Jinbo Marine

Marine & Offshore Equipment Datasheet

PRODUCT DATASHEET

## JET PUMP

# CPT Series marine jet pump ejector pump

ISO9001 Supplier

Class Certificate

Export Supply

The axis of suction flange of CPT jet pump is perpendicular to the axis of pump body.No moving parts, long service life.It is mainly used in ship drainage system, environmental protection, chemical industry, water conser...




### Key Highlights

Category	Jet pump
Standard	DIN
Material	The axis of suction flange of CPT jet pump is perpendicular to the axis ...
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS

We can supply according to your requirement, drawings, class certificate needs, and delivery schedule.

### Technical Specifications

Category	Jet pump	Model / SKU	CPT-Series-marine-jet-pump-ejector-pump
Standard	DIN	Material	The axis of suction flange of CPT jet pump is perpendicular to the axis of pump body.No moving parts, long service life.It is mainly used in ship drainage system, environmental protection, chemical industry, water conservancy, building materials industry, etc.
Certificate	ABS, LR, BV, DNVGL, NK, KR, IRS, RMRS, CCS	Warranty	12 Months unless specified otherwise
Origin	China		



## China CPT Series marine jet pump ejector pump:

The axis of suction flange of CPT jet pump is perpendicular to the axis of pump body.No moving parts, long service life.It is mainly used in ship drainage system, environmental protection, chemical industry, water conservancy, building materials industry, etc.

Main Technical Data				
Model	Flow rate Q ( m <sup>3</sup> /h )	Suction lift m	Outlet pressure MPa	Motor power (KW)
CP5-0.3T	0-15	3.0-9.0	0.05-0.3	0.4-1.4
CP10-0.3T	0-40	3.0-9.0	0.05-0.3	0.4-1.4
CP15-0.3T	0-71	3.0-9.0	0.05-0.3	0.4-1.4
CP20-0.3T	0-100	3.0-9.0	0.05-0.3	0.4-1.4
CP30-0.3T	0-125	3.0-9.0	0.05-0.3	0.4-1.4
CP40-0.3T	0-180	3.0-9.0	0.05-0.3	0.4-1.4
CP50-0.3T	0-15	3.0-9.0	0.05-0.3	0.4-1.4
CP100-0.3T	0-40	3.0-9.0	0.05-0.3	0.4-1.4
CP5-0.7T	0-71	3.0-9.0	0.05-0.3	0.4-1.4
CP10-0.7T	0-100	3.0-9.0	0.05-0.3	0.4-1.4
CP20-0.7T	0-125	3.0-9.0	0.05-0.3	0.4-1.4
CP30-0.7T	0-180	3.0-9.0	0.05-0.3	0.4-1.4
CP30/20-0.7T	0-15	3.0-9.0	0.05-0.3	0.4-1.4
CP50-0.7T	0-40	3.0-9.0	0.05-0.3	0.4-1.4
CP60-0.7T	0-71	3.0-9.0	0.05-0.3	0.4-1.4
CP80-0.7T	0-100	3.0-9.0	0.05-0.3	0.4-1.4
CP100-0.7T	0-125	3.0-9.0	0.05-0.3	0.4-1.4
CP150-0.7T	0-180	3.0-9.0	0.05-0.3	0.4-1.4
CP200-0.7T	0-15	3.0-9.0	0.05-0.3	0.4-1.4
CP100-0.7G	0-40	3.0-9.0	0.05-0.3	0.4-1.4
CP15-0.5T	0-71	3.0-9.0	0.05-0.3	0.4-1.4
CP10-1.0T	0-100	3.0-9.0	0.05-0.3	0.4-1.4
CP50-1.0T	0-15	3.0-9.0	0.05-0.3	0.4-1.4
CP100-0.2T	0-40	3.0-9.0	0.05-0.3	0.4-1.4

